

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 01/09/2015

1 Identification

Product identifier

Product name: Poly(propylene glycol) bis(2-aminopropyl ether), Mn ca 230

Stock number: H37543

CAS Number: 9046-10-0

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: technologies access

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. **Hazards not otherwise classified** No information known.

Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)







Signal word Danger

Hazard statements
H301+H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage. Precautionary statements

Precautionary statements
Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310
IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361
Take off immediately all contaminated clothing.
Store locked up.
Store locked up.

P405 P501 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

WHINIS crassification
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 9046-10-0 Poly(propylene glycol) bis(2-aminopropyl ether)

4 First-aid measures

Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

(Contd. on page 2)

(Contd. of page 1)

Product name: Poly(propylene glycol) bis(2-aminopropyl ether), Mn ca 230

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Meet important symptoms and effects, both south and dolored.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Absorb with liquid-binding material (sand, diatomite, acid binders, ur Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Precautions for safe framining
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:
Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. **Additional information**: No data

Exposure controls Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale dust / smoke / mist.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm

(Contd. on page 3)

Product name: Poly(propylene glycol) bis(2-aminopropyl ether), Mn ca 230

Eye protection: Tightly sealed goggles Full face protection

Body protection: Protective work clothing.

(Contd. of page 2)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color:

Odor: Odor threshold: Liquid Colorless to pale yellow Not determined Not determined. Not determined.

Not determined

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:

Decomposition temperature: Auto igniting:

Danger of explosion:

Danger or explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density

Vapor density Evaporation rate Solubility in / Miscibility with

Viscosity: dynamic: kinematic:

Other information

Not determined Not determined Not determined Not determined Not determined Not determined.

Not determined.

Not determined.

Not determined

Not determined Not determined 0.948 g/cm³ (7.911 lbs/gal) Not determined Not determined

Not determined Partition coefficient (n-octanol/water): Not determined. Not determined.

Not determined. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with storage specifications.

Conditions to avoid No further relevant information available

Incompatible materials:

Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide

Nitrogen oxides

11 Toxicological information

Information on toxicological effects

Intermation on toxicological effects

Acute toxicity:
Toxic in contact with skin.
Toxic if swallowed.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

LD50 242 mg/kg (rat) Dermal LD50 360 mg/kg (rabbit)

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.

Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment

Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

(Contd. on page 4)

Product name: Poly(propylene glycol) bis(2-aminopropyl ether), Mn ca 230

vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

| 14 | Trans | port i | nform | ation |
|----|--------------|--------|-------|-------|
|----|--------------|--------|-------|-------|

| UN-Number DOT, IMDG, IATA | UN2922 |
|--|--|
| UN proper shipping name DOT IMDG, IATA | Corrosive liquids, toxic, n.o.s. (Poly(propylene glycol) bis(2-aminopropyl ether)) CORROSIVE LIQUID, TOXIC, N.O.S. (Poly(propylene glycol) bis(2-aminopropyl ether)) |

Transport hazard class(es)

DOT



Class Label Class Label IMDG, IATA

8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances 8+6.1





Class Label

8 Corrosive substances. 8+6.1

Packing group DOT, IMDG, IATA

III

Environmental hazards: Special precautions for user Not applicable. Warning: Corrosive substances

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT):

No

UN "Model Regulation":

UN2922, Corrosive liquids, toxic, n.o.s. (Poly(propylene glycol) bis(2-aminopropyl ether)), 8 (6.1), III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger

Hazard statements
H301+H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/va,
P301+P310 IF SWALLOWED: Immediately call at

Precautionary statements
Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310
IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361
Take off immediately all contaminated clothing.
Store locked up

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Product name: Poly(propylene glycol) bis(2-aminopropyl ether), Mn ca 230

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods DOT: US Department of Transportation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transport Association

IATA: International Air Transport Association

IATA: International Air Transport Association

IATA: International Air Transport Association

With MIS: Workplace Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

VPUS: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

IATA: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)