

Creation Date 09-Dec-2010

Revision Date 09-Sep-2015

Revision Number 7

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

 Product Description:
 Cadmium chloride, anhydrous

 Cat No. :
 296330000; 296330050; 296330250

 CAS-No
 10108-64-2

 EC-No.
 233-296-7

 Molecular Formula
 Cd Cl2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company	Acros Organics BVBA
	Janssen Pharmaceuticalaan 3a
	2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Physical hazards_ Based on available data, the classification criteria are not met	
Health hazards	
Acute oral toxicity	Category 3
Acute Inhalation Toxicity - Dusts and Mists	Category 2
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (repeated exposure)	Category 1
Environmental hazards	
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

2.2. Label elements

Cadmium chloride, anhydrous



Signal Word

Danger

Hazard Statements

H301 - Toxic if swallowed

H330 - Fatal if inhaled

H340 - May cause genetic defects

H350 - May cause cancer

H360FD - May damage fertility. May damage the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P201 - Obtain special instructions before use
P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell
P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P273 - Avoid release to the environment

Additional EU labelling

Restricted to professional users

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Cadmium chloride	10108-64-2	EEC No. 233-296-7	>95	Acute Tox. 3 (H301) Acute Tox. 2 (H330) Muta. 1B (H340) Carc. 1B (H350) Repr. 1B (H360FD) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.

Revision Date 09-Sep-2015

Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Immediate medical attention is required. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Cadmium chloride, anhydrous

Dry chemical, CO₂, water spray or alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Fumes, Highly toxic fumes.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Cadmium chloride, anhydrous

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Do not get in eyes, on skin, or on clothing. Do not ingest. Wear personal protective equipment. Do not breathe vapors/dust. Avoid dust formation.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

Component	European Union	The United Kingdom	France	Belgium	Spain
Cadmium chloride		STEL: 0.075 mg/m ³ 15	TWA / VME: 0.05 mg/m ³		TWA / VLA-ED: 0.01
		min	(8 heures).		mg/m ³ (8 horas)
		TWA: 0.025 mg/m ³ 8 hr			TWA / VLA-ED: 0.002
		Carc.			mg/m ³ (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Cadmium chloride		Haut	TWA: 0.002 mg/m ³ 8	TWA: 0.005 mg/m ³ 8	TWA: 0.02 mg/m ³ 8
			horas	uren	tunteina
					lho

Component	Austria	Denmark	Switzerland	Poland	Norway
Cadmium chloride	TRK-KZW: 0.12 mg/m ³ 15 Minuten TRK-KZW: 0.06 mg/m ³ 15 Minuten TRK-TMW: 0.03 mg/m ³ TRK-TMW: 0.015 mg/m ³		Haut/Peau TWA: 0.015 mg/m³ 8 Stunden		TWA: 0.05 mg/m ³ 8 timer

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Cadmium chloride		TWA-GVI: 0.025 mg/m ³			
		8 satima. Cd			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Cadmium chloride				Ceiling: 0.05 mg/m ³ MK	

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Cadmium chloride				LLV: 0.02 mg/m ³ 8	
				timmar. total dust	
				LLV: 0.005 mg/m ³ 8	
				timmar. respirable dust	

Biological limit values

List source(s):

Component	European Union	United Kingdom	France	Spain	Germany
Cadmium chloride			Cadmium: 0.005 mg/g		
			creatinine urine not		
			critical		

Cadmium chloride, anhydrous

	Cadmium: 0.005 mg/L blood not critical		
--	---	--	--

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

ci sonai proteotive equipinent
Eye Protection
Hand Protection

Goggles (European standard - EN 166) Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prote	ection Long sle	eved clothing		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Physical State	White Powder Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas) Explosion Limits	No information available No data available No information available 568 °C / 1054.4 °F No data available 960 °C / 1760 °F No information available Not applicable No information available No data available	Method - No information available Solid
Vapor Pressure Vapor Density Specific Gravity / Density Bulk Density Water Solubility Solubility in other solvents Partition Coefficient (n-octanol/wat	13 mbar @ 656 °C Not applicable No data available No data available 1400 g/L (20°C) No information available er)	Solid
Component Cadmium chloride Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties	log Pow 5 No data available Not applicable No information available No information available	Solid
9.2. Other information Molecular Formula Molecular Weight	Cd Cl2 183.31	

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Hygroscopic
10.3. Possibility of hazardous react	36 1
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid 10.5. Incompatible materials	Incompatible products. Excess heat. Exposure to moist air or water. Avoid dust formation. Metals. Powdered metals.

10.6. Hazardous decomposition products

Fumes. Highly toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicolog	jical effects			
Product Information				
(a) acute toxicity; Oral Dermal Inhalation	Category 3 No data available Category 2			
Component	LD50 Oral	L	050 Dermal	LC50 Inhalation
Cadmium chloride	LD50 = 88 mg/kg (Ra	at)		
(b) skin corrosion/irritation;	No data available			
(c) serious eye damage/irritat	ion: No data available			
(c) concac cyc admago, mar				
(d) respiratory or skin sensitiz Respiratory Skin	zation; No data available No data available			
(e) germ cell mutagenicity;	Category 1B			
(f) carcinogenicity;	the available information Category 1B	Possible cancer hazard. May cause cancer based on animal data The table below indicates		
Component	EU		Germany	IARC
Cadmium chloride	Carc Cat. 1B	•		Group 1
 (g) reproductive toxicity; Reproductive Effects Teratogenicity (h) STOT-single exposure; 	Category 1B Experiments have show Teratogenic effects hav No data available			
(i) STOT-repeated exposure;	Category 1			
Target Organs	Blood, Respiratory systemetry	em, Kidney, Prost	ate.	
(j) aspiration hazard;	Not applicable Solid			
Other Adverse Effects	See actual entry in RTE	CS for complete i	information	
Symptoms / effects,both acu	te and No information available	;		

delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Cadmium chloride	0.0409 mg/L LC50 96 h	0	3.7 mg/L EC50 = 96 h	= 17 mg/L EC50
		EC50 48 h		Photobacterium

Cadmium chloride, anhydrous

Revision Date 09-Sep-2015

		phosphoreum 15 min	
		as Cd++	
		= 5.4 mg/L EC50	
		Photobacterium	
		phosphoreum 30 min as Cd++	
		= 98 mg/L EC50	
		Photobacterium	
		phosphoreum 5 min as	
		Cd++	
12.2. Persistence and degradability	v		
Persistence	May persist, based on information available.		
Degradability	Not relevant for inorganic substances.		
Degradation in sewage	•	to the environment or not degradable in waste	
treatment plant	water treatment plants.	C C	
-			
12.3. Bioaccumulative potential	May have some potential to bioaccumulate		
Component	log Pow	Bioconcentration factor (BCF)	
Cadmium chloride	5	38	
12.4 Mobility in soil	The product is water soluble, and may spread in water systems. Will likely be mobile in the environment due to its water solubility. Highly mobile in soils		
<u>12.4. MODILLY III SOIL</u>			
12.5. Results of PBT and vPvB			
<u>12.5. Results of PBT and vPvB</u> assessment 12.6. Other adverse effects	environment due to its water solubility. Highl		
<u>12.5. Results of PBT and vPvB</u> assessment <u>12.6. Other adverse effects</u> Endocrine Disruptor Information	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s	y mobile in soils suspected endocrine disruptors	
<u>12.5. Results of PBT and vPvB</u> assessment <u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s This product does not contain any known or s	y mobile in soils suspected endocrine disruptors suspected substance	
12.4. Mobility in soil 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s	y mobile in soils suspected endocrine disruptors suspected substance	
<u>12.5. Results of PBT and vPvB</u> <u>assessment</u> <u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s This product does not contain any known or s	y mobile in soils suspected endocrine disruptors suspected substance suspected substance	
<u>12.5. Results of PBT and vPvB</u> <u>assessment</u> <u>12.6. Other adverse effects</u> Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s This product does not contain any known or s This product does not contain any known or s	y mobile in soils suspected endocrine disruptors suspected substance suspected substance	
12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential SI 13.1. Waste treatment methods	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s This product does not contain any known or s This product does not contain any known or s ECTION 13: DISPOSAL CONSIDER	y mobile in soils suspected endocrine disruptors suspected substance suspected substance	
12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential	environment due to its water solubility. Highly No data available for assessment. This product does not contain any known or s This product does not contain any known or s This product does not contain any known or s ECTION 13: DISPOSAL CONSIDER Should not be released into the environment.	y mobile in soils suspected endocrine disruptors suspected substance suspected substance	

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)According to the European Waste Catalogue, Waste Codes are not product specific, but
application specific.Other InformationDo not dispose of waste into sewer. Waste codes should be assigned by the user based on
the application for which the product was used. Do not empty into drains. Do not let this
chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number	UN2570
14.2. UN proper shipping name	CADMIUM COMPOUND
14.3. Transport hazard class(es)	6.1
14.4. Packing group	III

<u>ADR</u>

14.1. UN number	UN2570
14.2. UN proper shipping name	CADMIUM COMPOUND
14.3. Transport hazard class(es)	6.1
14.4. Packing group	III

ΙΑΤΑ

<u>14.1. UN number</u> <u>14.2. UN proper shipping name</u> <u>14.3. Transport hazard class(es)</u> <u>14.4. Packing group</u>	UN2570 CADMIUM COMPOUND 6.1 III
14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed												
	Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
	Cadmium chloride	233-296-7	-		Х	Х	-	Х	Х	Х	Х	Х

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Cadmium chloride		Use restricted. See item 28. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 29. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details) Use restricted. See item 30. (see http://eur-lex.europa.eu/LexUriServ/L exUriServ.do?uri=CELEX:32006R190 7:EN:NOT for restriction details)	probable serious effects to human health (Article 57 f)

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Cadmium chloride	WGK 3	

Component	France - INRS (Tables of occupational diseases)
Cadmium chloride	Tableaux des maladies professionnelles (TMP) - RG 61

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

TSCA - United States Toxic Substances Control Act Section 8(b)

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIOC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

Transport Association

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

SECTION 16: OTHER INFORMATION

Inventory

Substances List

Full Text of H-/EUH-Statements Referred to Under Section 3

H301 - Toxic if swallowed H330 - Fatal if inhaled H340 - May cause genetic defects H350 - May cause cancer H360FD - May damage fertility. May damage the unborn child H372 - Causes damage to organs through prolonged or repeated exposure H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists **DNEL** - Derived No Effect Level **RPE** - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code **OECD** - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Ships

First aid for chemical exposure, including the use of eye wash and safety showers.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

Chemical incident response training.

This sefety date	ale and a small as with the result
Revision Summary	Update to Format.
Revision Date	09-Sep-2015
Creation Date	09-Dec-2010

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet

ACR29633