SAFETY DATA SHEET



Creation Date 11-Oct-2010

Revision Date 29-Nov-2016

Revision Number 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identification

Product Description:	Calcium hydroxide
Cat No. :	403850000; 403850010; 403850025; 403850050
Synonyms	Biocalc; Calcium dihydrate; Calcium hydrate
CAS-No	1305-62-0
EC-No.	215-137-3
Molecular Formula	H2 Ca O2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.		
Uses advised against	No Information available		

1.3. Details of the supplier of the safety data sheet

Company	Acros Organics BVBA
	Janssen Pharmaceuticalaan 3a
	2440 Geel, Belgium
E-mail address	begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Skin Corrosion/irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity - (single exposure) Category 2 (H315) Category 1 (H318) Category 3 (H335)

Environmental hazards Based on available data, the classification criteria are not met

2.2. Label elements

SAFETY DATA SHEET

Calcium hydroxide



Signal Word

Danger

Hazard Statements

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Precautionary Statements

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/ attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

2.3. Other hazards

No information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Calcium hydroxide	1305-62-0	215-137-3	>95	Eye Dam. 1 (H318) Skin Irrit. 2 (H315)
				STOT SE 3 (H335)

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Get medical attention if symptoms occur.
Inhalation	Move to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.
Protection of First-aiders	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable. Causes severe eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Extinguishing media which must not be used for safety reasons No information available.

5.2. Special hazards arising from the substance or mixture

Non-combustible. Contact with metals may evolve flammable hydrogen gas.

Hazardous Combustion Products Calcium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Should not be released into the environment.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement. **IRE -** 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority.

Component	European Union	The United Kingdom	France	Belgium	Spain
Calcium hydroxide		STEL: 15 mg/m ³ 15 min	TWA / VME: 5 mg/m ³ (8	TWA: 5 mg/m ³ 8 uren	TWA / VLA-ED: 5 mg/m ³
		TWA: 5 mg/m ³ 8 hr	heures).	-	(8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Calcium hydroxide		TWA: 1 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 1 mg/m ³ (8 Stunden). MAK Höhepunkt: 2 mg/m ³	TWA: 5 mg/m ³ 8 horas	TWA: 5 mg/m³ 8 uren	TWA: 5 mg/m ³ 8 tunteina

Component	Austria	Denmark	Switzerland	Poland	Norway
Calcium hydroxide	MAK-KZW: 4 mg/m ³ 15 Minuten MAK-TMW: 2 mg/m ³ 8 Stunden	Ŭ	TWA: 5 mg/m³ 8 Stunden	STEL: 4 mg/m ³ 15 minutach STEL: 6 mg/m ³ 15 minutach TWA: 2 mg/m ³ 8 godzinach TWA: 1 mg/m ³ 8 godzinach	TWA: 5 mg/m ³ 8 timer STEL: 5 mg/m ³ 15 minutter.

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Calcium hydroxide	TWA: 5.0 mg/m ³	TWA-GVI: 5 mg/m ³ 8 satima.	TWA: 5 mg/m ³ 8 hr. STEL: 15 mg/m ³ 15 min	TWA: 5 mg/m ³	TWA: 2 mg/m³ 8 hodinách.
			g,		Ceiling: 4 mg/m ³

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Calcium hydroxide	TWA: 5 mg/m ³ 8 tundides.	TWA: 5 mg/m ³ 8 hr existing scientific data	TWA: 5 mg/m ³	TWA: 5 mg/m³ 8 órában. AK	TWA: 5 mg/m ³ 8 klukkustundum.
		on health effects appear to be particularly limited			Ceiling: 10 mg/m ³

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Calcium hydroxide	TWA: 5 mg/m ³	TWA: 5 mg/m³ IPRD Oda	TWA: 5 mg/m ³ 8 Stunden	TWA: 5 mg/m ³	TWA: 5 mg/m ³ 8 ore

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Calcium hydroxide	Skin notation MAC: 2 mg/m ³	TWA: 5 mg/m³	TWA: 5 mg/m ³ 8 urah inhalable fraction	Indicative STLV: 6 mg/m ³ 15 minuter inhalable dust LLV: 3 mg/m ³ 8 timmar. inhalable dust	TWA: 5 mg/m³ 8 saat

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

Derived No Effect Level (DNEL) No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection	
Hand Protection	

Goggles (European standard - EN 166) Protective gloves

Glove material Neoprene Natural rubber Nitrile rubber PVC	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body prot	tection Long sle	eved clothing		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141; Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	No information available

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Molecular Weight

9.1. Information on basic physical and chemical properties

Appearance Physical State	Off-white Solid	
Odor Odor Threshold pH Melting Point/Range Softening Point	Odorless No data available 12.4 580 °C / 1076 °F No data available	saturated solution
Boiling Point/Range Flash Point Evaporation Rate Flammability (solid,gas)	2850 °C / 5162 °F No information available Not applicable No information available No data available	Method - No information available Solid
Explosion Limits Vapor Pressure Vapor Density Specific Gravity / Density	No data available Not applicable	Solid
Bulk Density Water Solubility Solubility in other solvents	No data available 1.65 g/L (20°C) No information available	
Partition Coefficient (n-octanol/wat Autoignition Temperature Decomposition Temperature Viscosity Explosive Properties	Not applicable No data available Not applicable No information available	Solid
Oxidizing Properties 9.2. Other information	No information available	
Molecular Formula	H2 Ca O2	

74.09

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
<u>10.2. Chemical stability</u> 10.3. Possibility of hazardous reac	Air sensitive, Moisture sensitive.
Hazardous Polymerization Hazardous Reactions	Hazardous polymerization does not occur. None under normal processing.
10.4. Conditions to avoid	Avoid dust formation. Incompatible products. Excess heat. Exposure to air or moisture over
	prolonged periods.
10.5. Incompatible materials	Strong oxidizing agents. Metals. Reducing agents. Acids. Bases.
10.6. Hazardous decomposition pro	oducts
	Calcium oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity; Oral Dermal Inhalation	Based on available data, the classification criteria are not met No data available No data available							
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation					
Calcium hydroxide	LD50 = 7340 mg/kg (Rat)							
(b) skin corrosion/irritation;	Category 2							
(c) serious eye damage/irritation;	Category 1							
(d) respiratory or skin sensitization Respiratory Skin	; No data available No data available							
(e) germ cell mutagenicity;	No data available							
(f) carcinogenicity;	No data available							
	There are no known carcinogen	ic chemicals in this product						
(g) reproductive toxicity;	No data available							
(h) STOT-single exposure;	Category 3							
Results / Target organs	Respiratory system.							
(i) STOT-repeated exposure;	No data available							
Target Organs	None known.							
(j) aspiration hazard;	Not applicable Solid							

 $\ensuremath{\textbf{Symptoms}}$ / effects,both acute and $\ensuremath{\,\text{No}}$ information available delayed

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity effects

Do not empty into drains. .

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Calcium hydroxide	LC50 = 160 mg/L, 96h			
	static (Gambusia affinis)			

<u>12.2. Persistence and degradability</u> Persistence Degradability	Soluble in water, Persistence is unlikely, based on information available. Not relevant for inorganic substances.
12.3. Bioaccumulative potential	Bioaccumulation is unlikely
<u>12.4. Mobility in soil</u>	The product is water soluble, and may spread in water systems Will likely be mobile in the environment due to its water solubility. Highly mobile in soils
12.5. Results of PBT and vPvB	No data available for assessment.

assessment

12.6. Other adverse effects Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused Products	Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point.
European Waste Catalogue (EWC)	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
Other Information	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Solutions with high

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Not regulated

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard class(es)
14.4. Packing group

Not regulated

14.1. UN number 14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA

ADR

Not regulated

14.1. UN number14.2. UN proper shipping name14.3. Transport hazard class(es)14.4. Packing group

TH.H. T acking group

- 14.5. Environmental hazards No hazards identified
- **14.6. Special precautions for user** No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods Annex II of MARPOL73/78 and the IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories		X = listed									
Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Calcium hydroxide	215-137-3	-		Х	Х	-	Х	Х	Х	Х	Х

National Regulations

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Calcium hydroxide	WGK 1	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION				
Full text of H-Statements referred to under sections 2 and 3				
H315 - Causes skin irritation				
H318 - Causes serious eye damage				
H335 - May cause respiratory irritation				
Legend				
CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory			
EINECS/ELINCS - European Inventory of Existing Commercial Chemica Substances/EU List of Notified Chemical Substances				
PICCS - Philippines Inventory of Chemicals and Chemical Substances	ENCS - Japanese Existing and New Chemical Substances			
IECSC - Chinese Inventory of Existing Chemical Substances	AICS - Australian Inventory of Chemical Substances			
KECL - Korean Existing and Evaluated Chemical Substances	NZIOC - New Zealand Inventory of Chemicals			
WEL - Workplace Exposure Limit	TWA - Time Weighted Average			
ACGIH - American Conference of Governmental Industrial Hygienists	IARC - International Agency for Research on Cancer			
DNEL - Derived No Effect Level	PNEC - Predicted No Effect Concentration			
RPE - Respiratory Protective Equipment	LD50 - Lethal Dose 50%			
LC50 - Lethal Concentration 50%	EC50 - Effective Concentration 50%			
NOEC - No Observed Effect Concentration	POW - Partition coefficient Octanol:Water			
PBT - Persistent, Bioaccumulative, Toxic	vPvB - very Persistent, very Bioaccumulative			
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association			
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code	MARPOL - International Convention for the Prevention of Pollution from Ships			
OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ATE - Acute Toxicity Estimate VOC - Volatile Organic Compounds			
Key literature references and sources for data				
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, F	RTECS			

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hvaiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Creation Date	11-Oct-2010
Revision Date	29-Nov-2016
Revision Summary	SDS sections updated, 2, 3, 10.
This safety data sheet con	plies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the

SAFETY DATA SHEET

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet