

Creation Date 07-Jun-2010 Revision Date 18-Dec-2014 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Tungsten(VI) chloride
Cat No.: 221430000; 221430100

 CAS-No
 13283-01-7

 EC-No.
 236-293-9

 Molecular Formula
 Cl6 W

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Category 1

Environmental hazards

Based on available data, the classification criteria are not met

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s) C - Corrosive

R-phrase(s) R22 - Harmful if swallowed

R29 - Contact with water liberates toxic gas

R34 - Causes burns

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

2.2. Label elements



Signal Word

Danger

Hazard Statements

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

EUH029 - Contact with water liberates toxic gas

Precautionary Statements

P280 - Wear eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/ physician

P402 + P404 - Store in a dry place. Store in a closed container

2.3. Other hazards

Decomposes in contact with water

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008	DSD Classification - 67/548/EEC
Tungsten chloride (WCl6), (OC-6-11)-	13283-01-7	EEC No. 236-293-9	99	Acute Tox. 4 (H302) Skin Corr. 1B (H314) Eye Dam. 1 (H318) (EUH029)	Xn; R22 R29 C; R34

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician immediately. Clean mouth with water.

Tungsten(VI) chloride Revision Date 18-Dec-2014

Inhalation Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If

not breathing, give artificial respiration. Immediate medical attention is required.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Dry chemical. chemical foam.

Extinguishing media which must not be used for safety reasons

Water.

5.2. Special hazards arising from the substance or mixture

Water reactive. Contact with water liberates toxic gas.

Hazardous Combustion Products

Hydrogen chloride gas, Chlorine, Metal oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

See Section 12 for additional ecological information. Should not be released into the environment. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not expose spill to water. Do not let this chemical enter the environment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Tungsten(VI) chloride

Revision Date 18-Dec-2014

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. Use only in area provided with appropriate exhaust ventilation. Handle under inert gas, protect from moisture. Do not allow contact with water because of violent reaction. Keep under nitrogen.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Protect from moisture. Corrosives area. Store under an inert atmosphere.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

Component	European Union	The United Kingdom	France	Belgium	Spain
Tungsten chloride		STEL: 10 mg/m ³ 15 min			STEL / VLA-EC: 10
(WCl6), (OC-6-11)-		STEL: 3 mg/m ³ 15 min			mg/m³ (15 minutos).
		TWA: 5 mg/m ³ 8 hr			STEL / VLA-EC: 3
		TWA: 1 mg/m ³ 8 hr			mg/m³ (15 minutos).
					TWA / VLA-ED: 5 mg/m ³
					(8 horas) TWA /
					VLA-ED: 1 mg/m ³ (8
					horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Tungsten chloride			STEL: 10 mg/m ³ 15		
(WCl6), (OC-6-11)-			minutos STEL: 3 mg/m ³		
			15 minutos		
			TWA: 5 mg/m ³ 8 horas		
			TWA: 1 mg/m ³ 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Tungsten chloride	MAK-KZW: 10 mg/m ³ 15		TWA: 5 mg/m ³ 8		TWA: 5 mg/m ³ 8 timer
(WCl6), (OC-6-11)-	Minuten MAK-KZW: 2		Stunden TWA: 1 mg/m ³		TWA: 1 mg/m ³ 8 timer
	mg/m ³ 15 Minuten		8 Stunden		
	MAK-TMW: 5 mg/m ³ 8				
	Stunden MAK-TMW: 1				
	mg/m3 8 Stunden				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

MDHS 99 Metals in air by ICP-AES

Tungsten(VI) chloride Revision Date 18-Dec-2014

Derived No Effect Level (DNEL)

No information available

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

Predicted No Effect Concentration No information available. (PNEC)

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
Neoprene PVC				

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced **Recommended Filter type:** Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Tungsten(VI) chloride Revision Date 18-Dec-2014

9.1. Information on basic physical and chemical properties

Purple **Appearance Physical State** Powder Solid

Odor slight chlorine **Odor Threshold** No data available No information available На

Melting Point/Range 275 °C / 527 °F **Softening Point** No data available

Boiling Point/Range 347 °C / 656.6 °F @ 760 mmHg

Flash Point No information available Method - No information available Solid

Evaporation Rate Not applicable

Flammability (solid,gas) No information available No data available

Explosion Limits

215 @ 43 mmHg °C **Vapor Pressure**

Vapor Density Not applicable Solid

Specific Gravity / Density 3.5200

Bulk Density No data available **Water Solubility** Decomposes

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature Not applicable **Decomposition Temperature** No data available **Viscosity** Not applicable

No information available **Explosive Properties Oxidizing Properties** No information available

9.2. Other information

CI6 W Molecular Formula Molecular Weight 396.57

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity Yes

10.2. Chemical stability

Decomposes in contact with water: Moisture sensitive: Air sensitive

10.3. Possibility of hazardous reactions

Hazardous Polymerization No information available. **Hazardous Reactions** No information available.

10.4. Conditions to avoid

Avoid dust formation. Excess heat. Exposure to air. Incompatible products. Exposure to

Solid

moist air or water.

10.5. Incompatible materials

Bases. Strong oxidizing agents. Strong acids. Reducing agents.

10.6. Hazardous decomposition products

Hydrogen chloride gas. Chlorine. Metal oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Tungsten(VI) chloride Revision Date 18-Dec-2014

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

Oral Category 4 No data available **Dermal** Inhalation No data available

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

No data available Respiratory Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

No data available (i) STOT-repeated exposure;

Target Organs No information available.

Not applicable (j) aspiration hazard;

Solid

The toxicological properties have not been fully investigated. See actual entry in RTECS for Other Adverse Effects

complete information

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Do not empty into drains. Reacts with water so no ecotoxicity data for the substance is

available. May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

12.2. Persistence and degradability The product includes heavy metals. Prevent release into the environment. Special

pretreatment required

Persistence May persist, based on information available.

Degradability Not relevant for inorganic substances, Decomposes in contact with water.

Degradation in sewage

treatment plant

Decomposes in contact with water.

12.3. Bioaccumulative potential Product does not bioaccumulate due to reaction with water

Tungsten(VI) chloride Revision Date 18-Dec-2014

12.4. Mobility in soil Decomposes in contact with water. Is not likely mobile in the environment.

12.5. Results of PBT and vPvB

assessment

Decomposes in contact with water.

12.6. Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance
This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not dispose of waste into sewer. Large amounts will

affect pH and harm aquatic organisms.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN3260

14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S

14.3. Transport hazard class(es) 8
14.4. Packing group 8

<u>ADR</u>

14.1. UN number UN3260

14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S

14.3. Transport hazard class(es) 8
14.4. Packing group 8

IATA

14.1. UN number UN3260

14.2. UN proper shipping name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S

14.3. Transport hazard class(es) 8
14.4. Packing group 8

14.5. Environmental hazards No hazards identified

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Tungsten(VI) chloride

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	IECSC	AICS	KECL
Tungsten chloride (WCl6),	236-293-9	-		Х	-	Х	-	Х	Χ	Χ	Χ
(OC-6-11)-											

National Regulations

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full text of R-phrases referred to under sections 2 and 3

R34 - Causes burns

R22 - Harmful if swallowed

R29 - Contact with water liberates toxic gas

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

EUH029 - Contact with water liberates toxic gas

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

Revision Date 18-Dec-2014

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Inventory

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from

Ships ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Tungsten(VI) chloride Revision Date 18-Dec-2014

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Creation Date07-Jun-2010Revision Date18-Dec-2014Revision SummaryUpdate to Format.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet