

SAFETY DATA SHEET

Creation Date 11-Feb-2013

Revision Date 19-Jan-2018

N,N,N`-Trimethyl-1,3-propanediamine

Revision Number 4

1. Identification

Product Name

AC314840000; AC314840050

Cat No. :

CAS-No Synonyms 4543-96-8 No information available

Recommended Use Uses advised against Laboratory chemicals. Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11 Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	Category 3
Acute oral toxicity	Category 4
Acute dermal toxicity	Category 4
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Target Organs - Respiratory system.	

Label Elements

Signal Word Danger

Hazard Statements

Flammable liquid and vapor Harmful if swallowed Harmful in contact with skin Causes severe skin burns and eye damage May cause respiratory irritation Harmful if inhaled

egory 4 egory 4 egory 4 egory 1 B egory 1 egory 3



Precautionary Statements Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Keep cool Response Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin Wash contaminated clothing before reuse IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Eves IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Indestion Rinse mouth Do NOT induce vomiting Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
1,3-Propanediamine, N,N,N'-trimethyl-	4543-96-8	>95
.,		

4. First-aid measures

Eye Contact	Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated

	clothes and shoes. Immediate medical attention is required.		
Inhalation	Remove from exposure, lie down. Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Obtain medical attention.		
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. If possible drink milk afterwards.		
Most important symptoms and effects	Breathing difficulties. Causes burns by all exposure routes Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation		
Notes to Physician	Treat symptomatically		
	5. Fire-fighting measures		
Suitable Extinguishing Media	Carbon dioxide (CO ₂). Dry chemical. Chemical foam. Cool closed containers exposed to fire with water spray.		

Unsuitable Extinguishing Media	No information available
Flash Point	34 °C / 93.2 °F
Method -	No information available
Autoignition Temperature Explosion Limits	No information available
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No information available No information available

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Hazardous Combustion Products

Nitrogen oxides (NOx) Carbon monoxide (CO) Carbon dioxide (CO₂)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u> Health 3	Flammability 2	Instability 0	Physical hazards N/A			
	6. Accidental re	lease measures				
Personal Precautions Environmental Precautions		Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional ecological information.				
Methods for Containment an Up	, ,		el, acid binder, universal binder, Il. Remove all sources of ignition.			
	7. Handling	and storage				
Handling	area provided with appropr	iate exhaust ventilation. Use e	on skin, or on clothing. Use only in explosion-proof equipment. Use ot surfaces and sources of ignition.			

Take precautionary measures against static discharges.

Storage	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Flammables area. Keep under nitrogen. Keep away from heat and sources of ignition.		
8. E	xposure controls / personal protection		
Exposure Guidelines	This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.		
Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.		
Personal Protective Equipment			
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.		
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.		
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.		
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical	9. Physical and chemical properties			
Physical State	Liquid			
Appearance	Colorless			
Odor	Odorless			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	No data available			
Boiling Point/Range	140 - 142 °C / 284 - 287.6 °F			
Flash Point	34 °C / 93.2 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	No data available			
Lower	No data available			
Vapor Pressure	No information available			
Vapor Density	4.01			
Specific Gravity	0.790			
Solubility	No information available			
Partition coefficient; n-octanol/water	No data available			
Autoignition Temperature	No information available			
Decomposition Temperature	No information available			
Viscosity	No information available			
Molecular Formula	C6 H16 N2			
Molecular Weight	116.21			
-				
10 Ctability and reportivity				

10. Stability and reactivity

Reactive Hazard	None known, based on information available
Stability	Stable under recommended storage conditions.

Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.		
Incompatible Materials	Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides		
Hazardous Decomposition Products	Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)		
Hazardous Polymerization No information available.			
Hazardous Reactions	None under normal processing.		
	11. Toxicological information		
Acute Toxicity			
Product Information No acute toxicity information is available for this product			
Component Information Toxicologically Synergistic	No information available		
Products Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Irritation	Causes burns by all exposure routes		
Sensitization	No information available		
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcino			

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
1,3-Propanediamine, N,N,N'-trimethyl-	4543-96-8	Not listed	Not listed	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available					
Reproductive Effects		No information available.					
Developmental Effe	cts	No information available.					
Teratogenicity		No information available.					
STOT - single expos STOT - repeated exp		Respiratory system None known					
Aspiration hazard		No information available					
Symptoms / effects delayed	,both acute and	Product is a corros Possible perforation		of gastric lavage of sophagus should b	or emesis is contra be investigated: Ing	indicated. gestion causes	
Endocrine Disruptor	r Information	No information available					
Other Adverse Effect	cts	The toxicological properties have not been fully investigated.					
		12. Ecol	ogical infor	mation			
Ecotoxicity							

```
Ecotoxicity
Do not empty into drains.
```

Persistence and Degradability	No information available
Bioaccumulation/ Accumulation	No information available.
Mobility	No information available.

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT	
UN-No	UN2734
Proper Shipping Name	Amines or polyamines, liquid, corrosive, flammable, n.o.s
Proper technical name	1,3-Propanediamine, N,N,N'-trimethyl-
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
TDG	
UN-No	UN2734
Proper Shipping Name	Amines or polyamines, liquid, corrosive, flammable, n.o.s
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IATA	
UN-No	UN2734
Proper Shipping Name	Amines or polyamines, liquid, corrosive, flammable, n.o.s
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
IMDG/IMO	
UN-No	UN2734
Proper Shipping Name	Amines or polyamines, liquid, corrosive, flammable, n.o.s
Hazard Class	8
Subsidiary Hazard Class	3
Packing Group	II
	15. Regulatory information
	i i i i i i i i i i i i i i i i i i i

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
1,3-Propanediamine,	Х	-	Х	224-901-5	-		-	-	-	-	-
N,N,N'-trimethyl-											

Legend: X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Reg	gulations
-------------------------	-----------

TSCA 12(b)	Not applicable
SARA 313	Not applicable

SARA 311/312 Hazard Categories	See section 2 for more information		
CWA (Clean Water Act)	Not applicable		
Clean Air Act	Not applicable		
OSHA Occupational Safety and Health Administration Not applicable			
CERCLA	Not applicable		
California Proposition 65	This product does not contain any Proposition 65 chemicals		
U.S. State Right-to-Know Regulations	Not applicable		
U.S. Department of Transportation			
Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N		

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Regulatory Affairs
	Thermo Fisher Scientific
	Email: EMSDS.RA@thermofisher.com
Creation Date	11-Feb-2013
Revision Date	19-Jan-2018
Print Date	19-Jan-2018
Revision Summary	This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS