

SAFETY DATA SHEET

Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name Vanadium(IV) chloride

Cat No.: AC299690000; AC299690250; AC299691000

Synonyms Vanadium tetrachloride

Recommended Use Laboratory chemicals.

Uses advised against

Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Skin Corrosion/irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

Category 1

Label Elements

Signal Word

Danger

Hazard Statements

Toxic if swallowed Toxic in contact with skin

Causes severe skin burns and eye damage

Toxic if inhaled

Vanadium(IV) chloride Revision Date 19-Jan-2018



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Contact with water liberates toxic gas

3. Composition/Information on Ingredients

	Component	CAS-No	Weight %
Ī	Vanadium tetrachloride	7632-51-1	> 99

4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin ContactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Move to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Call a physician immediately. If possible drink milk afterwards.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

Revision Date 19-Jan-2018 Vanadium(IV) chloride

and danger of perforation Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method -No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen chloride gas Chlorine Burning produces obnoxious and toxic fumes

Protective Equipment and Precautions for Firefighters

Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health **Flammability** Instability Physical hazards 3

Accidental release measures

Personal Precautions

Ensure adequate ventilation. Use personal protective equipment.

Environmental Precautions See Section 12 for additional ecological information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing

apparatus and protective suit. Do not expose spill to water.

Handling and storage

Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Use only in Handling

area provided with appropriate exhaust ventilation. Do not allow contact with water. Keep

under nitrogen.

Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Keep away Storage

from direct sunlight. Protect from moisture. Never allow product to get in contact with water during storage. Corrosives area. Keep under nitrogen. Keep containers tightly closed in a

dry, cool and well-ventilated place.

8. Exposure controls / personal protection

Exposure Guidelines

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

Component	ACGIH TLV	OSHA PEL	OSHA PEL NIOSH IDLH	
Vanadium tetrachloride			Ceiling: 0.05 mg/m ³	

Legend

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Revision Date 19-Jan-2018

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection A NIOSH/MSHA approved air purifying dust or mist respirator or European Standard EN

149.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid Appearance Red brown

OdorNo information availableOdor ThresholdNo information availablepHNo information availableMelting Point/Range-20.5 °C / -4.9 °F

Boiling Point/Range 153 °C / 307.4 °F @ 760 mmHg

Flash Point

No information available
Evaporation Rate

No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure7.8 mbar @ 20 °C

Vapor Density6.65Specific Gravity1.820

Solubility

No information available

Partition coefficient; n-octanol/water

No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaCI4 VMolecular Weight192.75

10. Stability and reactivity

Reactive Hazard Yes

Stability Contact with water liberates toxic gas. Stable under normal conditions. heat sensitive.

Moisture sensitive. Air sensitive. Light sensitive. Decomposes on exposure to light.

Conditions to Avoid Excess heat. Exposure to air. Exposure to light. Incompatible products. Exposure to moist

air or water.

Incompatible Materials Water, Strong oxidizing agents, Metals

Hazardous Decomposition Products Hydrogen chloride gas, Chlorine, Burning produces obnoxious and toxic fumes

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous ReactionsNone under normal processing.

Revision Date 19-Jan-2018 Vanadium(IV) chloride

11. Toxicological information

Acute Toxicity

Product Information Component Information

LD50 Oral Component LD50 Dermal LC50 Inhalation Vanadium tetrachloride LD50 = 160 mg/kg (Rat) Not listed Not listed

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Vanadium	7632-51-1	Not listed				
tetrachloride						

No information available **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

12. Ecological information

Ecotoxicity

Do not empty into drains.

Persistence and Degradability Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Will likely be mobile in the environment due to its water solubility. Mobility

13. Disposal considerations

Chemical waste generators must determine whether a discarded chemical is classified as a **Waste Disposal Methods**

hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Vanadium(IV) chloride Revision Date 19-Jan-2018

14. Transport information

DOT

UN-No UN2444

Proper Shipping Name VANADIUM TETRACHLORIDE

Hazard Class
Packing Group

TDG

UN-No UN2444

Proper Shipping Name VANADIUM TETRACHLORIDE

Hazard Class
Packing Group

<u>IATA</u>

UN-No UN2444

Proper Shipping Name VANADIUM TETRACHLORIDE

Hazard Class
Packing Group

IMDG/IMO

UN-No UN2444

Proper Shipping Name VANADIUM TETRACHLORIDE

Hazard Class 8
Packing Group

15. Regulatory information

International Inventories

	Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
ı	Vanadium tetrachloride	Х	-	Х	231-561-1	-		Χ	Χ	Χ	-	Χ

Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Vanadium tetrachloride	7632-51-1	> 99	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island	
Vanadium tetrachloride	X	X	X	-	X	

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

16. Other information	
-----------------------	--

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 19-Jan-2018 **Print Date** 19-Jan-2018

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS