

## SAFETY DATA SHEET

Creation Date 26-Oct-2010 Revision Date 03-Feb-2016 **Revision Number** 3

1. Identification

**Product Name** Potassium pyrosulfate

Cat No.: AC207910000; AC207910025; AC207910250; AC207915000

Potassium disulfate **Synonyms** 

**Recommended Use** Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Company **Entity / Business Name** 

Fisher Scientific Acros Organics One Reagent Lane One Reagent Lane

Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Tel: (201) 796-7100

For information US call: 001-800-ACROS-01

/ Europe call: +32 14 57 52 11

**Emergency Telephone Number** 

Emergency Number **US:**001-201-796-7100 /

Europe: +32 14 57 52 99

CHEMTREC Tel. No.US:001-800-424-9300 /

Europe:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Category 1 Corrosive to metals Skin Corrosion/irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

### Label Elements

## Signal Word

Danger

## **Hazard Statements**

May be corrosive to metals Causes severe skin burns and eye damage May cause respiratory irritation





Revision Date 03-Feb-2016

## Potassium pyrosulfate

#### **Precautionary Statements**

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Keep only in original container

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion** 

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### Spills

Absorb spillage to prevent material damage

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

### **Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

## 3. Composition / information on ingredients

Component	CAS-No	Weight %		
Potassium pyrosulfate	7790-62-7	>95		

### 4. First-aid measures

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage

to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus

should be investigated

Notes to Physician Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media CO 2, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Sulfur oxides

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

#### NFPA

Health	Flammability	instability	Physical nazards
3	0	1	N/A

6. Accidental release measur	_<

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas. Avoid contact with

skin, eyes and clothing.

Classas a la 1114 a

**Environmental Precautions**Do not allow material to contaminate ground water system. Should not be released into the

environment. See Section 12 for additional ecological information.

**Methods for Containment and Clean** Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust **Up** formation.

o nomation.

	7. Handling and storage
Handling	Use only under a chemical fume hood. Wear personal protective equipment. Do not get in

eyes, on skin, or on clothing. Do not breathe dust. Do not ingest.

**Storage**Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Do
not storage metal containers

not store in metal containers.

## 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any known or suspected reproductive hazards

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorOdorless

Odor Threshold No information available

pHNo information availableMelting Point/Range325 °C / 617 °FBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate Not applicable

Flammability (solid, gas)

No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor PressureNo information available

Vapor Density Not applicable

Specific Gravity No information available

Solubility Decomposes in contact with water

Partition coefficient; n-octanol/water No data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information available

ViscosityNot applicableMolecular FormulaK2 O7 S2Molecular Weight254.31

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Excess heat.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Sulfur oxides

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

Product Information No acute toxicity information is available for this product

Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Revision Date 03-Feb-2016

## Potassium pyrosulfate

Irritation Causes burns by all exposure routes

Sensitization No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico	
Potassium pyrosulfate	7790-62-7	Not listed	Not listed Not listed		Not listed	Not listed	

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

No information available. **Teratogenicity** 

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard** 

delayed

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

**Endocrine Disruptor Information** No information available

The toxicological properties have not been fully investigated. Other Adverse Effects

## **Ecological information**

**Ecotoxicity** 

Reacts with water so no ecotoxicity data for the substance is available.

Persistence and Degradability

Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

Is not likely mobile in the environment. **Mobility** 

## Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

#### 14 Transport information

DOT

**UN-No** UN3260

CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. **Proper Shipping Name** 

Proper technical name Potassium pyrosulfate

**Hazard Class** 8 **Packing Group** Ш

**TDG** 

**UN-No** UN3260

**Proper Shipping Name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Ш

**Hazard Class Packing Group** 

**UN-No** 

**Proper Shipping Name** CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

**Hazard Class** 

### Potassium pyrosulfate

Packing Group

IMDG/IMO

UN-No UN3260

Proper Shipping Name CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

Ш

Hazard Class 8
Packing Group II

## 15. Regulatory information

#### **International Inventories**

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Potassium pyrosulfate	Х	Х	-	232-216-8	-		Χ	-	Х	Χ	Х

#### Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

## U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** 

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Not applicable

Regulations

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.


### Other International Regulations

Mexico - Grade No information available

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class E Corrosive material D2B Toxic materials



## 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 26-Oct-2010

 Revision Date
 03-Feb-2016

 Print Date
 03-Feb-2016

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**