

Creation Date 08-Nov-2010 Revision Date 02-Dec-2013 Revision Number 12

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product Description: Ammonium metavanadate

Cat No. : 194910000; 194910010; 194910500; 194912500

Synonyms Ammonium vanadate, meta

 CAS-No
 7803-55-6

 EC-No.
 232-261-3

 Molecular Formula
 H4 N O3 V

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals
Uses advised against No Information available

#### 1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

# CLP Classification - Regulation (EC) No 1272/2008

#### Physical hazards

Based on available data, the classification criteria are not met

#### **Health hazards**

Acute oral toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 4

Serious Eye Damage/Eye Irritation

Category 2

Reproductive Toxicity

Specific target organ toxicity - (repeated exposure)

Category 1

**Environmental hazards** 

Chronic aquatic toxicity Category 2

# Classification according to EU Directives 67/548/EEC or 1999/45/EC

Symbol(s) T - Toxic

N - Dangerous for the environment

#### Ammonium metavanadate

Revision Date 02-Dec-2013

# **SECTION 2: HAZARDS IDENTIFICATION**

R-phrase(s) R20 - Harmful by inhalation

R25 - Toxic if swallowed

R36 - Irritating to eyes

R63 - Possible risk of harm to the unborn child

R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

#### 2.2. Label elements



Signal Word

Danger

#### **Hazard Statements**

H319 - Causes serious eye irritation

H301 - Toxic if swallowed

H332 - Harmful if inhaled

H361d - Suspected of damaging the unborn child

H411 - Toxic to aquatic life with long lasting effects

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

#### **Precautionary Statements**

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor/ physician if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P281 - Use personal protective equipment as required

# 2.3. Other hazards

No information available.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Component	CAS-No	EC-No.	Weight %	CLP Classification - Regulation (EC) No 1272/2008	DSD Classification - 67/548/EEC
Ammonium vanadate	7803-55-6	EEC No. 232-261-3	>95	STOT RE 1 (H372) Repr. 2 (H361d) Eye Irrit. 2 (H319) Acute Tox. 3 (H301) Acute Tox. 4 (H332) Aquatic Chronic 2 (H411)	T; R25-48/23 Xn; R20 Xi; R36 Repr. Cat.3; R63 N; R51/53

For the full text of the R-phrases and H-Statements mentioned in this Section, see Section 16

# **SECTION 4: FIRST AID MEASURES**

\_\_\_\_

Ammonium metavanadate

Revision Date 02-Dec-2013

# **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the

case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention

is required.

**Ingestion** Do not induce vomiting. Call a physician or Poison Control Center immediately.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Immediate medical attention is required.

**Protection of First-aiders**Use personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

#### Extinguishing media which must not be used for safety reasons

No information available.

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors

## **Hazardous Combustion Products**

Ammonia, Nitrogen oxides (NOx), Heavy metal oxides.

# 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation.

# 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

#### 6.3. Methods and material for containment and cleaning up

\_\_\_\_\_

Ammonium metavanadate

Revision Date 02-Dec-2013

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation.

#### 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe vapors/dust. Do not ingest.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

Use in laboratories

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

# **Exposure limits**

List source(s):

Component	
Ammonium vanadate	

Russia	Slovak Republic	Slovenia	Sweden	Turkey
Skin notation				
MAC: 0.1 mg/m <sup>3</sup>				

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

MDHS 91 Metals and metalloids in workplace air by X-ray fluorescence spectrometry

MDHS 99 Metals in air by ICP-AES

# Derived No Effect Level (DNEL) No inf

No information available.

Route of exposure	Acute effects (local)	Acute effects (systemic)	Chronic effects (local)	Chronic effects (systemic)
Oral				
Dermal				
Inhalation				

# Predicted No Effect Concentration (PNEC)

No information available.

# 8.2. Exposure controls

#### Ammonium metavanadate

Revision Date 02-Dec-2013

**Engineering Measures** 

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

**Eye Protection** Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used and

maintained properly.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are

exceeded or if irritation or other symptoms are experienced..

Recommended Filter type: Particulates filter conforming to EN 143.

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001

When RPE is used a face piece Fit Test should be conducted.

THISTING E IS asset a lass place the rest should be contacted.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties

AppearanceLight greenPhysical StateSolid.Odorodorless

Odor Threshold

PH

No data available

No information available.

pri no momadon aram

Melting Point/Range200°C / 392°FSoftening PointNo data availableBoiling Point/RangeNo information available.

Flash Point No information available. Method - No information available.

#### Ammonium metavanadate

Revision Date 02-Dec-2013

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available.

**Explosion Limits** No data available.

Vapor Pressure No data available

Vapor DensityNot applicableSolid

Specific Gravity / DensityNo data availableBulk DensityNo data availableWater Solubility5.1 g/L (20°C)

**Solubility in other solvents**No information available.

Partition Coefficient (n-

octanol/water)

Autoignition TemperatureNot applicableDecomposition temperatureNo data available

Viscosity Not applicable Solid

Explosive Properties No information available.

Oxidizing Properties No information available.

9.2. Other information

Molecular Formula H4 N O3 V Molecular Weight 116.98

# **SECTION 10: STABILITY AND REACTIVITY**

10.1. Reactivity

None known, based on information available.

10.2. Chemical stability

Stable under normal conditions. Moisture sensitive.

10.3. Possibility of hazardous reactions

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

10.4. Conditions to avoid

Incompatible products, Excess heat, Exposure to moist air or water.

10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

Ammonia, Nitrogen oxides (NOx), Heavy metal oxides.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

# **Product Information**

(a) acute toxicity;

Oral Category 3

**Dermal** Based on available data, the classification criteria are not met

Inhalation Category 4

#### Ammonium metavanadate

Revision Date 02-Dec-2013

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ammonium vanadate	58.1 mg/kg (Rat)	2102 mg/kg (Rat)	7800 μg/m³(Rat)4 h
			2.5 mg/L ( Rat ) 4h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity;

Reproductive Effects **Developmental Effects** Teratogenicity

Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental effects have occurred in experimental animals. Teratogenic effects have occurred in experimental animals..

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; Category 1

> **Target Organs** Respiratory system, Eyes, Skin, Liver, Kidney.

Category 2

(j) aspiration hazard; Not applicable

Solid

**Other Adverse Effects** The toxicological properties have not been fully investigated. See actual entry in RTECS for

complete information

Symptoms / effects, both acute and delayed No information available.

# **SECTION 12: ECOLOGICAL INFORMATION**

12.1. Toxicity

**Ecotoxicity effects** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate

ground water system..

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ammonium vanadate	Ictalrus catus: LC50=2.6			
	mg/L 96h			

12.2. Persistence and degradability The product includes heavy metals. Prevent release into the environment. Special

pretreatment required

based on information available., May persist. Persistence

Degradability Not relevant for inorganic substances.

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste treatment plant

water treatment plants.

12.3. Bioaccumulative potential May have some potential to bioaccumulate

ACR19491

Ammonium metavanadate

Revision Date 02-Dec-2013

12.4. Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils.

12.5. Results of PBT and vPvB

assessment

No data available for assessment

12.6. Other adverse effects
Endocrine Disruptor Information
Persistent Organic Pollutant

**Ozone Depletion Potential** 

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13: DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

Waste from Residues / Unused Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on

waste and hazardous waste. Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point...

European Waste Catalogue (EWC) According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Do not let this chemical

enter the environment.

# **SECTION 14: TRANSPORT INFORMATION**

#### IMDG/IMO

**14.1. UN number** UN2859

14.2. UN proper shipping name AMMONIUM METAVANADATE

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

**ADR** 

**14.1. UN number** UN2859

14.2. UN proper shipping name AMMONIUM METAVANADATE

14.3. Transport hazard class(es)
14.4. Packing group
6.1

**IATA** 

**14.1. UN number** UN2859

14.2. UN proper shipping name AMMONIUM METAVANADATE

14.3. Transport hazard class(es) 6.1 14.4. Packing group II

**14.5. Environmental hazards** Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

**IBC Code** 

# **SECTION 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ACR19491

#### Ammonium metavanadate

Revision Date 02-Dec-2013

**International Inventories** 

X = listed

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Ammonium vanadate	232-261-3	-		X	X	-	X	X	X	X	Х

#### **National Regulations**

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class
Ammonium vanadate	WGK 3	

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

#### **SECTION 16: OTHER INFORMATION**

#### Full text of R-phrases referred to under sections 2 and 3

R63 - Possible risk of harm to the unborn child

R25 - Toxic if swallowed

R36 - Irritating to eyes

R20 - Harmful by inhalation

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

R48/23 - Toxic: danger of serious damage to health by prolonged exposure through inhalation

#### Full text of H-Statements referred to under sections 2 and 3

H301 - Toxic if swallowed

H332 - Harmful if inhaled

H319 - Causes serious eye irritation

H361d - Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

# Legend

**CAS** - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Industrial Hygiene

**DNEL** - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air

MARPOL - International Convention for the Prevention of Pollution from

#### Ammonium metavanadate

Revision Date 02-Dec-2013

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Training Advice** 

Chemical incident response training.

 Creation Date
 08-Nov-2010

 Revision Date
 02-Dec-2013

Revision Summary

Reason for revision (M)SDS sections updated, 2, 3.

# This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Transport Association

ATE - Acute Toxicity Estimate

VOC - Volatile Organic Compounds

Ships

#### **Disclaimer**

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

# **End of Safety Data Sheet**