Safety Data Sheet



Revision da	ate 07/06/2016
1 Identification Product identifier	
Product name: Iridium(III) chloride, anhydrous	
Stock number: 12158 CAS Number: 10025-83-9	
EC number: 233-044-6	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar The Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757	
Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-078	9.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS05 Corrosion	
Met. Corr.1 H290 May be corrosive to metals.	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05	
Signal word Danger Hazard statements H290 May be corrosive to metals.	
H314 Causes severe skin burns and eye damage.	
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked un	
P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P406 Store in corrosive resistant container with a resistant inner liner. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH Image: Health (acute effects) = 3 FIRE Image: Flammability = 0 REACTIVITY Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description: 10025-83-9 Iridium(III) chloride Identification number(s): EC number: 233-044-6	
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product.	
(C	contd. on page 2) USA

Safety Data Sheet

Product name: Iridium(III) chloride, anhydrous

Product name: Iridium(III) chloride, anhydrous	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	(Contd. of page 1)
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns.	
Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Hydrogen chloride (HCl) Iridium oxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course.	
Methods and material for containment and cleaning up:	
Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections	
Reference to other sections See Section 7 for information on safe handling	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements.	
Information about storage in one common storage facility: Store away from water/moisture. Store away from strong bases. Store away from oxidizing agents.	
Store away from metals. <i>Further information about storage conditions:</i> Store under dry inert gas. This product is hygroscopic.	
Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.	
Protect from humidity and water. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data	
Exposure controls Personal protective equipment General protective and hygienic measures	
The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solled and contaminated clothing immediately. Wash hands before breaks and at the end of work.	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use:	
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves	termine if air-
Impervious gioves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR	(Contd. on page 3)
	USA USA

(Contd. of page 2)

Product name: Iridium(III) chloride, anhydrous

Penetration time of glove material (in minutes) - Glove thickness 0.11 mm	180
Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing.	

9 Physical and chemical properties

General Information Form: Appearance: Form: Form: Powder Odor: Not determined Odor: Not determined. pH-value: Not applicable. Change in condition Melting point/Belting range: Melting point/Belting range: 763 °C (1405 °F) (dec) Boiling point/Belting range: Not determined Sublimation temperature / start: Not determined Ignition temperature: Not determined Auto igniting: Not determined Danger of explosion: Not determined. Lower: Not determined. Upper: Not determined. Upper: Not determined. Upper: Not determined. Upper: Not determined. Vapor pressure: Not determined. Upper: Not determined. Vapor pressure: Not determined. Vapor density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Not applicable. Vapor density <	Information on basic physical and chemical properties		
[†] Grm: Powder Odor: Not determined Odor threshold: Not determined. pH-value: Not applicable. Change in condition Metting point/Metting range: Metting point/Metting range: 763 °C (1405 °F) (dec) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined Ignition temperature: Not determined Lower: Not determined Danger of explosion: Not determined Lower: Not determined Lower: Not determined Upper: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor density Not determined Vap			
Odor threshold: Not determined. pH-value: Not applicable. Change in condition Not applicable. Change in condition Not determined Melfing point/Boiling range: Not determined Sublimation temperature / start: Not determined Ignition temperature: Not determined Decomposition temperature: Not determined Danger of explosion: Not determined Lower: Not determined Lower: Not determined Upper: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor density Not determined Partition coefficient (n-octanol/water): Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. Viscosity: Not a		Powder	
pH-value: Not applicable. Change in condition Melting point/Melting range: 763 °C (1405 °F) (dec) Boiling point/Melting range: Boiling point/Melting range: Not determined Sublimation temperature / start: Not determined Ignition temperature / start: Not determined Ignition temperature: Not determined Decomposition temperature: Not determined Danger of explosion: Not determined. Explosion limits: Not determined Lower: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Relative density Not determined. Vapor density Not determined. Water: Solubility in / Miscibility with Water: Solubile Partition coefficient (n-octanol/water): Not determined. Viscosity: Mot a			
Change in condition Melting point/Melting range: 763 °C (1405 °F) (dec) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined Ignition temperature: Not determined Decomposition temperature: Not determined Decomposition temperature: Not determined Danger of explosion: Not determined Explosion limits: Image: Not determined Lower: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor pressure: Not determined Vapor density Not determined Vapor density Not determined Vapor density Not determined Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dynamic: Not applicable. Kinematic: Not applicable.	Odor threshold:	Not determined.	
Melfing point/Meiting range: 763 °C (1405 °F) (dec) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flammability (solid, gaseous) Not determined Ignition temperature: Not determined Decomposition temperature: Not determined Decomposition temperature: Not determined Danger of explosion: Not determined Explosion limits: Image: Not determined Lower: Not determined Upper: Not determined Vapor pressure: Not determined Pansity: Not determined Vapor pressure: Not determined Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Partition coeffi	pH-value:	Not applicable.	
Explosion limits: Not determined Lower: Not determined Upper: Not determined Vapor pressure: Not applicable. Density: Not determined Relative density Not determined. Vapor density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dynamic: Not applicable. kinematic: Not applicable.	Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	Not determined Not determined Not determined Not determined Not determined	
Lower: Not determined Upper: Not determined Vapor pressure: Not applicable. Density: Not determined Relative density Not determined. Vapor density Not applicable. Solubility in / Miscibility with Not applicable. Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dynamic: Not applicable. Kinematic: Not applicable.		Not determined.	
Upper:Not determinedVapor pressure:Not applicable.Density:Not determinedRelative densityNot determined.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility withSolubleWater:SolublePartition coefficient (n-octanol/water): Not determined.Viscosity:Not applicable.dynamic:Not applicable.Kinematic:Not applicable.		Net determined	
Vapor pressure: Not applicable. Density: Not determined Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable.			
Density: Not determined Relative density Not determined. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dynamic: Not applicable. kinematic: Not applicable.			
Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Viscosity: Not applicable. kinematic: Not applicable.	Density:	Not determined	
Evaporation rate Not applicable. Solubility in / Miscibility with Soluble Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. dynamic: Not applicable. kinematic: Not applicable.			
Solubility in / Miscibility with Vater: Soluble Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable.			
Water: Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Not applicable.		погаррисаре.	
Viscosity: dynamic: Not applicable. kinematic: Not applicable.	Water:	Soluble	
dynamic: Not applicable. kinematic: Not applicable.	Partition coefficient (n-octanol/water):	Not determined.	
kinematic: Not applicable.			
		Not applicable. No further relevant information available	

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Bases Oxidizing agents Metals Hazardous decomposition products: Hydrogen chloride (HCl) Iridium oxide 11 Toxicological information Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes severe skin burns. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - single exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Carcinogenic toxicity: No effects known. Carcinogenic component toxicity - to the best of our knowledge the acute and chronic toxicity of this substance is not fully known. Carcinogenic categories Information on toxicological effects

Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment

Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 4)

Product name: Iridium(III) chloride, anhydrous (Contd. of page 3) Other adverse effects No further relevant information available 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. Recommended cleansing agent: Water, if necessary with cleansing agents. 14 Transport information UN-Number DOT, IMDG, IATA UN3260 UN proper shipping name DOT Corrosive solid, acidic, inorganic, n.o.s. (Iridium(III) chloride, anhydrous) CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Iridium(III) chloride, ĪMDG, IATA anhydrous) Transport hazard class(es) DOT Class 8 Corrosive substances. Label $\tilde{\overset{}{8}8}$ (C2) Corrosive substances Class Label IMDG, IATA Class 8 Corrosive substances. Label Packing group DOT, IMDG, IATA 11 Environmental hazards: Not applicable. Special precautions for user EMS Number: Warning: Corrosive substances F-A,S-B Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN3260, Corrosive solid, acidic, inorganic, n.o.s. (Iridium(III) chloride, anhydrous), UN "Model Regulation": 8 11 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS05 Signal word Danger Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. Precautionary statements Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P405 Store locked up. P310 P405 P406 P501 Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, come only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. (Contd. on page 5)

(Contd. of page 4)

USA

Product name: Iridium(III) chloride, anhydrous

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 07/07/2016 / -Abbreviations and accords: ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EXECS: European Inventory of Existing Commercial Chemical Substances EXECS: European Inventory of Existing Commercial Chemical Substances EXES: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Maradous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) LARC: Internation Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Met. Corr. 1: Corrosive to metals, Hazard Category 1 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1