

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

1 Identification of substance:**Product details:****Product name:** Zirconium silicate**Stock number:** 30476**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company
 Johnson Matthey Catalog Company, Inc.
 30 Bond Street
 Ward Hill, MA 01835-8099
 Emergency Phone: (978) 521-6300
 CHEMTREC: (800) 424-9300
 Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency information:**

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Zirconium silicate (CAS# 10101-52-7), 100%

Identification number(s):**EINECS Number:** 233-252-7**Additional information:**

Zirconium is routinely found with a low level of hafnium since separation of the two elements is difficult.

3 Hazards identification**Hazard description:** Not applicable**Information pertaining to particular dangers for man and environment** Not applicable**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	1
FIRE	0
REACTIVITY	0

Health (acute effects) = 1

Flammability = 0

Reactivity = 0

GHS label elements Void**4 First aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
 Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
 Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.**5 Fire fighting measures****Suitable extinguishing agents**

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting: Pick up mechanically.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Zirconium silicate

(Contd. of page 1)

Additional information:

See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.
 Store in cool, dry place in tightly closed containers.
 No special precautions are necessary if used correctly.

Information about protection against explosions and fires: No special measures required.

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: No information known.

Further information about storage conditions:

Keep container tightly sealed.
 Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:**Silicon**

	mg/m3
ACGIH TLV	10
Belgium TWA	10
Denmark TWA	10
France VME	10
Korea TLV	10
Netherlands MAX-TGG	10
Norway TWA	10
Switzerland MAK-W	4
United Kingdom TWA	4 (respirable dust); 10 (total inhalable dust)
USA PEL	5 (respirable fraction); 15 (total dust)

Components with limit values that require monitoring at the workplace:**Zirconium and compounds, as Zr**

	mg/m3
ACGIH TLV	5; 10-STEL
Austria MAK	5
Denmark TWA	5
Finland TWA	5
Hungary	5-STEL
Korea TLV	5
Poland TWA	5; 10-STEL
Russia	5-STEL
OSHA PEL	5

Additional information: No data

Personal protective equipment**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands: Impervious gloves

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:**General Information**

Form: Powder

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Zirconium silicate

(Contd. of page 2)

Color:	White
Odor:	Odorless
Change in condition	
Melting point/Melting range:	2550°C (4622°F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Flammability (solid, gaseous)	Product is not flammable.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not determined
Density at 20°C (68°F):	4.56 g/cm ³
Solubility in / Miscibility with	
Water:	Insoluble

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: None known.**Dangerous reactions** No dangerous reactions known**Dangerous products of decomposition:** Metal oxide fume**11 Toxicological information****Acute toxicity:****Primary irritant effect:****on the skin:** May cause irritation**on the eye:** May cause irritation**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Inhalation of zirconium compounds may cause pulmonary granulomas.

Inorganic silicon compounds/silicon metal may be acute inhalation irritants. Prolonged inhalation may cause pulmonary fibrosis known as silicosis.

Zirconium silicate contains trace quantities of naturally occurring radioactive uranium and thorium. Inhalation of respirable dusts may cause lung cancer.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**General notes:**

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations**Product:****Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**14 Transport information**

Not a hazardous material for transportation.

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: Zirconium silicate

(Contd. of page 3)

DOT regulations:**Hazard class:** None**Land transport ADR/RID (cross-border)****ADR/RID class:** None**Maritime transport IMDG:****IMDG Class:** None**Air transport ICAO-TI and IATA-DGR:****ICAO/IATA Class:** None**Transport/Additional information:** Not dangerous according to the above specifications.**15 Regulations****Product related hazard informations:**

Observe the general safety regulations when handling chemicals

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use: For use only by technically qualified individuals.**16 Other information:**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.**Contact:** Zachariah Holt**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

USA