

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 02/08/2016 Reviewed on 02/05/2016

1 Identification

Product identifier

Product name: Mercury(I) chloride

Stock number: 36419 CAS Number: 10112-91-1 EC number: 233-307-5

Index number: 080-003-00-1

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

www.ana.com I**nformation Department:** Health, Safety and Environmental Department **Emergency telephone number:** During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



Acute Tox. 4 H302 Harmful if swallowed. H315 Causes skin irritation. Skin Irrit. 2 Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS07

Signal word Warning

Signal word Warning
Hazard statements
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
Precautionary statements
P261
Avoid breathing du


Precautionary statements
Avoid breathing dust/fume/gas/mist/vapours/spray.
P260 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects





HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 0 Flammability = 0

Flammability = 1

Flammability = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:
10112-91-1 Mercury(I) chloride
Identification number(s):
EC number: 233-307-5
Index number: 080-003-00-1

Product name: Mercury(I) chloride

(Contd. of page 1)

4 First-aid measures

Description of first aid measures After inhalation

Arter Immattion Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Meet important symptoms and effects, both acute and deleved No further relevant information as

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Mercury oxide

Hydrogen chloride (HCD)

Mercury oxide
Hydrogen chloride (HCI)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store in the dark.
Store away from water/moisture.
Do not store together with acids.
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:
Store under day input gas

Store under dry inert gas. This product is moisture sensitive.

This product is moisture sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from exposure to light. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

10112-91-1 Mercury(I) chloride (100.0%)

PEL (USA)

Long-term value: 0.1 mg/m³ as Hg; see OSHA standard interpretation memo

REL (USA)

Long-term value: 0.05* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; *Vapor; Skin

TLV (USA)

Long-term value: 0.025 mg/m³ as Hg; Skin; BEI Long-term value: 0.025 mg/m³ as Hg; Skin, R EL (Canada)

Long-term value: 0.025 mg/m³ as Hg, Skin

EV (Canada)

(Contd. on page 3)

(Contd. of page 2)

Product name: Mercury(I) chloride

Ingredients with biological limit values:

10112-91-1 Mercury(I) chloride (100.0%)

BEI (USA) 35 µg/L Medium: urine

Time: prior to shift Parameter: Total inorganic mercury (background)

15 μg/L Medium: blood

Time: end of shift at end of workweek Parameter: Total inorganic mercury (background)

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480 Glove thickness 0.11 mm
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Various forms (powder/flake/crystalline/beads, etc.)

Color: Odor: Odor threshold:

Odorless

Not determined.

pH-value: Change in condition Not applicable

400 °C (752 °F) (subl.) Not determined Not determined

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Submination temperature / Si Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

Not determined Not determined

Not determined Not determined

Not determined.

Not determined

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure at 20 °C (68 °F):
Density at 20 °C (68 °F):
Relative density
Vapor density

Not determined 0.0000001 hPa 7.15 g/cm³ (59.667 lbs/gal) Not determined.

Vapor density

Vapor density

Evaporation rate

Solubility in / Miscibility with

Water at 25 °C (77 °F):

Partition coefficient (n-octanol/water): Not applicable.

Not applicable.

Not applicable.

Not applicable.

dynamic: kinematic:

Not applicable.

Other information

Not applicable.

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids

Acids Water/moisture

Bases

Oxidizing agents

Light Hazardous decomposition products:

Mercury oxide Hydrogen chloride (HCI)

(Contd. on page 4)

Product name: Mercury(I) chloride

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Harmful if swallowed. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

LD50 210 mg/kg (rat) Dermal LD50 1500 mg/kg (rat)

Skin irritation or corrosion: Causes skin irritation.
Eye irritation or corrosion: Causes serious eye irritation.
Sensitization: No sensitizing effects known.
Germ cell mutegenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinopolicity:

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

IARC-4: Probably not carcinogenic to humans.

IARC-3: Not classifiable as to carcinogenicity to humans.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause respiratory irritation.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14	Trans	nort	infor	mation
17	Halls	DUIL	IIIIUI	mauvn

UN-Number DOT, IMDG, IATA UN2025 UN proper shipping name DOT Mercury compounds, solid, n.o.s. (Mercury(I) chloride)
MERCURY COMPOUND, SOLID, N.O.S. (Mercury(I) chloride), MARINE
POLLUTANT **IMDG** IATA MERCURY COMPOUND, SOLID, N.O.S. (Mercury(I) chloride)

Transport hazard class(es)

DOT



Class 6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1 Label Class



6.1 Toxic substances. 6.1



Class 6.1 Toxic substances. Label

(Contd. on page 5)

Product name: Mercury(I) chloride (Contd. of page 4) Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant (IMDG): Environmentally hazardous substance, solid; Marine Pollutant Symbol (fish and tree) Special precautions for user Warning: Toxic substances Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No Special marking with the symbol (fish and tree) Remarks: UN "Model Regulation": UN2025, Mercury compounds, solid, n.o.s. (Mercury(I) chloride), 6.1, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning

Hazard statements
H302 Harmful if swallowed.
H315 Causes skin irritation.
H315 May cause respiratory irritation.
Precautionary statements
Avoid breathing du

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304+P340 IF IN EYES: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents (continue) P304+P340 P405 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

10112-91-1 Mercury(I) chloride

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity

10112-91-1 Mercury(I) chloride

Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use:

The Condition of Use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 02/08/2016 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Department and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
ACCUPATION ACCUP

USA