

## 1 Identification

### Product identifier

**Product name:** Copper(II) chloride hydrate, Puratronic®

**Stock number:** 10698

**CAS Number:**

10125-13-0

**EC number:**

231-210-2

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com


**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)

 GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

 GHS07

Acute Tox. 4 H302 Harmful if swallowed.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

#### Hazard pictograms



GHS05 GHS07

### Signal word

Danger

### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH **3** Health (acute effects) = 3

FIRE **0** Flammability = 0

REACTIVITY **1** Physical Hazard = 1

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

10125-13-0 Copper(II) chloride dihydrate

**Concentration:** ≤100%

**Identification number(s):**

**EC number:** 231-210-2

**Product name:** Copper(II) chloride hydrate, Puratronic®

(Contd. of page 1)

#### 4 First-aid measures

##### Description of first aid measures

**General information** Immediately remove any clothing soiled by the product.

##### After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

##### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.

##### Information for doctor

##### Most important symptoms and effects, both acute and delayed

Causes severe skin burns.

Harmful if swallowed.

Causes serious eye damage.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### 5 Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

##### Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCl)

Copper oxides

##### Advice for firefighters

##### Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

##### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow product to reach sewage system or any water course.

##### Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

##### Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

##### Protective Action Criteria for Chemicals

**PAC-1:** 8 mg/m<sup>3</sup>

**PAC-2:** 89 mg/m<sup>3</sup>

**PAC-3:** 530 mg/m<sup>3</sup>

#### 7 Handling and storage

##### Handling

##### Precautions for safe handling

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:** The product is not flammable

##### Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:** No special requirements.

##### Information about storage in one common storage facility:

Store away from air.

Store away from water/moisture.

Store away from strong bases.

Store away from alkali metals.

##### Further information about storage conditions:

Store under dry inert gas.

This product is hygroscopic.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

**Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

##### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

##### Control parameters

##### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** No data

##### Exposure controls

##### Personal protective equipment

##### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

(Contd. on page 3)  
USA

**Product name:** Copper(II) chloride hydrate, Puratronic®

(Contd. of page 2)

Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
**Breathing equipment:** Use suitable respirator when high concentrations are present.  
**Recommended filter device for short term use:**  
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.  
**Protection of hands:**  
Impervious gloves  
Check protective gloves prior to each use for their proper condition.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.  
**Material of gloves** Nitrile rubber, NBR  
**Penetration time of glove material (in minutes)** 480  
-----  
**Glove thickness:** 0.11 mm  
**Eye protection:**  
Tightly sealed goggles  
Full face protection  
Safety glasses with side shields / NIOSH (US) or EN 166(EU)  
**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**  
**General Information**  
**Appearance:**  
**Form:** Various forms (powder/flake/crystalline/beads, etc.)  
**Odor:** Odorless  
**Odor threshold:** Not determined.  
**pH-value:** Not applicable.  
**Change in condition**  
**Melting point/Melting range:** 100 °C (212 °F) (dec.)  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous)** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.  
**Danger of explosion:** Not determined.  
**Explosion limits:**  
**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure:** Not applicable.  
**Density at 20 °C (68 °F):** 2.51 g/cm³ (20.946 lbs/gal)  
**Relative density** Not determined.  
**Vapor density** Not applicable.  
**Evaporation rate** Not applicable.  
**Solubility in / Miscibility with**  
**Water at 20 °C (68 °F):** 1150 g/l  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.  
**Chemical stability** Stable under recommended storage conditions.  
**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.  
**Possibility of hazardous reactions** No dangerous reactions known  
**Conditions to avoid** No further relevant information available.  
**Incompatible materials:**  
Air  
Bases  
Alkali metals  
Water/moisture  
**Hazardous decomposition products:**  
Hydrogen chloride (HCl)  
Copper oxides

**11 Toxicological information**

**Information on toxicological effects**  
**Acute toxicity:**  
Harmful if swallowed.  
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.  
**LD/LC50 values that are relevant for classification:** No data  
**Skin irritation or corrosion:** Causes severe skin burns.  
**Eye irritation or corrosion:** Causes serious eye damage.  
**Sensitization:** No sensitizing effects known.  
**Germ cell mutagenicity:** No effects known.  
**Carcinogenicity:** EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.  
-----  
**Reproductive toxicity:** No effects known.  
-----  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
-----  
**Specific target organ system toxicity - single exposure:** No effects known.  
-----  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.

(Contd. on page 4)  
USA





Product name: **Copper(II) chloride hydrate, Puratronic®**

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. (Contd. of page 3)

**12 Ecological information**  
**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Ecotoxical effects:**  
**Remark:** Very toxic for aquatic organisms  
**Additional ecological information:**  
**General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
May cause long lasting harmful effects to aquatic life.  
Avoid transfer into the environment.  
Very toxic for aquatic organisms  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**  
**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN2802	
<b>UN proper shipping name</b> <b>DOT</b> <b>ADR</b> <b>IMDG</b> <b>IATA</b>	Copper chloride 2802 Copper chloride COPPER CHLORIDE, MARINE POLLUTANT COPPER CHLORIDE	
<b>Transport hazard class(es)</b> <b>DOT</b> 	8 Corrosive substances 8	
<b>Class</b> <b>Label</b> <b>ADR</b> 	8 (C2) Corrosive substances 8	
<b>Class</b> <b>Label</b> <b>IMDG</b> 	8 Corrosive substances 8	
<b>Class</b> <b>Label</b> <b>IATA</b> 	8 Corrosive substances 8	
<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	III	
<b>Environmental hazards:</b> <b>Marine pollutant (IMDG):</b>	Yes (PP) Symbol (fish and tree)	
<b>Special precautions for user</b> <b>EMS Number:</b> <b>Segregation groups</b> <b>Stowage Category</b>	Warning: Corrosive substances F-A, S-B Acids A	
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> Not applicable.		
<b>Transport/Additional information:</b> <b>DOT</b> <b>Quantity limitations</b> <b>Hazardous substance:</b> <b>Marine Pollutant (DOT):</b> <b>Remarks:</b>		On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg 10 lbs, 4.54 kg Yes (PP) Special marking with the symbol (fish and tree).

Product name: <b>Copper(II) chloride hydrate, Puratronic®</b>	
(Contd. of page 4)	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	500 g Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
UN "Model Regulation":	UN 2802 COPPER CHLORIDE, 8, III

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS05 GHS07

**Signal word** *Danger*  
**Hazard statements**  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
**Precautionary statements**  
P260 Do not breathe dusts or mists.  
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
**National regulations**  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)**

10125-13-0 | Copper(II) chloride dihydrate

**California Proposition 65**  
**Prop 65 - Chemicals known to cause cancer** Substance is not listed.  
**Prop 65 - Developmental toxicity** Substance is not listed.  
**Prop 65 - Developmental toxicity, female** Substance is not listed.  
**Prop 65 - Developmental toxicity, male** Substance is not listed.  
**Information about limitation of use:** For use only by technically qualified individuals.  
**Other regulations, limitations and prohibitive regulations**  
**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.  
**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**  
Substance is not listed.  
**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.  
**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department  
**Date of preparation/Revision:** Print date, revision date and version number are in the header of each page.  
**Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
PP: Severe Marine Pollutant  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
ACGIH: American Conference of Governmental Industrial Hygienists (USA)  
OSHA: Occupational Safety and Health Administration (USA)  
NTP: National Toxicology Program (USA)  
IARC: International Agency for Research on Cancer  
EPA: Environmental Protection Agency (USA)  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1