



Page 1/5 Printing date 03/30/2017 Revision date 03/29/2017 Version 1

1 I Identification Product i admits Test - Duty/farmonium acetate Such runnes: Test - Duty/farmonium acetate Prove of the supplier of the safety data sheet Hunnes: Test - Duty/farmonium acetate Such runnes: Test - Duty/farmonium acetate Test - Duty		Version 1
Product name: Tetra-hotty/jammonium acetate Suck number: 19279 Ges Number: Set 1927 Ges Number: Set 192	1 Identification	
Structure 19279 Construction Construction Construction Construction <td< td=""><td></td><td></td></td<>		
CAS Number: EX. Number: EX. Number: EX. Number: EX. Number: EX. Number: EX. Number: Example: Construct: Mark Assar Thrown Figher Schult: Construct: Example:		
Default of the supplier of the safety data sheet Manufacture was Searching Chamicals, inc. Device States Device States Thermismic matching of the safety data sheet Device States	CAS Number: 10534-59-5 EC number:	
00. Port Street 01. Port Street 02. Port Street 03. Street 04. Street 05. Street	Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar	
Email: lpsdglate.com Information Partment Headth, Safety and Environmental Department Emergency Nelsphore number: 2.1 Case-Ification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Image: Status of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	30 Bond Street Ward Hill, MA 01835-8099 Tei: 800-343-0660	
Energency telephone number: During normal business haves, call Carechem 24 at (866) 928-0789. 21 Azard(s) Identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	Email: tech@alfa.com www.alfa.com	
Consisting the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Sign of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Sign of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) Colspan="2">Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2"Colspan="2	Emergency telephone number:	-0789.
Wind Provided Street	2 Hazard(s) identification	
Eve Imi: 24 H319 Causes serious eve initiation. Hazard's not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms		
Label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Bignal word Warning Harard statements Harard statements Harard statements Precentionary statements Harard statements Precentionary statements Harard statements Participation Weet protective gloves / eye protection / face protection. Precentionary statements Health Code will a weet for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P331 If skin intration occurs: Get medical advice/attention. P332+P333 If skin intration occurs: Get medica	Eye Irrit. 2A H319 Causes serious eye irritation.	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Haard pictograms GHS07 Signal word Warning Haard statements H315 Causes skin imitation. H315 Causes serious eye irritation. H315 Causes serious eye irritation. H316 Causes serious eye irritation. H317 Cause serious eye irritation. H318 Causes serious eye irritation. H319 Causes irritation exercises in the eye irritation. H310 Cause irritation eyes in the eye irritation in the eye irritation. H316 Cause eyes irritation exercises if present and easy to do. Continue rinsing. H317 Cause irritation occurs: Get medical advice/attention. H318 String irritation occurs: Get medical advice/attention. H319 Cause of contents/container in accordance with local/regional/national/international regulations. H317 Cause irritation exercise of contents/container in accordance with local/regional/national/international regulations. H318 Causes filteration eyestem H318 causes filteration system H318 causes filteration system H318 causes filteration eyestem H318 causes filteration eyestem H318 causes filteration eyestem H318 causes exercises filteration eyestem H318 causes exercise filteration eyestem H318 causes exercises f		
Signal word Warning Haster Statements His Causes skiri initiation. His Cause Store locked up. His Cause Cause Cause Causes and the skiri His Causes Cause Causes and the skiri His Causes Causes and the skiri His Causes Causes Causes Causes and the skiri His Causes Causes and the skiri His Causes Causes Causes and the skiri His Causes Causes and the sk	GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard statements' H315 Causes skin initiation. H319 Causes skin initiation. H335 May cause respiration: H336 May cause respiration: H336 May cause respiration: H337 May cause respiration: H337 May cause respiration: H338 May cause respiration: H338 May cause respiration: H338 May cause respiration: H339 May h348 May have for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. H330 H4783 Mi in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. H330 H4783 Mi in HALED: Remove person to resh air and keep comfortable for breathing. H331 Caul a POISON CENTER/doctor if you feel unwell. H332 Caul a POISON CENTER/doctor if you feel unwell. H331 Caul a POISON CENTER/doctor if you feel unwell. H332 P333 Mi skin irritation occurs: Get medical advice/attention. H335 Store locked up. H330 H47833 Store locked up. H330 H4783 Store locked up. D28- Toxic material causing other toxic effects H4MIS catassification D28- Toxic material causing other toxic effects H4MIS ratings (scale 0-4) H4MIS ratings (sc	GHS07	
F331 Specific treatment (see of medical advice/attention. F332 P333 F332 Store locked up. F403 P233 Store in a verify Dispose of contents/container in accordance with local/regional/national/international regulations. WHMS classification Dispose of contents/container in accordance with local/regional/national/international regulations. D2B - Toxic material causing other toxic effects Dispose of contents/container in accordance with local/regional/national/international regulations. D2B - Toxic material causing other toxic effects Dispose of contents/container in accordance with local/regional/national/international regulations. D2B - Toxic material causing other toxic effects Dispose of contents/container in accordance with local/regional/national/international regulations. D2B - Toxic material causing other toxic effects Dispose of contents/container in accordance with local/regional/national/international regulations. D2B - Toxic material causing other toxic effects 1 D2B - Toxic material causing other toxic effects 1 Pd04 Health (acute effects) = 1 Pd05 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. Substances CAS# Description: Substances <td>Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Procentionary statements</td> <td></td>	Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Procentionary statements	
P405 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Provide Phanmability = 1 Position Provide able. Provide able. S Composition/information on ingredients Chemical characterization: Substances CASH Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: :100% Lexander	P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER/doctor if you feel unwell. P321 Specific treatment (see on this label). P332+P313 If skin irritation occurs: Get medical advice/attention	
D2B - Toxic material causing other toxic effects Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: \$100% Identification number(s): EC number: 234-101-8	P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
HMIS ratings (ścałe 0-4) (Hazardous Materials Identification System) Health (acute effects) = 1 Flammability = 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 10534-59-5 Tetra-n-buty/lammonium acetate Concentration: s100% Identification number(s): EC number: 234-101-8 USA	D2B - Toxic material causing other toxic effects	
Image: Construct State Health (acute effects) = 1 Flammability = 1 Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. vPvB: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: <5100%	HMIS ratings (scale 0-4)	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: <100% Identification number(s): EC number: 234-101-8	HEALTH I Health (acute effects) = 1 FIRE I Flammability = 1 REACTIVITY Physical Hazard = 1	
Chemical characterization: Substances CAS# Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: <100% Identification number(s): EC number: 234-101-8	Results of PBT and vPvB assessment PBT: Not applicable.	
CAS# Description: 10534-59-5 Tetra-n-butylammonium acetate Concentration: ≤100% Identification number(s): EC number: 234-101-8 USA	3 Composition/information on ingredients	
10534-59-5 Tetra-n-butylammonium acetate Concentration: ≤100% Identification number(s): EC number: 234-101-8 USA		
Identification number(s): EC number: 234-101-8 USA	10534-59-5 Tetra-n-butylammonium acetate	
USA – J	Identification number(s):	
		(Contd. on page 2)

Product name: Tetra-n-butylammonium acetate

	(Contd. of page 1)
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin constact	
After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment.	
Information for doctor	
Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation.	
Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Ammonia	
Carbon monoxide and carbon dioxide Nitrogen oxides (NOX)	
Advice for firefighters Protective equipment:	
Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.	
Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.	
wetnods and material for containment and cleaning up: Ensure adequate ventilation.	
Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling	
See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.	
7 Handling and storage	
Handling	
Precautions for safe handling Handle under dry protective gas. Keen container lightly sealed	
Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace	
Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known.	
Conditions for safe storage, including any incompatibilities Storage	
Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:	
Store away from water/moisture. Store away from oxidizing agents.	
Further information about storage conditions: Store under dry inert gas. This product is hygroscopic.	
I his product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water.	
Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters	
Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data	
Exposure controls Personal protective equipment	
General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.	
Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present.	
Maintain an ergonomically appropriate working environment.	
Breathing equipment: Use suitable respirator when high concentrations are present.	
Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to de purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.	termine if air-

Product name: Tetra-n-butylammonium acetate

(Contd. of page 2)

Protection of hands:

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of gloves Nithe rubber, NBR Penetration time of glove material (in minutes) 480 Glove thickness: 0.11 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and che	emical properties
General Information	
Appearance:	Oristelling
Form: Odor:	Crystalline
Odor threshold:	Not determined Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	114-115 °C (237-239 °F)
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not applicable.
Density:	Not applicable. Not determined
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Water/moisture Valentinoistine Oxidizing agents **Hazardous decomposition products:** Carbon monoxide and carbon dioxide Nitrogen oxides Ammonia

11 Toxicological information

Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data LD/LC50 valúes that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritant og effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Avoid transfer into the environment. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable.

(Contd. on page 4)

(Contd. of page 3)

Product name: Tetra-n-butylammonium acetate

Other adverse effects No further relevant information available

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.		
14 Transport information		
UN-Number DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	Not applicable	
Environmental hazards: Marine pollutant (IMDG):	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Warning

Hazard statements Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements D261

- Precautionary statements

 P261
 Avoid breathing dust/fume/gas/mist/vapors/spray

 P280
 Wear protective gloves / eye protection / face protection.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P304+P340
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P312
 Call a POISON CENTER/doctor if you feel unwell.

 P321+P313
 If skin irritation occurs: Get medical advice/attention.

 P3405
 Store looked un

P405

Store locked up. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international regulations. P403+P233 P501

P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, the Substance is not listed. Prop 65 - Developmental toxicity with the Substance is not listed. Prop 65 - Developmental toxicity for substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Prop 65 - Developmental toxicity, and Substance is not listed. Differentiation about limitations of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Avitime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 5)



Product name: Tetra-n-butylammonium acetate

- WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency (ISA) Skin Iriti: 2 Skin corroison/irritation Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A STOT SE 3: Specific target organ toxicity (single exposure) Category 3

(Contd. of page 4)

USA