

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 04.08.2005

Printing date 01.07.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Aluminum oxide, Refractory Brushable Paint, Water-based

Stock number:

44887

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
 A Johnson Matthey Company
 Zeppelinstr. 7b
 76185 Karlsruhe / Germany
 Tel: +49 (0) 721 84007 280
 Fax: +49 (0) 721 84007 300
 Email: tech@alfa.com
 www.alfa.com
 Product safety Tel + +049 (0) 7275 988687-0
 Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)
 Poison Information Center Mainz
 www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

Informing department:

1.4 Emergency telephone number:**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36/37/38: Irritating to eyes, respiratory system and skin.

Information concerning particular hazards for human and environment:

Not applicable

Other hazards that do not result in classification

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

The substance is classified and labelled according to the CLP regulation.

GHS07

Warning

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321

Specific treatment (see on this label).

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/national/international

regulations.

Precautionary statements**2.3 Other hazards**

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

Aluminum oxide, Refractory Brushable Paint, Water-based

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

After skin contact

After eye contact

After swallowing

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Metal oxide

Nitrogen oxides (NOx)

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

6.2 Environmental precautions:(Contd. on page 2)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 04.08.2005

Trade name **Aluminum oxide, Refractory Brushable Paint, Water-based**

(Contd. of page 1)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
No special measures required.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

Prevention of secondary hazards:**6.4 Reference to other sections****SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

Information about protection against explosions and fires:

The product is not flammable

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and containers:**

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.
Store away from strong bases.

Further information about storage conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
No further relevant information available.

7.3 Specific end use(s)**SECTION 8: Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:**

Nitric acid

ppm
ACGIH TLV 2; 4-STEL
Austria MAK 2
Belgium TWA 2; 4-STEL
Denmark TWA 2
Finland TWA 2; 5-STEL (skin)
France VME 2; 5-VLE
Germany MAK 2
Hungary 5 mg/m3-STEL
Japan OEL 2
Korea TLV 2; 4-STEL
Norway TWA 2
Poland TWA 5 mg/m3; 10 mg/m3-STEL
Russia TWA 2; 2 mg/m3-STEL (skin)
Sweden NGV 2; 5-KTV
United Kingdom LTEL 2; 4-STEL
USA PEL 2

Aluminum, soluble salts (as Al)

mg/m3
ACGIH TLV 5 (welding fumes); 5 (pyro powders)
10 (metal dust)
Austria MAK 6 (dust)
Belgium TWA 10; 2 (salts), 5 (fumes), 5 (resp. dust)
Denmark TWA 10 (dust or fume)
Finland TWA 2 (salts)
France VME 10; 5 (fumes), 5 (resp. dust)
Germany MAK 6
Hungary TWA 2; 5-STEL, 4-STEL (salts)
Korea TLV 5 (welding fumes); 5 (pyro powders)
10 (metal dust)
Norway TWA 5
Russia 2-STEL
Sweden NGV 4 (resp. dust); 10 (total dust)
Switzerland MAK-W 6
United Kingdom TWA 4 (resp. dust)
USA PEL 15 (total dust); 5 (resp. fraction)
No data

Additional information:**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Breathing equipment:**Protection of hands:**

Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves**Penetration time of glove material****Eye protection:**

Impervious gloves

Not determined

Safety glasses

Face protection

Body protection:

Protective work clothing.

DE/E

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 04.08.2005

Trade name **Aluminum oxide, Refractory Brushable Paint, Water-based**

(Contd. of page 2)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form: Viscous liquid
Colour: White
Smell: Not determined
Odour threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: 100 °C
Sublimation temperature / start: Not determined

Flash point: Not determined
Inflammability (solid, gaseous): Not applicable.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Self-inflammability: Not determined.

Danger of explosion: Product is not explosive.

Critical values for explosion:

Lower: Not determined
Upper: Not determined
Steam pressure: Not determined
Density at 20 °C: 2,25 g/cm³
Relative density: Not determined.
Vapour density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Not determined

Partition coefficient (n-octanol/water):

Not determined.

Viscosity:

dynamic: Not determined.

kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No information known.

10.2 Chemical stability

Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

No dangerous reactions known

10.5 Incompatible materials:

Oxidizing agents

10.6 Hazardous decomposition products:

Bases
Metal oxide
Nitrogen oxides (NOx)

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:**

No effects known.

LD/LC50 values that are relevant for classification:

Oral: LDLo: 430 mg/kg (hmn)(HNO3)
Unreported: LDLo: 110 mg/kg (man)(HNO3)

Skin irritation or corrosion:

Causes skin irritation.

Eye irritation or corrosion:

Causes serious eye irritation.

Sensitization:

No sensitizing effect known.

Germ cell mutagenicity:

No effects known.

Carcinogenicity:

ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.

Reproductive toxicity:

No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

May cause respiratory irritation.

Aspiration hazard:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:**

No further relevant information available.

12.2 Persistence and degradability

No further relevant information available.

12.3 Bioaccumulative potential

No further relevant information available.

12.4 Mobility in soil

No further relevant information available.

Additional ecological information:**General notes:**

Do not allow material to be released to the environment without proper governmental permits.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment**PBT:**

Not applicable.

vPvB:

Not applicable.

12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:**Recommendation:**

Disposal must be made according to official regulations.

DE/E

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 04.08.2005

Trade name **Aluminum oxide, Refractory Brushable Paint, Water-based**

(Contd. of page 3)

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA	None
14.2 UN proper shipping name ADR, IMDG, IATA	None
14.3 Transport hazard class(es) ADR, IMDG, IATA Class	None
Packing group ADR, IMDG, IATA	None
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical****Substances**

Substance is not listed.

Standard for the Uniform Scheduling of**Drugs and Poisons**

Substance is not listed.

National regulations**Information about limitation of use:**Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.**Water hazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations**ELINCS (European List of Notified Chemical****Substances)**

Substance is not listed.

Substances of very high concern (SVHC)**according to REACH, Article 57**

Substance is not listed.

REACH - Pre-registered substances

Substance is not listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

DE/E