

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/09/2010

#### 1 Identification

Product identifier

Product name: Molybdenum(IV) selenide

Stock number: 13112

CAS Number: 12058-18-3 **EC** number: 235-027-9 Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

# Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral,

Innalative.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Store locked up.

P405
Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2

Flammability = 0

Flammability = 1

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 12058-18-3 Molybdenum(IV) selenide

Identification number(s): EC number: 235-027-9 Index number: 034-002-00-8

### Product name: Molybdenum(IV) selenide

(Contd. of page 1)

#### 4 First-aid measures

# Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Most important symptoms and effects, both acute and delayed No further relevant information average.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Toxic metal oxide fume
Hydrogen solepide

Hydrogen selenide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

# 7 Handling and storage

Handling

Precautions for safe handling

Recautions for safe nanoling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: No information known.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Selenium and selenium compounds (as Se)

mg/m3 ACGIH TLV Austria MAK Belgium TWA Denmark TWA Finland TWA 0.1 0.2 0.1 0.1; 0.3-STEL J.1; 0.: 0.1 0.1-STEL 0.1 0.1 0.2 TC Finiand TWA
Germany MAK
Hungary
Ireland TLV
Japan OEL
Korea TLV
Netherlands MAC-ŤĞG 0.1 0.1; 0.3-STEL 0.1 / 0.1 Poland TWA Sweden NGV Switzerland MAK-W United Kingdom TWA USA PEL 0.2

Selenium and selenium compounds (as Se)

mg/m3 ACGIH TLV 0.2

# Product name: Molybdenum(IV) selenide

(Contd. of page 2)

```
0.1
0.2
0.1
0.1; 0.3-STEL
0.1
0.1-STEL
0.1
0.2
7-TC
Austria MAK
Belgium TWA
Denmark TWA
Finland TWA
Finland TWA
Germany MAK
Hungary
Japan OEL
Korea TLV
Korea ILV 0.2
Netherlands MAC-TGG 0.2
Poland TWA 0.1; 0.3-STEL
Sweden NGV 0.1
Switzerland MAK-W 0.1
United Kingdom TWA 0.1
USA PEL 0.2
```

Molybdenum and compounds (as Mo)

mg/m3
ACGIH TLV 10(Mo)
Austria MAK 15(Mo)
Denmark TWA 10(Mo)
Finland TWA 5(Mo)
Germany MAK 15(Mo)
Korea TLV 10(Mo)
Poland TWA 4(Mo); 10(Mo)-STEL
Sweden NGV 10(Mo)(total dust); 5(Mo)(resp. dust)
Switzerland MAK-W 10(Mo)
United Kingdom TWA 10(Mo); 20(Mo)-STEL
OSHA PEL 15(Mo)(total dust)
Additional information: No data mg/m3 ACGIH TLV Austria MAK Denmark TWA Finland TWA

Exposure controls

Personal protective equipment

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing.

### 9 Physical and chemical properties Information on basic physical and chemical properties

General Information Appearance: Form: Powder Color: Dark grey Odorless Odor: Odor threshold: Not determined. pH-value: Not applicable Change in condition

1200 °C (2192 °F) Not determined Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined Flash point: Not applicable Not determined

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined Not applicable. 6 g/cm³ (50.07 lbs/gal) Not determined. Vapor pressure: Density at 20 °C (68 °F): Relative density Napor density Evaporation rate Solubility in / Miscibility with Not applicable. Not applicable.

Insoluble Water: Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic: Not applicable.

Not applicable. No further relevant information available. Other information

# 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: No information known.

(Contd. on page 4)

(Contd. of page 3)

### Product name: Molybdenum(IV) selenide

Hazardous decomposition products: Toxic metal oxide fume

Hydrogen selenide

#### 11 Toxicological information

Information on toxicological effects

Acute toxicity:

Toxic if inhaled.
Toxic if swallowed.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Germ cerm managementy. No effects known.

Carcinogenicity:

EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

IARC-3: Not classifiable as to carcinogenicity to humans.

Reproductive toxicity: No effects known.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:
May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Selenium may cause amyotropic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Acute molybdenum poisoning may cause severe gastrointestinal irritation, diarrhea, coma and death from cardiac failure.

Chronic molybdenum poisoning in laboratory animals has caused loss of weight, anorexia, anemia, deficient lactation, male sterility, osteoporosis and bone joint abnormalities.

abnormalities

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Very toxic for aquatic organisms
Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

**UN-Number** 

DOT, IMDG, IATA

UN proper shipping name DOT ĬMDG, IATA

UN3077

Environmentally hazardous substances, solid, n.o.s. (Molybdenum(IV) selenide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Molybdenum(IV) selenide)

# Transport hazard class(es)

DOT, IMDG



Label Class Label IATA 9 Miscellaneous dangerous substances and articles.

9 (M7) Miscellaneous dangerous substances and articles



Class

Label

9 Miscellaneous dangerous substances and articles.

(Contd. on page 5)

Product name: Molybdenum(IV) selenide (Contd. of page 4) Packing group DOT, IMDG, IATA IIIEnvironmental hazards: Special marking (ADR): Special marking (IATA): Symbol (fish and tree, Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): UN "Model Regulation": UN3077, Environmentally hazardous substances, solid, n.o.s. (Molybdenum(IV) selenide), 9, III

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





# Signal word Danger Hazard statements

H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Inhalative.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

## SARA Section 313 (specific toxic chemical listings)

12058-18-3 Molybdenum(IV) selenide

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
This product to the contains and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

and 40CFR372.
This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / 
Abbreviations and acronyms:

ID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO: The rechnical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal dose, 50 percent

LP50: Lethal dose, 50 percent