

Safety Data Sheet per OSHA HazCom 2012

	Reviewed on 07/09/2009
1 Identification	
Product identifier	
Product name: 3,4,5-Trifluorobenzoic acid	
Stock number: L18939 CAS Number: 121602-93-5	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at	(866) 928-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning Hazard statements	
H315 Causes skin irritation. H319 Causes serious eye irritation.	
H335 May cause respiratory irritation. Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection.	in
P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Cont P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up.	inue rinsing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D2B - Toxic material causing other toxic effects	
Ū	
Classification system HMIS ratings (scale 0-4)	
(Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 1 FIRE I Flammability = 1 REACTIVITY I Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances CAS# Description:	
121602-93-5 3,4,5-Trifluorobenzoic acid	
4 First-aid measures	
Description of first aid measures After inhalation Supply track in the serviced provide artificial requiration. Keen notions were	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After swallowing Seek medical treatment. After swallowing Seek medical treatment.	
	(Contd. on page 2) USA

Product area: 3.4,5-Trifluorobenzoic acid Internation for doctor Internation		Reviewed on	07/09/2009
Internation for doctor Interaction of doctor Interaction of doctor Interaction of doctor <t< td=""><td>Product name: 3,4,5-Trifluorobenzo</td><td>pic acid</td><td></td></t<>	Product name: 3,4,5-Trifluorobenzo	pic acid	
Extinguishing media Suitable engineering clarbon dioxide, extinguishing powler or water gray. Fight larger free with water spray or alcohol resistant foarn. Chronin product is mechang in a fine, the following can be released: Cortical mechange in alcohol mode Cortical mechange in alcohol mechange in alc	Most important symptoms and effect	ts. both acute and delayed No further relevant information available.	td. of page 1)
Presention of precautions, protective equipment, and emergency procedures. Wear production equipment, the purportected previous away. Ensure adaptate vehicles. Methods and meterial for control allow material to be indescated to the emolocoment without proper governmental permits. Methods and meterial for control allow material to be metalisation. Prevention of secondary hear Secondary hear Secondary hear Additional meterial for control allow material to be metalised on equipment. Secondary hear Secondary hear Prevention of secondary hear Secondary hear Secondary hear Prevention of secondary hear Secondary hea	Extinguishing media Suitable extinguishing agents Carbon Special hazards arising from the sub If this product is involved in a fire, the for Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Advice for firefighters Protective equipment: Wear self-contained respirator.	n dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Ostance or mixture ollowing can be released:	
Handling Precautions for safe handling Keep container tothy seeled Compositions for safe storage, including any incompatibilities Storage Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Storage Information about storage conditions: Keep container tothy secled information about storage conditions: Keep container tothy secled information about storage conditions: Storage Storage 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical lume hood designed to hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control sameters Properly operating chemical lume hood designed to mazardous chemicals and having an average face velocity of at least 100 feet per minute. Control sameters Properly operating chemical lume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control sameters Properly operating chemical lume hood designed for hazardous chemicals with chical values that have to be monitored at the workplace. Additional information any relevant quantifies of materials with chical values that have to be monitored at the workplace. Control particle set and hygeline monitering at the workplace. Control sameters Personal protective equipment Beta and containmated clothing immediately. Wind control with the eyes and skin. Beta and containmated clothing immediately. Wind control with the eyes and skin. Beta and containmated clothing immedi	Personal precautions, protective equ Wear protective equipment. Keep unpre Ensure adequate ventilation Environmental precautions: Do not a Methods and material for containmen Prevention of secondary hazards: No Reference to other sections See Section 7 for information on safe h	otected persons away. The environment without proper governmental permits. Ilow material to be released to the environment without proper governmental permits. Int and cleaning up: Ensure adequate ventilation. Dispecial measures required. Mandling	
Additional information about design of technical systems: Properly operating chemical turne hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Control parameters Contro Control parameters Conters Control parameters Control parameters	Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed Ensure good ventilation at the workplace Information about protection against Conditions for safe storage, includin Storage Requirements to be met by storeroo Information about storage in one con Further information about storage co Keep container tightly sealed. Store in cool, dry conditions in well sea	t explosions and tires: No information known. Ig any incompatibilities ms and receptacles: No special requirements. mmon storage facility: Store away from oxidizing agents. onditions: led containers.	
Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Solid Color: White Odor threshold: Not determined pH-value: Not applicable. Change in condition Not determined Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Melting range: Not determined Sublimation temperature / start: Not determined Not determined Not determined Formic Not determined Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Melting range: Not determined Not determined Not determined Sublimation temperature / start: Not determined Not applicable Not ap	Additional information about design Properly operating chemical fume hood Control parameters Components with limit values that re The product does not contain any relev Additional information: No data Exposure controls Personal protective equipment General protective and hygienic mea The usual precautionary measures for Keep away from foodstuffs, beverages Remove all soiled and contaminated cle Wash hands before breaks and at the e Avoid contact with the eyes and skin. Maintain an ergonomically appropriate Breathing equipment: Use suitable re Recommended filter device for short Use a respirator with type N95 (USA) o purifying respirators are appropriate.	of technical systems: I designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. equire monitoring at the workplace: rant quantities of materials with critical values that have to be monitored at the workplace. asures handling chemicals should be followed. and feed. othing immediately. end of work. working environment. spirator when high concentrations are present. t term use: or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine	• if air-
Information on basic physical and chemical properties General Information Appearance: Form: Solid Color: White Odor: Not determined Odor threshold: Not determined. pH-value: Not applicable. Change in condition 97-99 °C (207-210 °F) Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable	Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not onl Penetration time of glove material (ir Eve protection: Safety glasses	ly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. n minutes) Not determined	
Appearance: Form: Solid Form: Vite Color: White Odor: Not determined Odor threshold: Not determined. pH-value: Not applicable. Change in condition 97-99 °C (207-210 °F) Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable	Information on basic physical and cl		
pH-value: Not applicable. Change in condition 97-99 °C (207-210 °F) Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable	Appearance: Form: Color: Odor:	White Not determined	
Change in condition Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable			
Melting point/Melting range: 97-99 °C (207-210 °F) Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined Flash point: Not applicable		ινοι αρμικαρίε.	
	Melting point/Melting range: Boiling point/Boiling range:	Not determined	
(Contd. on p	Flash point:	Not applicable	
		(Cont	d. on page 3) USA

2 A 5-Triflu hha oic cid

Page 3/4 Printing date 11/24/2015 Reviewed on 07/09/2009

		Reviewed on 07/09/20
roduct name: 3,4,5-Trifluorobenzoid	; acid	
		(Contd. of page
	Not determined.	
Decomposition temperature:	Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion: Explosion limits:	Product does not present an explosion hazard.	
Lower:	Not determined	
Upper:	Not determined Not applicable.	
Density:	Not determined	
Relative density	Not determined. Not applicable.	
Evaporation rate	Not applicable. Not applicable.	
Solubility in / Miscibility with	Insoluble	
Partition coefficient (n-octanol/water):		
Viscosity:	Not applicable.	
kinematic:	Not applicable.	
	No further relevant information available.	
Stability and reactivity		
Reactivity No information known. Chemical stability Stable under recomm		
Thermal decomposition / conditions to	be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions No Conditions to avoid No further relevant	dangerous reactions known	
Incompatible materials: Oxidizing agent	Information available. ts	
Hazardous decomposition products:	5	
Carbon monoxide and carbon dioxide Hydrogen fluoride		
Toxicological information		
-		
Information on toxicological effects Acute toxicity: No effects known.		
LD/LC50 values that are relevant for cl		
Skin irritation or corrosion: Causes ski Eye irritation or corrosion: Causes seri		
Sensitization: No sensitizing effects kno	own.	
Germ cell mutagenicity: No effects know	wn. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Reproductive toxicity: No effects known	n.	
Specific target organ system toxicity -	repeated exposure: No effects known.	
Aspiration hazard: No effects known.	single exposure: May cause respiratory irritation.	
Subacute to chronic toxicity: No effects	s known. Fo the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
Ecological information		
Toxicity Aquatic toxicity: No further relevant info	vrmation available	
Persistence and degradability No furthe	er relevant information available.	
Bioaccumulative potential No further re Mobility in soil No further relevant inform	elevant information available.	
Additional ecological information:		
General notes:		
Avoid transfer into the environment.	ne environment without proper governmental permits.	
Results of PBT and vPvB assessment		
PBT: Not applicable. vPyB: Not applicable.		
Other adverse effects No further relevan	nt information available.	
B Disposal considerations		
Waste treatment methods		
Recommendation Consult state, local or Uncleaned packagings:	r national regulations to ensure proper disposal.	
Recommendation: Disposal must be ma	ade according to official regulations.	
Transport information		
UN-Number	Natassiaabla	
DOT, ADN, IMDG, IATA UN proper shipping name	Not applicable	
UN proper shipping name DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Pooking group		
Packing group DOT, IMDG, IATA Environmental hazards:	Not applicable Not applicable.	
	Not applicable	
Environmental hazards: Special precautions for user	Not applicable Not applicable.	

Safety Data Sheet per OSHA HazCom 2012

Page 4/4 Printing date 11/24/2015 Reviewed on 07/09/2009

1. Concerned and the second	01101/09/2009
Product name: 3,4,5-Trifluorobenzoic acid	
	Contd. of page 3)
Transport/Additional information:	
DOT Marine Pollutant (DOT): No	
UN "Model Regulation":	
15 Regulatory information Sofety, health and environmental regulations/legislation specific for the substance or mixture	
Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning Hazard statements	
H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.	
Precautionary statements	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
National regulations This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TS product must not be used for commercial purposes or in formulations for commercial purposes.	ıct is restricted SCA. This
SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65	
Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed.	
Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed.	
Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, p.	lecing on the
market and use must be observed.	acing on the
Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
Chemical safety assessment: A Unemical Safety Assessment has not been carried out.	
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suital information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the pr conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	bility of this roduct not in
Department issuing SDS: Global Marketing Department	
Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms: RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
ND: Registering international conditional for a large of the standard and	
ICAC-11: Technical Instructions by the "international UNI Aviation Organization" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent LD50: Lethal cose, 50 percent	
vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSLA-Descuring Statisticand Hadministration (USA)	
HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	
EPA: Environmental Protection Agency (USA)	USA –