

## 1 Identification

### Product identifier

**Product name:** Bis(cyclopentadienyl)chromium, sublimed

**Stock number:** 43177

**CAS Number:**

1271-24-5

**EC number:**

215-036-4

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air.

Self-heat. 2 H252 Self-heating in large quantities; may catch fire.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS02 GHS07

### Signal word

Danger

### Hazard statements

H250 Catches fire spontaneously if exposed to air.

H252 Self-heating in large quantities; may catch fire.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

### Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P222 Do not allow contact with air.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

B6 - Reactive flammable material

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH 1 Health (acute effects) = 1

FIRE 4 Flammability = 4

REACTIVITY 3 Physical Hazard = 3

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

**Product name:** Bis(cyclopentadienyl)chromium, sublimed

(Contd. of page 1)

### 3 Composition/information on ingredients

**Chemical characterization:** Substances

**CAS# Description:**

1271-24-5 Bis(cyclopentadienyl)chromium, sublimed

**Concentration:** ≤100%

**Identification number(s):**

**EC number:** 215-036-4

### 4 First-aid measures

**Description of first aid measures**

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed**

Causes skin irritation.

Harmful if swallowed.

Causes serious eye irritation.

Harmful if inhaled.

Harmful in contact with skin.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents** In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

**For safety reasons unsuitable extinguishing agents** Water

**Special hazards arising from the substance or mixture**

Spontaneously flammable in air.

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Chromium oxides

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

**Environmental precautions:** Do not allow product to reach sewage system or any water course.

**Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** Keep away from ignition sources.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals**

**PAC-1:** Substance is not listed.

**PAC-2:** Substance is not listed.

**PAC-3:** Substance is not listed.

### 7 Handling and storage

**Handling**

**Precautions for safe handling**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:**

Protect against electrostatic charges.

Substance/product is self ignitable.

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:**

Store away from air.

Store away from water/moisture.

Store away from oxidizing agents.

**Further information about storage conditions:**

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

**Specific end use(s)** No further relevant information available.

**Product name: Bis(cyclopentadieny)chromium, sublimed**

(Contd. of page 2)

## 8 Exposure controls/personal protection

### Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** No data

### Exposure controls

#### Personal protective equipment

#### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

#### Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

#### Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

#### Eye protection:

Full face protection

Safety glasses with side shields / NIOSH (US) or EN 166(EU)

**Body protection:** Protective work clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

**Form:** Crystalline  
**Odor:** Not determined  
**Odor threshold:** Not determined.

**pH-value:** Not applicable.

#### Change in condition

**Melting point/Melting range:** 172-173 °C (342-343 °F)  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined

**Flash point:** Not determined  
**Flammability (solid, gaseous):** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Spontaneously flammable in air.

**Danger of explosion:** Not determined.  
**Explosion limits:**  
**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure:** Not applicable.  
**Density:** Not determined  
**Relative density:** Not determined.  
**Vapor density:** Not applicable.  
**Evaporation rate:** Not applicable.  
**Solubility in / Miscibility with**  
**Water:** Not determined  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** Catches fire spontaneously if exposed to air.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

#### Possibility of hazardous reactions

Reacts with strong oxidizing agents

Spontaneously flammable in air.

**Conditions to avoid** No further relevant information available.

#### Incompatible materials:

Air

Oxidizing agents

Water/moisture

#### Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Chromium oxides

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

Harmful if inhaled.

Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

(Contd. on page 4)  
USA

**Product name: Bis(cyclopentadienyl)chromium, sublimed**

(Contd. of page 3)

**LD/LC50 values that are relevant for classification:** No data  
**Skin irritation or corrosion:** May cause irritation  
**Eye irritation or corrosion:** May cause irritation  
**Sensitization:** No sensitizing effects known.  
**Germ cell mutagenicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.  
**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.  
**Reproductive toxicity:** No effects known.  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
**Specific target organ system toxicity - single exposure:** May cause respiratory irritation.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
 Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
 Avoid transfer into the environment.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> DOT, IMDG, IATA	UN3391
<b>UN proper shipping name</b> DOT	Organometallic substance, solid, pyrophoric (Bis(cyclopentadienyl)chromium, sublimed)
<b>ADR</b>	3391 Organometallic substance, solid, pyrophoric (Bis(cyclopentadienyl)chromium, sublimed)
<b>IMDG, IATA</b>	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC (Bis(cyclopentadienyl)chromium, sublimed)
<b>Transport hazard class(es)</b> DOT	
	
<b>Class Label</b> ADR	4.2 Substances liable to spontaneous combustion 4.2
	
<b>Class Label</b> IMDG, IATA	4.2 (S5) Substances liable to spontaneous combustion 4.2
	
<b>Class Label</b>	4.2 Substances liable to spontaneous combustion 4.2
<b>Packing group</b> DOT, ADR, IMDG, IATA	I
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> EMS Number: Stowage Category Handling Code Segregation Code	Warning: Substances liable to spontaneous combustion F-G, S-M D H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> DOT Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden

(Contd. on page 5)  
USA

**Product name: Bis(cyclopentadienyl)chromium, sublimed**

(Contd. of page 4)

<b>Marine Pollutant (DOT):</b>	No
<b>IMDG</b>	0
<b>Limited quantities (LQ)</b>	Code: E0
<b>Excepted quantities (EQ)</b>	Not permitted as Excepted Quantity
<b>UN "Model Regulation":</b>	UN 3391 ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC (BIS(CYCLOPENTADIENYL)CHROMIUM, SUBLIMED), 4.2, I

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS02 GHS07

**Signal word** Danger

**Hazard statements**

H250 Catches fire spontaneously if exposed to air.  
H252 Self-heating in large quantities; may catch fire.  
H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

**Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P222 Do not allow contact with air.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P405 Store locked up.  
P422 Store contents under inert gas.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)**

1271-24-5 Bis(cyclopentadienyl)chromium, sublimed

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:** For use only by technically qualified individuals.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation/Revision:** Print date, revision date and version number are in the header of each page.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Pyr. Sol. 1: Pyrophoric solids - Category 1

Self-heat. 2: Self-heating substances and mixtures - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3