Page 1/5 Printing date 03/24/2016 Revision date 03/17/2016

1 Identification

Product identifier

Product name: Bis(cyclopentadienyl)nickel, dry

Stock number: 87899 **CAS Number:** 1271-28-9 EC number:

215-039-0 Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger Signal word Danger Hazard statements H228 Flammable solid. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H350 May cause cancer.

H350 May cause cancer.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
B4 - Flammable solid
D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH 2 Health (acute effects) = 2
RE 3 Flammability = 3
FACTIVITY 2 Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 1271-28-9 Bis(cyclopentadienyl)nickel

(Contd. on page 2)

Product name: Bis(cyclopentadienyl)nickel, dry

Identification number(s): EC number: 215-039-0

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Harmful if swallowed. May cause an allergic skin reaction. May cause cancer.

Indication of any immediate medical attention and special treatment needed No further relevant information available

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nickel exides

Nickel oxides

Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Herecautions for sale nanding
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
Store away from air.
Store away from water/moisture.

Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive.

This product is air sensitive.
This product is air sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1271-28-9 Bis(cyclopentadienyl)nickel (100.0%)

PEL (USA)

REL (USA)

Long-term value: 1 mg/m² as Ni

Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A Long-term value: 0.1 mg/m³ Inhalable fraction, as Ni

EV (Canada)

Additional information: No data

(Contd. on page 3)

Product name: Bis(cyclopentadienyl)nickel, dry

(Contd. of page 2)

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor:

Odorless Odor threshold: Not determined. Not applicable.

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:

Not determined Not determined Sublination temperature / Si Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Highly flammable. Not determined Not determined

Not determined Not determined.

Crystalline

171 - 173 °C (340 - 343 °F)

Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Not determined Not determined Not applicable. Not determined Vapor pressure.
Density:
Relative density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water: Not determined. Not applicable. Not applicable.

Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity: dvnamic kinematic:

Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.
Incompatible materials:
Air

, ... Water/moisture

Oxidizing agents Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nickel oxides

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Harmful if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification:

Oral LD50 490 mg/kg (rat)

Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: May cause an allergic skin reaction.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No enects whom:

Carcinogenicity:
May cause cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

(Contd. on page 4)

Product name: Bis(cyclopentadienyl)nickel, dry

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. of page 3)

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional coolegies information.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

| UN-NUMBER DOT, IMDG, IATA | UN1325 |
|--|---|
| UN proper shipping name DOT IMDG, IATA | Flammable solids, organic, n.o.s. (Bis(cyclopentadienyl)nickel, dry) FLAMMABLE SOLID, ORGANIC, N.O.S. (Bis(cyclopentadienyl)nickel, dry) |
| Transport hazard class(es) | |

DOT



4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1 Class Label 4.1 (F1) Flammable solids, self-reactive substances and solid desensitised explosives 4.1 Class

Label IMDG, IATA



Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives. Label

Packing group DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Flammable solids, self-reactive substances and solid desensitised explosives EMS Number: F-A,S-G

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT): No

UN "Model Regulation": UN1325, Flammable solids, organic, n.o.s. (Bis(cyclopentadienyl)nickel, dry), 4.1, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger **Hazard statements** H228 Flammable solid.

H302 Harmful if swallowed. H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P363 Wash contaminated clothing before reuse. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 5)

Printing date 03/24/2016 Revision date 03/17/2016

Product name: Bis(cyclopentadienyl)nickel, dry

National regulations

(Contd. of page 4)

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

1271-28-9 Bis(cyclopentadienyl)nickel

California Proposition 65

Prop 65 - Chemicals known to cause cancer

1271-28-9 Bis(cyclopentadienyl)nickel

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 03/24/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
IATA: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Flam. Sol. 1: Flammable solids, Hazard Category 1
Kaute Tox. 4: Acute toxicity, Hazard Category 1
Kaute Toxicology Program (USA)

USA