



1 Identification

Product identifier Product name: Gold(III) oxide, Premion® Stock number: 12161 CAS Number: 1303-58-8 EC number: Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. Inerrito Fisher Scheman C. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech @alfa.com www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) ! GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified No information known. Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms ! GHS07 Signal word Warning Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements

Precautionary statements

P280
Wear protective gloves/protective clothing/eye protection/face protection.

P264
Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362
Take off contaminated clothing and wash before reuse.

P321
Specific treatment (see on this label).

P332+P313
If skin irritation occurs: Get medical advice/attention.

P337+P313
If eye irritation persists: Get medical advice/attention.

P302+P352
IF ON SKIN: Wash with plenty of water.

WHMINS classification
Wether the second seco WHMIS classification D2B - Toxic material causing other toxic effects Ţ Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) 1 Health (acute effects) = 1 Flammability = 0 Flammability = 0 Physical Hazard = 0 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 1303-58-8 Gold(III) oxide Identification number(s): EC number: 215-122-1 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. (Contd. on page 2)

Melting point/Melting range: Boiling point/Boiling range:

150 °C (302 °F) (dec) Not determined

Product name: Gold(III) oxide, Premion® (Contd. of page 1) Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation. Causes serious eye irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture if this product is involved in a fire, the following can be released: Advice for firefighters **Protective equipment:** Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Pick up mechanically. **Revention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store in the dark. Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from exposure to light. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type N95 (USA) or PE (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties **General Information** Appearance: Form: Powder Odor: Odorless Odor threshold: Not determined pH-value: Not applicable. Change in condition

Product name: Gold(III) oxide, Premion®

Product name: Gold(III) oxide, Pren	nion®		
		(Contd. of page 2)	
Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined.		
Danger of explosion:	Not determined.		
Explosion limits: Lower:	Not determined		
Upper:	Not determined		
Vapor pressure:	Not applicable.		
Density: Relative density	Not determined Not determined.		
Vapor density	Not applicable.		
Evaporation rate Solubility in / Miscibility with	Not applicable.		
Water:	Insoluble		
Partition coefficient (n-octanol/water Viscosity:	j: Not determined.		
dynamic: kinematic:	Not applicable.		
Other information	Not applicable. No further relevant information available.		
10 Stability and reactivity			
Reactivity No information known.	nmended storage conditions		
Thermal decomposition / conditions	nmended storage conditions. to be avoided: Decomposition will not occur if used and stored according to specifications.		
Possibility of hazardous reactions R Conditions to avoid No further releval	eacts with strong oxidizing agents		
Incompatible materials:			
Oxidizing agents Light			
11 Toxicological information			
Information on toxicological effects			
Acute toxicity: No effects known. LD/LC50 values that are relevant for	classification: No data		
Skin irritation or corrosion: Causes s	skin irritation.		
Eye irritation or corrosion: Causes so Sensitization: No sensitizing effects ki	erious eye irritation.		
Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.			
Carcinogenicity: No classification data	Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.		
Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known.			
Specific target organ system toxicity - single exposure: No effects known.			
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.			
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.			
Carcinogenic categories			
OSHA-Ca (Occupational Salety & He	ealth Administration) Substance is not listed.		
12 Ecological information			
Toxicity			
Aquatic toxicity: No further relevant in Persistence and degradability No fur	ther relevant information available		
Bioaccumulative potential No further	relevant information available.		
Mobility in soil No further relevant info	srmation available.		
Additional ecological information: General notes: Avoid transfer into the	environment.		
Results of PBT and vPvB assessmer PBT: Not applicable.	nt		
vPvB: Not applicable.			
Other adverse effects No further relev	/ant information available.		
13 Disposal considerations			
Waste treatment methods			
	or national regulations to ensure proper disposal.		
Uncleaned packagings: Recommendation: Disposal must be r	made according to official regulations.		
44 Transport information			
14 Transport information UN-Number			
DOT, ADN, IMDG, IATA	Not applicable		
UN proper shipping name DOT, ADN, IMDG, IATA	Netensiesbla		
DOT, ADN, IMDG, IATA Transport hazard class(es)	Not applicable		
DOT, ADR, ADN, IMDG, IATA			
Class	Not applicable		
Packing group DOT, IMDG, IATA			
	Not applicable		
Environmental hazards:	Not applicable.		
Special precautions for user	Not applicable.		
i ransport in bulk according to Anne	ex II of MARPOL73/78 and the IBC Code Not applicable.	(Contd on page 4)	

(Contd. on page 4) USA Safety Data Sheet acc. to OSHA HCS

Page 4/4 Printing date 10/04/2016 Revision date 10/03/2016

USA -

Product name: Gold(III) oxide, Pr	remion®
	(Contd. of page 3)
Transport/Additional information: DOT	<i>:</i>
Marine Pollutant (DOT):	No
UN "Model Regulation":	-
15 Regulatory information	
Safety, health and environmental	I regulations/legislation specific for the substance or mixture is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
GHS07	
P264 Wash thoroughly P305+P351+P338 IF IN EYES: Rin. P362 Take off contam P321 Specific treatment P322+P313 If skin irritation of P337+P313 If eye irritation of P302+P352 IF ON SKIN: Wather National regulations All components of this product are In All components of this product are In All components of this product are In All components of this product are In SARA Section 313 (specific toxic California Proposition 65 Prop 65 - Chemicals known to can Prop 65 - Developmental toxicity Prop 65 - Developmental toxicity, Nother regulations, limitations and Substance of Very High Concern The conditions of restrictions acc market and use must be observed Substance is not listed. Annex XIV of the REACH Regulat	e gloves/protective clothing/eye protection/face protection. Iy after handling. Ise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Ininated clothing and wash before reuse. Ininated clothing and wash before reuse. Ininated clothing and wash before reuse. Ininated clothing and wash before reuse. Inited clothing and vice/attention. Decrists: Get medical advice/attention. Decrists: Get medical advice/attention. Dec
information to ensure proper use an conformance with this Material Safe	tion only as a supplement to other information gathered by them, and should make independent judgement of suitability of this nd protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in ety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global M Date of preparation / last revision Abbreviations and acronyms: ADR: Accord européen sur le transport des mai DOT: US Department of Transport des mai DOT: US Department of Transport des mai EINECS: European Inventory of Existing Comm CAS: Chemical Abstracts Service (division of th HMIS: Hazardous Materials Identification Syste WHMIS: Workplace Hazardous Materials Inform LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental OSHA: Occupational Safety and Health Adminis NTP: National Toxicology Program (USA)	n 10/04/2016 7 - archandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) mercial Chemical Substances he American Chemical Society) em (USA) rmation System (Canada) re al Industrial Hydienists (USA)

NTP: National Toxicology Program (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A