




Page 1/5 Printing date 01/08/2018 Revision date 01/05/2018 Version 1



Product name: Lithium hydroxide monohydrate

(Contd. of page 1)

4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Mact important symptoms and offacts, both acute and delayed Most important symptoms and effects, both acute and delayed Causes severe skin burns. Toxic if inhaled. Toxic if swallowed. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Lithium oxide Advice for fireficientare Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **Protective Action Criteria for Chemicals PAC-1:** 0.16 mg/m3 **PAC-2:** 1.8 mg/m3 **PAC-3:** 74 mg/m3 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from water/moisture. Do not store together with acids. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is hygroscopic. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. **Control parameters** Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls

Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

Product name: Lithium hydroxide monohydrate (Contd. of page 2) Wash hands before breaks and at the end of work. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) Not determined Eve protection: **Eve protection:** Tightly sealed goggles Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing. 9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: Form: Odor: Odor threshold: Crystalline powder Not determined Not determined. pH-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto inviting: Not determined Not determined Not determined Not determined. Not determined Not determined Auto igniting: Not determined. Danger of explosion: Explosion limits: Lower: Upper: Not determined. Not determined Not determined Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Not applicable. 1.51 g/cm³ (12.601 lbs/gal) Not determined. Not applicable. Evaporation rate Solubility in / Miscibility with Water at 10 °C (50 °F): 223 g/l Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: Not applicable. kinematic: Other information Not applicable. No further relevant information available. 10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Acids Air Oxidizing agents Water/moisture Hazardous decomposition products: Lithium oxide 11 Toxicological information Information on toxicological effects Acute toxicity: Toxic if inhaled. Toxic if swallowed. Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. The following RTECS statement/statements refer to the anhydrous compound: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance. LD/LC50 values that are relevant for classification: Oral LD50 210 mg/kg (rat) Inhalative LC50/4H 960 mg/m3/4H (rat) Skin irritation or corrosion: Causes severe skin burns. Skin Inflation or corrosion. Causes servere skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

(Contd. on page 4)

Product name: Lithium hydroxide monohydrate	
(Contd. of page 3) The following RTECS statement/statements refer to the anhydrous compound: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
12 Ecological information	
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	
Other adverse effects No further relevant information available.	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN2680
UN proper shipping name DOT ADR	Lithium hydroxide 2680 Lithium hydroxide
IMDG, IATA Transport hazard class(es)	LITHIUM HYDROXIDE
DOT Class Label ADR	8 Corrosive substances 8
Class Label IMDG, IATA	8 (C6) Corrosive substances 8
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances F-A,S-B Alkalis A SG35 Stow "separated from" acids.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Co	
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
Marine Pollutant (DOT): IMDG Limited quantities (LQ) Excepted quantities (EQ)	No 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 2680 LITHIUM HYDROXIDE, 8, II
15 Regulatory information	

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5) USA

Product name: Lithium hydroxide monohydrate

Hazard pictograms

57 GHS05 GHS06 Signal word Danger Hazard statements H301+H331 Toxic if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

 H314
 Causes severe skin burns and eye damage.

 Precautionary statements

 P260
 Do not breathe dusts or mists.

 P301+P310
 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Prop 65 - Developmental toxicity, component is the substance is not listed. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. National regulations market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Mairtime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Warkplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern VP-W: very Persistent, and Very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) Acute Tox: 3: Acute Tox: 4: Skin corrosion/irritation - Category 1 Department issuing SDS: Global Marketing Department

(Contd. of page 4)

LISA