

**Safety Data Sheet**  
acc. to OSHA HCS

**1 Identification**

**Product identifier**

**Product name:** Sodium hydroxide, pellets

**Stock number:** 13455

**CAS Number:**

1310-73-2

**EC number:**

215-185-5

**Index number:**

011-002-00-6

**Relevant identified uses of the substance or mixture and uses advised against.** No further relevant information available.

**Identified use:** SU24 Scientific research and development

**Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

**Emergency telephone number:**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

**2 Hazard(s) identification**

**Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)**



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

**Hazards not otherwise classified** No information known.

**Label elements**

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

**Hazard pictograms**



GHS05

**Signal word** Danger

**Hazard statements**

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P260 Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**WHMIS classification**

D2B - Toxic material causing other toxic effects

E - Corrosive material



**Classification system**

**HMIS ratings (scale 0-4)**

(Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 0 Flammability = 0

REACTIVITY 2 Physical Hazard = 2

**Other hazards**

**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**3 Composition/information on ingredients**

**Chemical characterization: Substances**

**CAS# Description:**

1310-73-2 Sodium hydroxide

**Concentration:** ≤100%

**Identification number(s):**

EC number: 215-185-5

Index number: 011-002-00-6

**4 First-aid measures**

**Description of first aid measures**

**General information** Immediately remove any clothing soiled by the product.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

**Product name: Sodium hydroxide, pellets**

(Contd. of page 1)

Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Seek medical treatment.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed** Causes severe skin burns.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Sodium oxide

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

**Methods and material for containment and cleaning up:**

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals**

**PAC-1:** 0.5 mg/m<sup>3</sup>

**PAC-2:** 5 mg/m<sup>3</sup>

**PAC-3:** 50 mg/m<sup>3</sup>

**7 Handling and storage**

**Handling**

**Precautions for safe handling**

Handle under dry protective gas.

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:** The product is not flammable

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:**

Store away from air.

Store away from water/moisture.

Do not store together with acids.

Store away from oxidizing agents.

Store away from metals.

**Further information about storage conditions:**

Store under dry inert gas.

This product is hygroscopic.

This product is air sensitive.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**1310-73-2 Sodium hydroxide (100.0%)**

PEL (USA) Long-term value: 2 mg/m<sup>3</sup>

REL (USA) Ceiling limit value: 2 mg/m<sup>3</sup>

TLV (USA) Ceiling limit value: 2 mg/m<sup>3</sup>

EL (Canada) Ceiling limit value: 2 mg/m<sup>3</sup>

EV (Canada) Ceiling limit value: 2 mg/m<sup>3</sup>

**Additional information:** No data

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

(Contd. on page 3)  
USA

**Product name: Sodium hydroxide, pellets**

(Contd. of page 2)

**Breathing equipment:**

Use suitable respirator when high concentrations are present.  
Use suitable respiratory protective device in case of insufficient ventilation.

**Recommended filter device for short term use:**

Use a respirator with type N95 (USA) or P2 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

**Protection of hands:**

Impervious gloves  
Check protective gloves prior to each use for their proper condition.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** Not determined

**Eye protection:**

Tightly sealed goggles  
Full face protection  
Safety glasses with side shields / NIOSH (US) or EN 166(EU)

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Solid in various forms  
**Odor:** Odorless  
**Odor threshold:** Not determined.

**pH-value (50 g/l) at 20 °C (68 °F):** 14

**Change in condition**

**Melting point/Melting range:** 316 °C (601 °F)  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous)** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.

**Danger of explosion:**

Not determined.

**Explosion limits:**

**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure at 800 °C (1472 °F):** 3.5 hPa (3 mm Hg)  
**Density at 20 °C (68 °F):** 2.130 g/cm<sup>3</sup> (17.775 lbs/gal)  
**Relative density** Not determined.  
**Vapor density** Not applicable.  
**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**

**Water:** Soluble  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** Reacts with strong oxidizing agents

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Acids  
Air  
Oxidizing agents  
Metals  
Water/moisture

**Hazardous decomposition products:** Sodium oxide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

**LD/LC50 values that are relevant for classification:** No data

**Skin irritation or corrosion:** Causes severe skin burns.

**Eye irritation or corrosion:** Causes serious eye damage.

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** No effects known.

**Specific target organ system toxicity - single exposure:** No effects known.

**Aspiration hazard:** No effects known.

**Subacute to chronic toxicity:** No effects known.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**Product name: Sodium hydroxide, pellets**

(Contd. of page 3)




**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
Do not allow material to be released to the environment without proper governmental permits.  
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.  
**Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN1823
<b>UN proper shipping name</b> <b>DOT</b> <b>ADR</b> <b>IMDG, IATA</b>	Sodium hydroxide, solid 1823 Sodium hydroxide, solid SODIUM HYDROXIDE, SOLID
<b>Transport hazard class(es)</b> <b>DOT</b>	
 <b>Class</b> <b>Label</b> <b>ADR</b>	8 Corrosive substances 8
 <b>Class</b> <b>Label</b> <b>IMDG, IATA</b>	8 (C6) Corrosive substances 8
 <b>Class</b> <b>Label</b>	8 Corrosive substances 8
<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	II
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> <b>EMS Number:</b> <b>Segregation groups</b> <b>Stowage Category</b> <b>Segregation Code</b>	Warning: Corrosive substances F-A, S-B Alkalis A SG35 Stow "separated from" acids.
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> <b>DOT</b> <b>Quantity limitations</b> <b>Hazardous substance:</b> <b>Marine Pollutant (DOT):</b>	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg 1000 lbs, 454 kg No
<b>IMDG</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
<b>UN "Model Regulation":</b>	UN 1823 SODIUM HYDROXIDE, SOLID, 8, II

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)  
USA

Product name: **Sodium hydroxide, pellets**

(Contd. of page 4)

**Hazard pictograms**



GHS05

**Signal word** Danger

**Hazard statements**

H314 Causes severe skin burns and eye damage.

**Precautionary statements**

P260 Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)** Substance is not listed.

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:** For use only by technically qualified individuals.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation/Revision:** Print date, revision date and version number are in the header of each page.

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LCC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A