

Page 1/5 Printing date 01/08/2018 Revision date 01/05/2018 Version 1

1 Identification

Product identifier

Product name: Sodium sulfide anhydrous

Stock number: 65122 **CAS Number:** 1313-82-2 EC number: 215-211-5 Index number:

016-009-00-8
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier. Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS05 GHS06

Signal word Danger

Hazard statements
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260
Do not breathe dusts or mists.

Precautionary Statements
Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P405 Store locked up.

T swallowed. Thirse mouth. Bo NOT induce volliting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects

D2B - Toxic material c E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 3
Thysical Hazard = 2

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

Product name: Sodium sulfide anhydrous

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 1313-82-2 Sodium sulfide anhydrous

Concentration: ≤100% Identification number(s): EC number: 215-211-5 Index number: 016-009-00-8

4 First-aid measures

Description of first aid measures General information

Immediately remove any clothing soiled by the product.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed.

Training in Standards.
Toxic in contact with skin.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Sulfur oxides (SOx)
Sodium oxide
Hydrogen sulfide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals
PAC-1: 0.62 mg/m3
PAC-2: 6.9 mg/m3
PAC-3: 41 mg/m3

7 Handling and storage Handling

Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Reacts with acids forming hydrogen sulfide

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store in the dark. Store away from water/moisture.

Store away from water/missione.
Do not store together with acids.
Store away from oxidizing agents.
Store away from metals.
Further information about storage conditions:

Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.

Protect from exposure to light.

(Contd. on page 3)

Product name: Sodium sulfide anhydrous

Specific end use(s) No further relevant information available

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) Not determined Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Granules Odor: Odor threshold: Like rotten eggs Not determined

pH-value:

Not applicable.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: 950 °C (1742 °F) Not determined Not determined Not determined

Auto igniting:

Not determined Not determined Not determined

Danger of explosion: Explosion limits: Lower: Upper:

Product does not present an explosion hazard.

Not determined

Not determined Not applicable. 1.856 g/cm³ (15.488 lbs/gal) Not determined.

Not applicable. Not applicable.

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water

Reacts

Water: Partition coefficient (n-octanol/water): Not determined.

dynamic: kinematic:

Viscosity:

Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity Contact with acids liberates toxic gas.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Inermal decomposition / conditions to be avoided: Decomposition / conditions to be avoided: Decompositive of hazardous reactions
Reacts with strong oxidizing agents
Contact with acids liberates toxic gas.
Conditions to avoid No further relevant information available.
Incompatible materials:
Oxidizing agents
Metals
Acids

Acids Water/moisture

Light
Hazardous decomposition products:

Sulfur oxides (SOx) Sodium oxide Hydrogen sulfide

HSA

(Contd. on page 4)

Product name: Sodium sulfide anhydrous

(Contd. of page 3)

(Contd. on page 5)

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

Toxic in contact with skin.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

LD/LC50 values that are relevant for classification:

Oral LD50 208 mg/kg (rat)

Skin irritation or corrosion: Causes severe skin burns.

Skin Irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:

Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Packing group DOT, ADR, IMDG, IATA Environmental hazards:

Special precautions for user EMS Number:

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN1385
UN proper shipping name DOT ADR IMDG, IATA	Sodium sulfide, anhydrous 1385 Sodium sulfide, anhydrous SODIUM SULPHIDE, ANHYDROUS
Transport hazard class(es)	
DOT	
*	
Class Label ADR	4.2 Substances liable to spontaneous combustion 4.2
*	
Class Label IMDG, IATA	4.2 (S4) Substances liable to spontaneous combustion 4.2
*	
Class Label	4.2 Substances liable to spontaneous combustion 4.2

Not applicable.

Warning: Substances liable to spontaneous combustion

Printing date 01/08/2018 Revision date 01/05/2018 Version 1

Product name: Sodium sulfide anhydrous (Contd. of page 4) Segregation groups Stowage Category Segregation Code Alkalis A SG35 Stow "separated from" acids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg Quantity limitations Marine Pollutant (DOT): Limited quantities (LQ) Excepted quantities (EQ) 0 Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN 1385 SODIUM SULFIDE, ANHYDROUS, 4.2, II UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger Hazard statements H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.

Precautionary statements
P260 Do not breathe dusts or mists.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Mational regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
IATA: International Air Transport Associati

USA