



Page 1/5 Printing date 06/21/2017 Revision date 06/06/2017 Version 2

	V0101011 2
1 Identification	
Product identifier Product name: Sodium sulfide nonahydrate	
Stock number: 36622	
CAS Number: 1313-84-4	
EC number: 215-211-5	
Index number: 016-009-00-8	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number:	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (8	366) 928-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS06 Skull and crossbones	
Acute Tox. 3 H311 Toxic in contact with skin.	
GHS05 Corrosion	
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS05 GHS06	
Signal word Danger Hazard statements H302 Harmful if swallowed.	
H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.	
Precautionary statements P260 Do not breathe dusts or mists.	
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue P304 P320 If any low low of the program with the NOT induce very light of the part of the pa	rinsing.
P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
WHMIS classification <u>D1B</u> - Toxic material causing immediate and serious toxic effects	
D2B - Toxic material causing other toxic effects E - Corrosive material	
Classification system HMIS ratings (scale 0-4)	
HEALTH Health (acute effects) = 3	
REACTIVITY 1 Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable.	
vPvB: Not applicable.	USA
	(Contd. on page 2)

Product name: Sodium sulfide nonahydrate

3 Composition/information on ingredients Chemical characterization: Substances	
CAS# Description:	
1313-84-4 Sodium sulfide nonahydrate Concentration: ≤100% Identification number(s): EC number: 215-211-5	
Index number: 016-009-00-8	
 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes servere skin burns. Harmful if swallowed. Toxic in contact with skin. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available. 	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Sulfur oxides (SOx) Sodium oxide Hydrogen sulfide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-2: 1.9 mg/m3 PAC-3: 11 mg/m3 	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store in the dark. Store away from water/moisture. Do not store together with acids. Storage under dry inert gas. This product is hygroscopic. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Protect from humidity and water.	- USA

Product name: Sodium sulfide nonahydrate

roduct name. Oodium Sumde nom		(Contd. of page 2)
8 Exposure controls/personal prot	rection	
Additional information about design	of technical systems: I designed for hazardous chemicals and having an average face velocity of at least 100 feet per minut	te
Control parameters		0.
Components with limit values that re The product does not contain any relev Additional information: No data	quire monitoring at the workplace: ant quantities of materials with critical values that have to be monitored at the workplace.	
Recommended filter device for short Use a respirator with type P100 (USA) purifying respirators are appropriate. C Protection of hands: Impervious gloves Check protective gloves prior to each u The selection of suitable gloves not onl Material of gloves Nitrile rubber, NBR Penetration time of glove material (in Glove thickness: 0.11 mm Eye protection: Tightly sealed goggles	handling chemicals should be followed. and feed. sping immediately. and of work. working environment. spirator when high concentrations are present. term use: or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performe on P3 (EN 143) cartridg	d to determine if air-
Full face protection Safety glasses with side shields / NIOS Body protection: Protective work cloth	Ӊ (US) or EN 166(EU)	
	•	
9 Physical and chemical propertie Information on basic physical and cl		
General Information Appearance:		
Form: Odor: Odor threshold:	Crystalline Like rotten eggs Not determined.	
pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	ca 50 °C (ca 122 °F) (dec) Not determined Not determined Not determined Not determined Not determined Not determined	
Danger of explosion: Explosion limits:	Not determined.	
Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Not determined Not determined Not applicable. 1.427 g/cm³ (11.908 lbs/gal) Not determined. Not applicable. Not applicable. Not applicable.	
Water at 25 °C (77 °F): Partition coefficient (n-octanol/water	180 g/l): Not determined.	
Viscosity: dynamic: kinematic: Other information	Not applicable. Not applicable. No further relevant information available.	
10 Stability and reactivity		
Reactivity Contact with acids liberates Chemical stability Stable under recom Thermal decomposition / conditions Possibility of hazardous reactions Reacts with strong oxidizing agents Contact with acids liberates toxic gas. Conditions to avoid No further relevan Incompatible materials: Water/moisture Oxidizing agents Acids Light Hazardous decomposition products: Sulfur oxides (SOX) Sodium oxide	imended storage conditions. to be avoided: Decomposition will not occur if used and stored according to specifications. nt information available.	
Hydrogen sulfide		USA

(Contd. on page 4)

(Contd. of page 3)

11 Toxicological information Information on toxicological effects	
Information on toxicological effects	
Acute toxicity: Harmful if swallowed.	
Toxic in contact with skin.	
Danger through skin absorption. Swallowing will lead to a strong corrosive effect on mouth and t The Registry of Toxic Effects of Chemical Substances (RTECS	throat and to the danger of perforation of esophagus and stomach.) contains acute toxicity data for this substance.
LD/LC50 válues that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.	
Sensitization: No sensitizing effects known.	
Carcinogenicity: No classification data on carcinogenic proper	rties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.	
Specific target organ system toxicity - repeated exposure: Specific target organ system toxicity - single exposure: No	No effects known.
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.	
Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our know	vledge the acute and chronic toxicity of this substance is not fully known.
12 Ecological information	
Toxicity Aquatic toxicity: No further relevant information available.	
Persistence and degradability No further relevant information Bioaccumulative potential No further relevant information ava Mobility in soil No further relevant information available. Ecotoxical effects:	i available. ailable.
Remark: Very toxic for aquatic organisms Additional ecological information:	
General notes: Do not allow material to be released to the environment without	t proper governmental permits.
Do not allow product to reach ground water, water course or se Danger to drinking water if even extremely small quantities leak Also poisonous for fish and plankton in water bodies.	wage system, even in small quantities. c into the ground.
Avoid transfer into the environment.	
Very toxic for aquatic organisms Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable. Other adverse effects No further relevant information available	e
13 Disposal considerations	
Waste treatment methods Recommendation Consult state, local or national regulations to	ia angura propor diapopol
Uncleaned packagings: Recommendation: Disposal must be made according to officia	
Recommendation. Disposal must be made according to onicia	al regulations.
14 Transport information	al regulations.
	al regulations. UN1849
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name	UN1849
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT	UN1849 Sodium sulfide, hvdrated
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es)	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT V	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label Class Label Class	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR W	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label ADR Class Label ADR	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label ADR Class Label ADR	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8 (C6) Corrosive substances 8 1 Not applicable.
14 Transport information UN-Number DOT, IMDG, IATA UN proper shipping name DOT ADR IMDG, IATA Transport hazard class(es) DOT Class Label ADR Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA Class Label IMDG, IATA	UN1849 Sodium sulfide, hydrated 1849 Sodium sulfide, hydrated SODIUM SULPHIDE, HYDRATED 8 Corrosive substances 8 8 (C6) Corrosive substances 8 1

Product name: Sodium sulfide nonahydrate

	(Contd. of page
Stowage Category Segregation Code	A SG35 Stow "separated from" acids.
Transport in bulk according to Annex II of MARPOL73/78 an	id the IBC Code Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
Marine Pollutant (DOT):	No
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 1849 SODIUM SULFIDE, HYDRATED, 8, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger Hazard statements

H302 Harmful if swallowed. H301 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. **Precautionary statements** D060

P260 Do not breathe dusts or mists. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P405 P501

Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

All components of this product are listed on the Canadian Domestic Substance's List' (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information to ensure proper use and protect the health and salery of employees. This information is furnished without warranty, and any use conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

RU: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Reil)
IGAO: International Civil Avidino Organisation
DBR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IGA: International Marine: Code for Dangerous Goods
DBR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IGA: International Marine: Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (USA)
USA: Lesson determined and Toxic
SYHC: Substances of Very High Concern
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IAR: Accute Tox. 4: Acute toxicity – Category 4
Acute Tox. 4: Acute toxicity – Category 1
Exposed and Protection Agency (USA)
Exposed and Health Administration (LSA)
Acute Tox. 4: Acute toxicity – Category 1
Exposed and Protection Agency (USA)
Exposed and Protection Agency (USA)
Exposed and Protection Agency (USA)
Ex

USA