


Safety Data Sheet per OSHA HazCom 2012



Product name: Nickel(II) selenide (Contd. of page 1) Index number: 028-049-00-3 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Mact important symptoms and offects, both acute and delayed No further relevant information ave Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures **Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire. **Special hazards arising from the substance or mixture** If this product is involved in a fire, the following can be released: Selenium dioxide (SeO2) Toxic metal oxide fume **Advice or firefightere** Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Dispose of containinated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Selenium and selenium compounds (as Se) mg/m3 ACGIH TLV 0.2 Austria MAK 0.1 Belgium TWA 0.2 Denmark TWA 0.1 Finland TWA 0.1; 0.3-STEL Germany MAK 0.1 Hungary 0.1-STEL Japan OEL 0.1 Korea TLV 0.2 Netherlands MAC-TGG 0.2 Poland TWA 0.1; 0.3-STEL Sweden NGV 0.1 Switzerland MAK-W 0.1 United Kingdom TWA 0.1 USA PEL 0.2 Nickel and inorganic compounds, as Ni

Nickel and inorganic compounds, as Ni mg/m3 ACGIH TLV 0.2; A1 (insoluble compounds) 0.1; A4 (soluble compounds) Austria Carcinogen Denmark TWA 0.5

(Contd. on page 3)

Safety Data Sheet per OSHA HazCom 2012

Product name: Nickel(II) selenide			
Finland TWA 0.1 (skin) Carcinogen France VME 1; C3-Carcinogen Germany Carcinogen Hungary 0.005-STEL; Carcinoger Japan OEL 1; 2B-Carcinogen Korea TLV 1.5 Netherlands MAC-TGG 1; Carcinogen 1 (insoluble compounds) Norway TWA 0.05 Poland TWA 0.25 Russia 0.05-STEL Sweden NGV 0.5 (dust)	n (insoluble compounds)	(Contd. of page 2)	
Switzerland MAK-W 0.5; Carcinogen United Kingdom TWA 0.1 USA PEL 1			
1314-05-2 Nickel(II) selenide (100.0%)			
PEL (USA) Long-term value: 0.2 mg/m ³ as Se			
REL (USA) Long-term value: 0.2 mg/m ³ as Se			
TLV (USA) Long-term value: 0.2 mg/m³ as Se			
Additional information: No data			
Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing.			
9 Physical and chemical properties			
Information on basic physical and che General Information Appearance: Form: Color:	emical properties Pieces Grey		
Odor: Odor threshold:	Odórless Not determined.		
	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined		
Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:	Not applicable Not determined Not determined Not determined Not determined		
Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity:	Product does not present an explosion hazard. Not determined Not determined Not applicable. 8.46 g/cm³ (70.599 lbs/gal) Not determined. Not applicable. Insoluble Not determined. Not determined.		
kinematic:	Not applicable. No further relevant information available.		
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions No	nended storage conditions. o be avoided: Decomposition will not occur if used and stored according to specifications. dangerous reactions known		

Possibility of hazardous reactions to be avoided: Decomposition Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Toxic metal oxide fume Selenium dioxide (SeO2)

USA (Contd. on page 4) Product name: Nickel(II) selenide

11 Toxicological information

Page 4/5 Printing date 11/23/2015 Reviewed on 02/09/2010

(Contd. of page 3)

 Toxicological information

 Information on toxicological effects

 Acute toxicity: No effects known.

 LD/LC50 values that are relevant for classification: No data

 Skin irritation or corrosion: May cause irritation

 Eye irritation or corrosion: May cause irritation

 Sensitization: May cause an allergic skin reaction.

 Germ cell mutagenicity: No effects known.

 Carcinogenicity:

 May cause cancer.

 EPA-D: Not classifiable as to human carcinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available.

 IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

 NTP-R: Reasonably anticipated to be a carcinogeni: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

 ACGIH A1: Confirmed human carcinogen: limited evidence from studies of, or convincing clinical evidence in, exposed humans.

 The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

 Reproductive toxicity: No effects known.

 Specific target organ system toxicity - repeated exposure:

 Causes damage to the central nervous system, the lung, the kidneys, the liver and the digestive system through prolonged or repeated exposure. Route of exposure

 Causes damage to the central nervous system, the lung, the kidneys, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. Oral, Inhalative. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Other information (about experimental toxicology): Tumorigenic effects have been observed on tests with laboratory animals. Subacute to chronic toxicity: Selenium may cause amyotrophic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss. Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper goven Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. *VPVB*: Not applicable. *Other adverse effects* No further relevant information available. 13 Disposal considerations Waste treatment methods **Recommendation** Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3077 UN proper shipping name DOT IMDG Environmentally hazardous substances, solid, n.o.s. (Nickel(II) selenide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) selenide), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) ΙΑΤΑ selenide) Transport hazard class(es) DOT. IMDG. IATA ۸h ¥ Class 9 Miscellaneous dangerous substances and articles. Label Class 9 (M7) Miscellaneous dangerous substances and articles Label Packing group DOT, IMDG, IATA III Environmental hazards Marine pollutant (IMDG): Special marking (ADR): Special marking (IATA): Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. (Contd. on page 5)

Safety Data Sheet per OSHA HazCom 2012

Product name: Nickel(II) selenide

(Contd. of page 4) Transport/Additional information: DOT Marine Pollutant (DOT): Special marking with the symbol (fish and tree). Remarks: UN3077, Environmentally hazardous substances, solid, n.o.s. (Nickel(II) selenide), 9, III UN "Model Regulation": 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS07 GHS08 Signal word Danger Hazard statements H3217 May cause an allergic skin reaction. H350 May cause cancer. H372 Causes damage to the central nervous system, the lung, the kidneys, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative. Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. This product contains a chemical known to the state of California to cause cancer and/or reproductive toxicity. SARA Section 313 (specific toxic chemical listings) 1314-05-2 Nickel(II) selenide California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372. This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the manufactured use must be be small. market and use must be observed. Substance is not listed Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Civil Aviation Organization
ICAO: International Maritime Code for Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
IATA: International Civil Aviation Organization
IATA: International Air Transport Association

USA