





(Contd. on page 2)

Product name: Nickel (III) oxide

Product name: Nickel (III) oxide	
	(Contd. of page 1)
 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. 	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 7 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Nickel and inorganic compounds, as Ni mg/m3 ACGIH TLV 0.2, A1-inhalable particulate (insoluble compounds) 0.1, A4-inhalable particulate (soluble compounds) 0.1, A4-inhalable particulate (soluble compounds) Austria Carcinogen Finitand TWA 0.1 (skin) Carcinogen France VME 1; C3-Carcinogen (insoluble compounds) Japan 1; 28-Carcinogen (insoluble compounds) Hungary 0.005-STEL; Carcinogen (insoluble compounds) Norway TWA 0.5 Poland TWA 0.5 Poland TWA 0.5 Poland TWA 0.5; Carcinogen Mitterfand MAC-W 0.5; Carcinogen United Kingdom TWA 0.1 USS 0.05-STEL Switzerfand MAK-W 0.5; Carcinogen United Kingdom TWA 0.1 USA PEL <	
PEL (USA) Long-term value: 1 mg/m ³ as Ni REL (USA) Long-term value: 0.015 mg/m ³ as Ni; See Pocket Guide App. A	(Contd. on page 3)

	Reviewed on	102/03/201
Product name: Nickel (III) oxide		
TLV (USA) Long-term value: 0.2 mg		ntd. of page 2
` as Ni; inhalable fraction	,	
EV (Canada) Long-term value: 0.2 mg	<i>g/m</i> ³	
Inhalable fraction, as Nī Additional information: No data		
Exposure controls Personal protective equipment		
General protective and hygienic me	Hasures	
The usual precautionary measures for	r handling chemicals should be followed.	
Keep away from foodstuffs, beverages Remove all soiled and contaminated cl	j and feed. Slothing immediately	
Wash hands before breaks and at the	end of work.	
Store protective clothing separately. Maintain an ergonomically appropriate	a working anvironment	
	respirator when high concentrations are present.	
Protection of hands:		
Impervious gloves Check protective gloves prior to each u	use for their proper condition	
The selection of suitable gloves not or	use for their proper condition. nly depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
Eye protection: Safety glasses Body protection: Protective work clot		
Body protection: Protective work close	ning.	
9 Physical and chemical propertie	es	
Information on basic physical and c		
General Information		
Appearance: Form:	Danular	
Form: Color:	Powder Black	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition	N - Contraction of the second s	
Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined	
Sublimation temperature / start:	Not determined	
Flash point:	Not applicable	
Flammability (solid, gaseous)	Not determined.	
Ignition temperature: Decomposition temperature:	Not determined Not determined	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower: Upper:	Not determined Not determined	
	Not applicable.	
Vapor pressure: Density at 20 °C (68 °F): Polativo density	4.84 g/cm³ (40.39 lbs/gal)	
Relative density` Vapor density	Not determined. Not applicable.	
Evaporation rate	Not applicable. Not applicable.	
Solubility in / Miscibility with		
Water: Partition coefficient (n-octanol/wate	Insoluble er): Not determined.	
Viscosity:	·	
dynamic: kinomatic:	Not applicable.	
kinematic: Other information	Not applicable. No further relevant information available.	
0 Stability and reactivity		
Reactivity No information known.		
Chemical stability Stable under record	mmended storage conditions.	
Thermal decomposition / conditions	s to be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions N Conditions to avoid No further releva	Vo dangerous reactions known	
Incompatible materials: No information	ion known.	
Hazardous decomposition products	3: Toxic metal oxide fume	
4 Terrical scient information		
11 Toxicological information		
Information on toxicological effects	s Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.	
LD/LC50 values that are relevant for	r classification: No data	
Skin irritation or corrosion: Irritant to	to skin and mucous membranes.	
Eye irritation or corrosion: Irritating e		
Sensitization: May cause an allergic s Germ cell mutagenicity: The Registry	skin reaction. ry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.	
Carcinogenicity:		
May cause cancer. IARC-1: Carcinogenic to humans: suffi	ficient evidence of carcinogenicity	
NIP-R: Reasonably anticipated to be a	a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.	
ACCIU A1: Confirmed human apraine	gen: Agent is carcinogenic to humans based on epidemiologic studies of or convincing clinical evidence in expose	ad humans

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. **Reproductive toxicity:** No effects known. **Specific target organ system toxicity - repeated exposure:** Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative. **Specific target organ system toxicity - single exposure:** No effects known. **Aspiration hazard:** No effects known.

Product name: Nickel (III) oxide	
----------------------------------	--

Product name: NiCkel (III) Oxide				
Subacute to chronic toxicity: Nickel and nickel compounds may cause a form of dermatitis known as nickel it	(Contd. of page 3 tch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne			
nickel contaminated dusts are regarded as carcinogenic to the respiratory tract. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute				
12 Ecological information				
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes:				
Do not allow material to be released to the environment without proper governm. Do not allow undiluted product or large quantities to reach ground water, water of May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.	iental permits. course or sewage system.			
vPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations				
Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	disposal.			
14 Transport information Not a hazardous material for transportation.				
UN-Number DOT, IMDG, IATA	None			
UN proper shipping name DOT, IMDG, IATA	None			
Transport hazard class(es)				
DOT, ADR, IMDG, IATA Class	None			
Packing group DOT, IMDG, IATA	None			
Environmental hazards:	Not applicable.			
Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code				
Transport/Additional information: DOT Marine Bellutert (DOT):	Not dangerous according to the above specifications.			
Marine Pollutant (DOT):	No			
15 Regulatory information Safety, health and environmental regulations/legislation specific for the su GHS label elements The product is classified and labeled in accordance with 2 Hazard pictograms	<i>Ibstance or mixture</i> 29 CFR 1910 (OSHA HCS)			
GHS07 GHS08				
Signal word Danger Hazard statements H317 May cause an allergic skin reaction. H350 May cause cancer. H372 Causes damage to the lung, the kidnevs and the liver through prolonged o	or repeated exposure. Route of exposure: Inhalative.			
Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.				
P501 Dispose of contents/container in accordance with local/regional/national/ir National regulations All components of this product are listed in the U.S. Environmental Protection A	gency Toxic Substances Control Act Chemical substance Inventory.			
SARA Section 313 (specific toxic chemical listings) 1314-06-3 Nickel (III) oxide				
California Proposition 65 Prop 65 - Chemicals known to cause cancer				
1314-06-3 Nickel (III) oxide Prop 65 - Developmental toxicity Substance is not listed				
Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by toohorisely guide individuals				
For use only by technically qualified individuals. This product contains nickel and is subject to the reporting requirements of sect 40CFR372	tion 313 of the Emergency Planning and Community Right to Know act of 1986 and			
400111072.	(Contd. on page 5			

Product name: Nickel (III) oxide

Page 5/5 Printing date 11/23/2015 Reviewed on 02/03/2010

USA

Product name: NICKEI (III) OXIDE	
(Con Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, place market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	td. of page 4) i ng on the
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department	∕ of this µct not in
Department issuing SDS. Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms: RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO: International Association Sup the "International Civil Aviation Organization" (ICAO) IMDG: International Martitime Code for Dangerous Goods DOT: IS Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent USD: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) MTP: National Toxicology Program (USA) MTP: National Toxicology Program (USA)	