

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 02/24/2010

1 Identification

Product identifier

Product name: Zinc selenide

Stock number: 10999 CAS Number:

1315-09-9 EC number: 215-259-7 Index number: 034-002-00-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral,

Inhalative.

Precautionary statements

P273 Avoid release to the environment.

P270 Do not eat, drink or smoke when using this product.

P309 IF exposed or if you feel unwell:

P310 Immediately call a POISON CENTER/doctor/...

P302+P352 IF ON SKIN: Wash with plenty of water/...

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2

Flammability = 0

Flammability = 1

Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 1315-09-9 Zinc selenide Identification number(s): EC number: 215-259-7 Index number: 034-002-00-8

USA

Product name: Zinc selenide

(Contd. of page 1)

4 First-aid measures

Description of first aid measures General information

Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor
Mast important symptoms and effects, both acute and delayed No further relevant information average.

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Selenium dioxide (SeO2)
Metal oxide fume
Advice for firefichtors

Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Precautions for safe handling

Recautions for safe nanoling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Selenium and selenium compounds (as Se)

mg/m3 ACGIH TLV Austria MAK Belgium TWA Denmark TWA 0.2 0.1 0.1 0.2 0.1 0.1; 0.3-STEL J.1; 0.: 0.1 0.1-STEL 0.1 0.1 0.2 TC Finland TWA Finiand TWA
Germany MAK
Hungary
Ireland TLV
Japan OEL
Korea TLV
Netherlands MAC-TĞG. 0.1 0.1; 0.3-STEL 0.1 / 0.1 Poland TWA Sweden NGV Sweden NGV
Switzerland MAK-W
United Kingdom TWA
USA PEL
0.2

(Contd. of page 2)

Product name: Zinc selenide

1315-09-9 Zinc selenide (100.0%) PEL (USA) Long-term value: 0.2 mg/m³ as Se

Long-term value: 0.2 mg/m³ as Se REL (USA)

TLV (USA) Long-term value: 0.2 mg/m³ as Se

EL (Canada) Long-term value: 0.1 mg/m³ as Se

Additional information: No data

Exposure controls

ersonal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color: Powder Red

Odor: Odor threshold: Odorless

pH-value:

Not determined.

Not applicable.

>1100 °C (>2012 °F) Not determined

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined

Flash point:

Not applicable

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Not determined Not determined

Not determined

Auto igniting:

Not determined.

Danger of explosion:

Product does not present an explosion hazard.

Not determined

Langer of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density

Not determined Not applicable. 5.42 g/cm³ (45.23 lbs/gal) Not determined.

Not applicable. Not applicable.

Vapor density Evaporation rate

Solubility in / Miscibility with Water:

Insoluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity.

Not applicable.

dynamic: kinematic:

Not applicable.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials:
Bases

Bases Oxidizing agents

Hazardous decomposition products: Hydrogen selenide Selenium dioxide (SeO2) Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: Toxic if inhaled. Toxic if swallowed.

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation

Skin Inflation of Corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

(Contd. on page 4)

Product name: Zinc selenide

(Contd. of page 3)

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Selenium may cause amyotropic lateral sclerosis, bronchial irritation, gastrointestinal distress, vasopharyngeal irritation, garlic odor on breath and sweat, metallic taste, pallor, irritability, excessive fatigue, loss of fingernails and hair, pulmonary edema, anemia and weight loss.

Zinc fumes may cause metal fume fever. Effects include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information:

General notes:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

Very toxic for aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vpvB: Not applicable.

Other adverse effects No further relevant information available.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN "Model Regulation":

14 Hunoport information	
UN-Number DOT, IMDG, IATA	UN3283
UN proper shipping name DOT IMDG IATA	Selenium compound, solid, n.o.s. (Zinc selenide) SELENIUM COMPOUND, SOLID, N.O.S. (Zinc selenide), MARINE POLLUTANT SELENIUM COMPOUND, SOLID, N.O.S. (Zinc selenide)
Transport hazard class(es)	
DOT	
Class Label Class Label IMDG	6.1 Toxic substances. 6.1 6.1 (T5) Toxic substances 6.1
(*) (* <u>Y</u> 2)	
Class Label IATA	6.1 Toxic substances. 6.1
Class Label	6.1 Toxic substances. 6.1
Packing group DOT, IMDG, IATA	III
Environmental hazards: Marine pollutant (IMDG):	Environmentally hazardous substance, solid; Marine Pollutant Symbol (fish and tree)
Special precautions for user EMS Number:	Warning: Toxic substances F-A,S-A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Marine Pollutant (DOT): Remarks:	No Special marking with the symbol (fish and tree).

UN3283, Selenium compound, solid, n.o.s. (Zinc selenide), 6.1, III

Product name: Zinc selenide

(Contd. of page 4)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements H301+H331 Toxic if swallowed or if inhaled.

H373 May cause damage to the central nervous system, the liver and the digestive system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Inhalative.

Precautionary statements
P273 Avoid release to the environment.
P270 Do not eat, drink or smoke when using this product.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P302+P352 IF ON SKIN: Wash with plenty of water/...
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

1315-09-9 Zinc selenide

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains selenium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains zinc and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions and prohibitive regulation of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 /
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO: Ti. Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LP40: Lethal concentration, 50 percent

LP50: Lethal concentration, 50 percent

LP50: Lethal concentration, 50 percent

LP50: Lethal conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

MTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

USA