



Page 1/5 Printing date 12/14/2017 Revision date 12/14/2017 Version 1

1 Identification

Product identifier

Product name: Lead(II) oxide

Stock number: 10728 CAS Number: 1317-36-8 EC number: 215-267-0 Index number:

082-001-00-6
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com
Information Department: Health, Safety

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms





GHS07 GHS08

Signal word Danger Hazard statements

H302+H332 Harmful if swallowed or if inhaled. H360 May damage fertility or the unborn child. H373 May cause damage to organs through prolonged or repeated exposure.

H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P201 Obtain special instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P405 Store locked up.
P501

P304+P340 IF INFIALED: Remove person to fresh all and Reep conflictation of breaking.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 0

Flammability = 0

Flammability = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 1317-36-8 Lead(II) oxide Concentration: ≤100%

(Contd. on page 2)

Product name: Lead(II) oxide

Identification number(s): EC number: 215-267-0 Index number: 082-001-00-6

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact

Inmediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed

Harmful if swallowed. Harmful if inhaled.

Harmtul in Innaed. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Lead oxide fume

Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required. Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

Protective Action Criteria for Chemicals
PAC-1: 0.16 mg/m3
PAC-2: 130 mg/m3
PAC-3: 750 mg/m3

7 Handling and storage

Handling Precautions for safe handling

Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care. Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Do not store together with acids.
Store away from oxidizing agents.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1317-36-8 Lead(II) oxide (100.0%)

Long-term value: 0.05 mg/m³ as Pb; See 29 CFR 1910.1025 PEL (USA)

Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C REL (USA)

Long-term value: 0.05 mg/m³ as Pb; BEI TLV (USA)

Long-term value: 0.05 mg/m³ as Pb; IARC 2A, R EL (Canada)

EV (Canada)

Long-term value: 0.05 mg/m³ as Pb, Skin (organic compounds)

(Contd. on page 3)

Version 1

(Contd. of page 2)

Product name: Lead(II) oxide

Ingredients with biological limit values:

1317-36-8 Lead(II) oxide (100.0%)

BEI (USA) 30 μg/100 ml

Medium: blood Time: not critical Parameter: Lead

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Powder

Odor: Odor threshold:

pH-value:

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: 886 °C (1627 °F) Not determined Not determined Not determined

Auto igniting:

Not determined Not determined Not determined

Not determined.

Not applicable.

Danger of explosion:

Not determined. Not determined

Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density
Vapor density

Not determined Not applicable. 9.53 g/cm³ (79.528 lbs/gal) Not determined.

Vapor density Evaporation rate Solubility in / Miscibility with

Not applicable. Not applicable.

Water:

Partition coefficient (n-octanol/water): Not determined.

Insoluble

Viscosity:

dynamic: kinematic:

Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids Oxidizing agents

Hazardous decomposition products: Lead oxide fume

11 Toxicological information

Information on toxicological effects

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful if swallowed.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinggenicity:

Carcinogenicity: EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

(Contd. on page 4)

Version 1 Product name: Lead(II) oxide (Contd. of page 3) (Contd. of page NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. IARC-2A: Probably carcinogenic to humans: limited human evidence; sufficient evidence in experimental animals Reproductive toxicity: May damage fertility or the unborn child. The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. Specific target organ system toxicity - repeated exposure: May cause damage to organs through prolonged or repeated exposure. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Footovical effects:

Ecotoxical effects:

Remark: Very toxic for aquatic organisms
Additional ecological information:

Additional ecological information:
General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
VPVB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number	
DOT, IMDG, IATA	UN3077
UN proper shipping name DOT ADR IMDG, IATA	Environmentally hazardous substances, solid, n.o.s. (Lead(II) oxide) 3077 Environmentally hazardous substances, solid, n.o.s. (Lead(II) oxide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Lead(II) oxide)
Transport hazard class(es)	
DOT, IMDG	
(
Class Label ADR	9 Miscellaneous dangerous substances and articles 9
₩	
Class Label IATA	9 (M7) Miscellaneous dangerous substances and articles 9
Class Label	9 Miscellaneous dangerous substances and articles 9
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles F-A,S-F A
Stowage Code	SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
Transport in bulk according to Annex II of MARPOLTS	3/78 and the IBC Code Not applicable.
	(Contd. on page 5,
	USA -

(Contd. of page 4)

Product name: Lead(II) oxide Transport/Additional information:

DOT

Quantity limitations On passenger aircraft/rail: No limit On cargo aircraft only: No limit Marine Pollutant (DOT):

IMDG

5 kg Code: E1 Limited quantities (LQ) Excepted quantities (EQ)

Gode. ET Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation":

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (LEAD(II) OXIDE), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS07 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H302+H332 Harmful if swallowed or if inhaled.
H360 May damage fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P201 Obtain special instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Store locked up

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

1317-36-8 Lead(II) oxide

California Proposition 65

Prop 65 - Chemicals known to cause cancer

1317-36-8 Lead(II) oxide

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.
This substance is included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH).
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4: Acute toxicity — Category 4
Repr. 1A: Reproductive toxicity — Category 1A
STOT RE 2: Specific target organ toxicity (repeated exposure) — Category 2

USA