

## 1 Identification

### Product identifier

**Product name:** Potassium hydrogen iodate, primary standard

**Stock number:** 41986

**CAS Number:**  
13455-24-8

**EC number:**  
236-650-9

**Relevant identified uses of the substance or mixture and uses advised against.**  
**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.  
30 Bond Street  
Ward Hill, MA 01835-8099  
Tel: 800-343-0660  
Fax: 800-322-4757  
Email: tech@alfa.com  
www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

**Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)**



GHS03 Flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS03 GHS05

**Signal word** Danger

### Hazard statements

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P220 Keep/Store away from clothing/combustible materials.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

C - Oxidizing materials

D2B - Toxic material causing other toxic effects

E - Corrosive material



### Classification system

**HMIS ratings (scale 0-4)**

**(Hazardous Materials Identification System)**

HEALTH 3 Health (acute effects) = 3

FIRE 0 Flammability = 0

REACTIVITY 3 Physical Hazard = 3

### Other hazards

### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

13455-24-8 Potassium hydrogen iodate

**Product name:** Potassium hydrogen iodate, primary standard

**Identification number(s):**  
**EC number:** 236-650-9

(Contd. of page 1)

**4 First-aid measures**

**Description of first aid measures**  
**General information** Immediately remove any clothing soiled by the product.  
**After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
**After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing** Seek medical treatment.  
**Information for doctor**  
**Most important symptoms and effects, both acute and delayed**  
Causes severe skin burns.  
Causes serious eye damage.  
**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**  
**Suitable extinguishing agents** Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.  
**For safety reasons unsuitable extinguishing agents** Halocarbon extinguisher  
**Special hazards arising from the substance or mixture**  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
If this product is involved in a fire, the following can be released:  
Hydrogen iodide (HI)  
Potassium oxide  
**Advice for firefighters**  
**Protective equipment:**  
Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
**Ensure adequate ventilation**  
**Environmental precautions:** Do not allow product to reach sewage system or any water course.  
**Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
**Ensure adequate ventilation.**  
**Prevention of secondary hazards:**  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Keep away from combustible material.  
**Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

**Handling**  
**Precautions for safe handling**  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
**Ensure good ventilation at the workplace.**  
**Information about protection against explosions and fires:**  
Substance/product can reduce the ignition temperature of flammable substances.  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
**Conditions for safe storage, including any incompatibilities**  
**Storage**  
**Requirements to be met by storerooms and receptacles:** No special requirements.  
**Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from reducing agents.  
Store in the dark.  
Do not store with organic materials.  
Store away from metal powders.  
Store away from water/moisture.  
Store away from strong bases.  
**Further information about storage conditions:**  
Store under dry inert gas.  
This product is hygroscopic.  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
Protect from humidity and water.  
Protect from exposure to light.  
**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
**Control parameters**  
**Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  
**Additional information:** No data

(Contd. on page 3)  
USA

**Product name: Potassium hydrogen iodate, primary standard**

(Contd. of page 2)

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

**Recommended filter device for short term use:**

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** 480

**Glove thickness** 0.11 mm

**Eye protection:**

Tightly sealed goggles

Full face protection

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Powder  
**Odor:** Not determined  
**Odor threshold:** Not determined.

**pH-value:** Not applicable.

**Change in condition**

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous)** Contact with combustible material may cause fire.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.

**Danger of explosion:** Not determined.

**Explosion limits:**

**Lower:** Not determined  
**Upper:** Not determined

**Vapor pressure:** Not applicable.

**Density:** Not determined

**Relative density** Not determined.

**Vapor density** Not applicable.

**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**

**Water:** Not determined

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**dynamic:** Not applicable.

**kinematic:** Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** May intensify fire; oxidizer.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions**

Reacts with reducing agents

Reacts with flammable substances

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Flammable substances

Reducing agents

Water/moisture

Bases

Organic materials

Metal powders

Light

**Hazardous decomposition products:**

Hydrogen iodide (HI)

Potassium oxide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:** Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

**LD/LC50 values that are relevant for classification:** No data

**Skin irritation or corrosion:** Causes severe skin burns.

**Eye irritation or corrosion:** Causes serious eye damage.

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** No effects known.

**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** No effects known.

(Contd. on page 4)  
- USA -

**Product name:** Potassium hydrogen iodate, primary standard

**Specific target organ system toxicity - single exposure:** No effects known.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.  
**Carcinogenic categories**  
**OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed.

(Contd. of page 3)





**12 Ecological information**

**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN3085
<b>UN proper shipping name</b> <b>DOT</b> <b>IMDG, IATA</b>	Oxidizing solid, corrosive, n.o.s. (Potassium hydrogen iodate) OXIDIZING SOLID, CORROSIVE, N.O.S. (Potassium hydrogen iodate)
<b>Transport hazard class(es)</b> <b>DOT</b>   <b>Class</b> <b>Label</b> <b>Class</b> <b>Label</b> <b>IMDG, IATA</b>   <b>Class</b> <b>Label</b>	5.1 Oxidising substances. 5.1+8 5.1 (OC2) Oxidizing substances 5.1+8  5.1 Oxidising substances. 5.1+8
<b>Packing group</b> <b>DOT, IMDG, IATA</b>	II
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> <b>EMS Number:</b>	Warning: Oxidizing substances F-A,S-Q
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> <b>DOT</b> <b>Marine Pollutant (DOT):</b>	No
<b>UN "Model Regulation":</b>	UN3085, Oxidizing solid, corrosive, n.o.s. (Potassium hydrogen iodate), 5.1 (8), II

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS03 GHS05

**Signal word** Danger  
**Hazard statements**  
H272 May intensify fire; oxidizer.  
H314 Causes severe skin burns and eye damage.

**Precautionary statements**  
P221 Take any precaution to avoid mixing with combustibles.  
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P220 Keep/Store away from clothing/combustible materials.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 5)  
USA

**Product name:** Potassium hydrogen iodate, primary standard

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).  
**SARA Section 313 (specific toxic chemical listings)** Substance is not listed.  
**California Proposition 65**  
**Prop 65 - Chemicals known to cause cancer** Substance is not listed.  
**Prop 65 - Developmental toxicity** Substance is not listed.  
**Prop 65 - Developmental toxicity, female** Substance is not listed.  
**Prop 65 - Developmental toxicity, male** Substance is not listed.  
**Information about limitation of use:** For use only by technically qualified individuals.  
**Other regulations, limitations and prohibitive regulations**  
**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.  
**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**  
Substance is not listed.  
**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.  
**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**  
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department  
**Date of preparation / last revision** 10/07/2016 / -  
**Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
vPvB: very Persistent and very Bioaccumulative  
ACGIH: American Conference of Governmental Industrial Hygienists (USA)  
OSHA: Occupational Safety and Health Administration (USA)  
NTP: National Toxicology Program (USA)  
IARC: International Agency for Research on Cancer  
EPA: Environmental Protection Agency (USA)  
Ox. Sol. 2: Oxidising Solids, Hazard Category 2  
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1