

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/23/2010

1 Identification

Product identifier

Product name: Nickel(II) bromide anhydrous

Stock number: 53115, L15019

CAS Number: 13462-88-9 **EC** number: 236-665-0 Index number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 2 H341 Suspected of causing genetic defects. Carc. 1B H350 May cause cancer.

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 1 H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative.



Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS08

Signal word Danger
Hazard statements
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H360 May damage fertility or the unborn child.
H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative.
Precautionary statements H3/2 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Reprecautionary statements
P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
P304 Very twice material equaling other toxic effects.

D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH 2 Health (acute effects) = 2
RE 0 Flammability = 0
RACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 13462-88-9 Nickel(II) bromide anhydrous

(Contd. on page 2)

Identification number(s): EC number: 236-665-0 Index number: 028-029-00-4

(Contd. of page 1)

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen bromide (HBr)
Toxic metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate ventilation:
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care. Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from water/moisture.

Store away from water/moisture.

Further information about storage conditions:
This product is hygroscopic.
Store under dry inert gas.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace:

Nickel and inorganic compounds, as Ni mg/m3

ACGIH TLV 1.5, A5-inhalable particulate (metal)
0.2, A1-inhalable particulate (insoluble compounds)
0.1, A4-inhalable particulate (soluble compounds)

Austria Carcinogen
Denmark TWA 0.5

Germany Carcinogen
1; C3-Carcinogen
1; C3-Carcinogen
Hungary 0.005-STEL; Carcinogen (insoluble compounds)
1; 2B-Carcinogen
Korea TLV 1.5
Netherlands MAC-TGG 1; Carcinogen
1 (insoluble compounds)
Norway TWA 0.05
Poland TWA 0.25
Russia 0.05-CSTE.

(Contd. on page 3)

Sweden NGV 0.5 (dust) Switzerland MAK-W 0.5; Carcinogen United Kingdom TWA 0.1

(Contd. of page 2)

13462-88-9 Nickel(II) bromide anhydrous (100.0%)
PEL (USA) Long-term value: 1 mg/m³
as Ni Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A REL (USA) Long-term value: 0.1 mg/m³ as Ni; inhalable fraction TLV (USA) Long-term value: 0.05 mg/m³ as Ni; ACIGH A1, IARC 1 Long-term value: 0.1 mg/m³ Inhalable fraction, as Ni EL (Canada) EV (Canada)

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Crystalline Yellow-brown Odorless Color: Odor: Odor threshold: Not determined. pH-value: Not applicable.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 963 °C (1765 °F) Not determined Not determined

Flash point: Not applicable Not determined Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined.

Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined Not applicable. 5.098 g/cm³ (42.543 lbs/gal) Not determined.

Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F): Not applicable. Not applicable. 567 g/l Soluble

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic: Not applicable.

Not applicable. Not applicable. No further relevant information available. Other information

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Alkali metals Alkaline earth metals

Oxidizing agents Water/moisture

Hazardous decomposition products: Hydrogen bromide Toxic metal oxide fume

LISA

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization:

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity: Suspected of causing genetic defects.

Gérm cell mutagenicity: Suspected of causing genetic defects.

Carcinogenicity:
May cause cancer.
IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.
ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.
NTP-K: Known to be carcinogenic: sufficient evidence from human studies.
Reproductive toxicity: May damage fertility or the unborn child.
Specific target organ system toxicity - repeated exposure:
Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders. convulsions and asphyxia. Airborne

Nickel and nickel compounds may cause a form of dermatitis known as nickel itch. They may also cause intestinal disorders, convulsions and asphyxia. Airborne nickel contaminated dusts are regarded as carcinogenic to the respiratory tract.

Inorganic bromides may produce depression, emaciation and in severe cases, psychosis and mental deterioration. Bromoderma, a bromide rash, often occurs when bromide inhalation or administration is prolonged. This rash is usually found on the face and resembles acne and furunculosis.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:

Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable

PBT: Not applicable.

VPVB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, IMDG, IATA

UN proper shipping name DOT

IMDG IATA

Environmentally hazardous substances, solid, n.o.s. (Nickel(II) bromide) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II) bromide), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel(II)

bromide)

UN3077

Transport hazard class(es)

DOT, IMDG, IATA



Class Label

Class Label Miscellaneous dangerous substances and articles.
 Section

9 (M7) Miscellaneous dangerous substances and articles

III

Packing group DOT, IMDG, IATA

Environmental hazards: Marine pollutant (IMDG): Special marking (ADR): Special marking (IATA):

Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)

Special precautions for user EMS Number:

Warning: Miscellaneous dangerous substances and articles

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 5)

(Contd. of page 4) Transport/Additional information:

Marine Pollutant (DOT):

Special marking with the symbol (fish and tree). Remarks: UN "Model Regulation":

UN3077, Environmentally hazardous substances, solid, n.o.s. (Nickel(II) bromide), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger Hazard statements

Hăzard statements
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H350 May damage fertility or the unborn child.
H372 Causes damage to the lung, the kidneys and the liver through prolonged or repeated exposure. Route of exposure: Inhalative.
Precautionary statements
P273 Avoid release to the environment.
P201 Obtain special instructions before use.
P309 IF exposed or if you feel unwell:
P310 Immediately call a POISON CENTER/doctor/...
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substate. National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) 13462-88-9 | Nickel(II) bromide anhydrous

California Proposition 65

Prop 65 - Chemicals known to cause cancer

13462-88-9 Nickel(II) bromide anhydrous

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use:
For use only by technically qualified individuals.
This product contains nickel and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the Market and use must be observed.
Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

IID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Evil Aviation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 30 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)