



Page 1/5 Printing date 08/16/2018 Revision date 08/14/2018 Version 1

Version 1
1 Identification
Product identifier
Product name: Lithium metaborate dihydrate
Stock number: 47375 CAS Number: 15293-74-0 EC number: 236-631-5 Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660_
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS05 Corrosion
Eye Dam. 1 H318 Causes serious eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. Acute Tox. 4 H332 Harmful if inhaled. Hazards not otherwise classified No information known.
Label elements GHS label elements Hazard pictograms
GHS05 GHS07
Signal word Danger Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H318 Causes serious eye damage. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification D1B - Toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects
$\textcircled{\below}{\below}$
Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System) Health (acute effects) = 2 Flammability = 0
Reconverying Physical Hazard = 1 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 15293-74-0 Lithium metaborate dihydrate
Concentration: ≤100% Identification number(s): EC number: 236-631-5
USA

Product name: Lithium metaborate dihydrate

(Contd. of page 1)

 If First-idi measures Description of first all measures After inflatedom Seek framework indication of first all measures After inflatedom Seek framework indication of first all measures After inflatedom Seek framework indication of first all measures After skin contact Accident related magnitude Accidental related magnitude Accident all related magnitu
Extinguisting and service of the substance or mixture Suitable extinguishing and its from the substance or mixture If this product is involved in a fire, the following can be released: Builting of the substance or mixture If this product is involved in a fire, the following can be released: Builting of the substance or mixture If this product is involved in the following can be released: Builting of the substance or mixture If this product is involved in the following can be released: Builting of the substance or mixture If this productive equipment: Wear self-contained respirator: Wear self-contained respirator: Brown and proceeding the expirator: Brown and proceeding the product or each sewage system or any water course. Methods and material for containment and cleaning up: Brown of or econdary heards: No containstel and interient as wate executing to be section 13. Prevention of secondary heards: See Section 7 for information on pash handling See Section 7 for information or pash handling See Section 7 for information on pash handling Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-2:
Personal precutions, protective equipment and emergency procedures Wiesr protective equipment. Keep unprotected persons away. Ensure adequate ventiliation Environmental precutions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 13 for disposal information on safe handling See Section 13 for disposal information. Protective Action Crimetator for information. Protective Action Crimetator for the information. PAC-1: Substance is not listed. PAC-3: Substance is not listed. PAC-3: Substance is not listed. Preventions for safe handling Keep container lightly seeled. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information stor safe storage, including any incompatibilities Store in cool, dry place in tightly seeled. Store in cool, dry conditions in wall seeled containers. Ensure good ventilation at the workplace. Information about storage in one common storage facility:
Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: The product is not flammable Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air- purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. Protection of hands: Impervious gloves
Check protective gloves prior to each use for their proper condition.



Product name: Lithium metaborate dihvdrate

Product name: Lithium metaborate dihydrate				
(Contd. of page 2, The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Material of gloves Nitrile rubber, NBR Penetration time of glove material (in minutes) 480				
Glove thickness: 0.11 mm Eye protection: Tightly sealed goggles Safety glasses with side shields / NIOSF	H (US) or EN 166(EU)			
Bodý protection: Protective work clothi	ng.			
9 Physical and chemical properties				
General Information Appearance:				
'Form: Odor:	Solid Not determined			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	Not determined Not determined Not determined Not determined Not determined Not determined Not determined.			
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density	Not determined Not determined Not determined Not applicable. Not determined Not determined			
Vapor density [*] Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water). Viscosity: dynamic: kinematic: Other information	Not applicable. Not applicable. Not determined Not applicable. Not applicable. Not applicable. No further relevant information available.			
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: Boron oxide Lithium oxide				
11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Danger through skin absorption. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known. Carcinogenicity: No effects known.				
Reproductive toxicity: No effects known.				
	- repeated exposure: No effects known.			
Specific target organ system toxicity Aspiration hazard: No effects known. Subacute to chronic toxicity: No effec Additional toxicological information:				
12 Ecological information				

Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

(Contd. on page 4)

Product name: Lithium metaborate dihydrate

(Contd. of page 3)

(Contd. on page 5)

Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable Other adverse effects No further relevant information available 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, ADN, IMDG, IATA Not applicable UN proper shipping name DOT, ADR, ADN, IMDG, IATA Not applicable Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group DOT, ADR, IMDG, IATA Not applicable Environmental hazards: Not applicable Special precautions for user Not applicable Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No UN "Model Regulation": Not applicable 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms († **)** GHS05 GHS07 Signal word Danger Hazard statements H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H318 Causes serious eye damage. Precautionary statements P261 Avoid bre P280 Wear pro Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed. Substance is not listed Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation/Revision: Print date, revision date and version number are in the header of each page. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Information System (Canada) UESO: Lethal concentration, 50 percent LD50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative



Product name: Lithium metaborate dihydrate

ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Acute Tox. 4: Acute toxicity – Category 4 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 (Contd. of page 4)

USA -