

## 1 Identification

### Product identifier

**Product name:** Sodium hexafluorosilicate

**Stock number:** 69106

**CAS Number:**

16893-85-9

**EC number:**

240-934-8

**Index number:**

009-012-00-0

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS06

### Signal word

Danger

### Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves / protective clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects



### Classification system

#### HMIS ratings (scale 0-4)

#### (Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

16893-85-9 Sodium hexafluorosilicate

**Concentration:** ≤100%

**Identification number(s):**

**EC number:** 240-934-8

**Index number:** 009-012-00-0

## 4 First-aid measures

### Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

**Product name: Sodium hexafluorosilicate**

(Contd. of page 1)

Remove breathing apparatus only after contaminated clothing has been completely removed.  
In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.

**After skin contact**

Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing** Do not induce vomiting; immediately call for medical help.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed**

Toxic in contact with skin.

Toxic if inhaled.

Toxic if swallowed.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**

**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.

**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Silicon oxide

Sodium oxide

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow product to reach sewage system or any water course.

**Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**Protective Action Criteria for Chemicals**

**PAC-1:** 12 mg/m<sup>3</sup>

**PAC-2:** 140 mg/m<sup>3</sup>

**PAC-3:** 820 mg/m<sup>3</sup>

**7 Handling and storage**

**Handling**

**Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

**Information about protection against explosions and fires:** The product is not flammable

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Store away from oxidizing agents.

**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**16893-85-9 Sodium hexafluorosilicate (100.0%)**

PEL (USA) Long-term value: 2.5 mg/m<sup>3</sup>  
as F

REL (USA) Long-term value: 2.5 mg/m<sup>3</sup>  
as F

TLV (USA) Long-term value: 2.5 mg/m<sup>3</sup>  
as F, BEI

EL (Canada) Long-term value: 2.5 mg/m<sup>3</sup>  
as F

(Contd. on page 3)  
USA

**Product name: Sodium hexafluorosilicate**

(Contd. of page 2)

**Ingredients with biological limit values:**

**16893-85-9 Sodium hexafluorosilicate (100.0%)**

BEI (USA) 2 mg/L  
Medium: urine  
Time: prior to shift  
Parameter: Fluoride (background, nonspecific)

3 mg/L  
Medium: urine  
Time: end of shift  
Parameter: Fluoride (background, nonspecific)

**Additional information:** No data

**Exposure controls**

**Personal protective equipment**

**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use self-contained respiratory protective device in emergency situations.

**Recommended filter device for short term use:**

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

**Protection of hands:**

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Material of gloves** Nitrile rubber, NBR

**Penetration time of glove material (in minutes)** 480

**Glove thickness:** 0.11 mm

**Eye protection:** Safety glasses with side shields / NIOSH (US) or EN 166(EU)

**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**General Information**

**Appearance:**

**Form:** Crystalline

**Odor:** Not determined

**Odor threshold:** Not determined.

**pH-value:** Not applicable.

**Change in condition**

**Melting point/Melting range:** Not determined

**Boiling point/Boiling range:** Not determined

**Sublimation temperature / start:** Not determined

**Flammability (solid, gaseous)** Not determined.

**Ignition temperature:** Not determined

**Decomposition temperature:** Not determined

**Auto igniting:** Not determined.

**Danger of explosion:** Not determined.

**Explosion limits:**

**Lower:** Not determined

**Upper:** Not determined

**Vapor pressure:** Not applicable.

**Density at 20 °C (68 °F):** 2.679 g/cm<sup>3</sup> (22.356 lbs/gal)

**Relative density** Not determined.

**Vapor density** Not applicable.

**Evaporation rate** Not applicable.

**Solubility in / Miscibility with**

**Water:** Not determined

**Partition coefficient (n-octanol/water):** Not determined.

**Viscosity:**

**dynamic:** Not applicable.

**kinematic:** Not applicable.

**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** No information known.

**Chemical stability** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions** Reacts with strong oxidizing agents

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:**

Hydrogen fluoride

Silicon oxide

Sodium oxide

**11 Toxicological information**

**Information on toxicological effects**

**Acute toxicity:**

Toxic in contact with skin.

Toxic if inhaled.

(Contd. on page 4)  
USA

**Product name: Sodium hexafluorosilicate**

(Contd. of page 3)

Toxic if swallowed.  
Danger through skin absorption.  
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.

**LD/LC50 values that are relevant for classification:**

Oral LD50 125 mg/kg (rat)

**Skin irritation or corrosion:** May cause irritation

**Eye irritation or corrosion:** May cause irritation

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** No effects known.

**Carcinogenicity:** IARC-3: Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** No effects known.

**Specific target organ system toxicity - single exposure:** No effects known.

**Aspiration hazard:** No effects known.

**Subacute to chronic toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**12 Ecological information**

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability:** No further relevant information available.

**Bioaccumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

**Additional ecological information:**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Avoid transfer into the environment.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects:** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**

**Recommendation:** Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

**UN-Number  
DOT, IMDG, IATA**

UN2674

**UN proper shipping name**

**DOT  
ADR  
IMDG, IATA**

Sodium fluorosilicate  
2674 Sodium fluorosilicate  
SODIUM FLUOROSILICATE

**Transport hazard class(es)**

**DOT**



**Class  
Label  
ADR**

6.1 Toxic substances  
6.1



**Class  
Label  
IMDG, IATA**

6.1 (T5) Toxic substances  
6.1



**Class  
Label**

6.1 Toxic substances  
6.1

**Packing group  
DOT, ADR, IMDG, IATA**

III

**Environmental hazards:**

Not applicable.

**Special precautions for user**

**EMS Number:**

**Stowage Category**

**Segregation Code**

Warning: Toxic substances  
F-A, S-A

A

SG35 Stow "separated from" acids.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**Transport/Additional information:**

**DOT**

**Quantity limitations**

On passenger aircraft/rail: 100 kg  
On cargo aircraft only: 200 kg

**Marine Pollutant (DOT):**

No

(Contd. on page 5)  
USA

**Product name: Sodium hexafluorosilicate**

(Contd. of page 4)

**IMDG**  
**Limited quantities (LQ)**  
**Excepted quantities (EQ)**

5 kg  
Code: E1  
Maximum net quantity per inner packaging: 30 g  
Maximum net quantity per outer packaging: 1000 g

**UN "Model Regulation":**

UN 2674 SODIUM FLUOROSILICATE, 6.1, III

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS06

**Signal word** Danger

**Hazard statements**

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves / protective clothing.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)** Substance is not listed.

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:** For use only by technically qualified individuals.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation/Revision:** Print date, revision date and version number are in the header of each page.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Acute Tox. 3: Acute toxicity – Category 3