rinting date 29.07.2013	Revision: 26.07.2013	
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier Trade name Stock number: 1.2 Relevant identified uses of the substanc or mixture and uses advised against.	No further relevant information available.	
Identified use: 1.3 Details of the supplier of the safety data Manufacturer/Supplier:	Alfa Aesar GmbH & Co.KG	
Informing department: 1.4 Emergency telephone number:	A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com www.alfa.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240	
SECTION 2: Hazards identification 2.1 Classification of the substance or mixtu Classification according to Regulation (EC)		
GHS02 flame		
Flam. Liq. 2 H225 Highly flammable liquid a Water-react. 2 H261 In contact with water rele	and vapour. eases flammable gases.	
GHS08 health hazard		
Carc. 2 H351 Suspected of causing ca	incer.	
GHS05 corrosion		
Skin Corr. 1B H314 Causes severe skin burr	is and eye damage.	
STOT SE 3 H335 May cause respiratory in	ritation.	
Classification according to Directive 67/548 C; Corrosive R34: Causes burns.	/EEC or Directive 1999/45/EC	
Xn; Harmful R40: Limited evidence of a carcinogenic		
Xi; Irritant R37: Irritating to respiratory system.		
F; Highly flammable R11-15: Highly flammable. Contact with wate	er liberates extremely flammable gases.	
R19: May form explosive peroxides. Information concerning particular hazards		
for human and environment: Other hazards that do not result in	The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.	
classification	No information known.	
2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word	The product is classified and labelled according to the CLP regulation. GHS02, GHS05, GHS07, GHS08 Danger	
Hazard-determining components of labelling:	Tetrahydrofuran	
Hazard statements	sec-Bútylzinc bromide H225 Highly flammable liquid and vapour. H261 In contact with water releases flammable gases. H314 Causes severe skin burns and eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation.	
Precautionary statements	 P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P231+P232 Handle under inert gas. Protect from moisture. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. 	
Additional information:	P501 Dispose of contents/container in accordance with local/regional/national/international regulations. EUH019 May form explosive peroxides.	
2.3 Other hazards Results of PBT and vPvB assessment PBT: vPvB:	Not applicable. Not applicable.	

DE/E (Contd. on page 2)

3.2 Mixtures

(Contd. of page 1)

Trade name sec-Butylzinc bromide, 0.5M in THF

SECTION 3: Composition/information on ingredients

Dangerous components:		
CAS: 109-99-9 EINECS: 203-726-8	R19	38,6%
CAS: 171860-66-5 sec-Butylzinc bromide	 	11,4%
Additional information	I I Water-react. 1, H260; I Skin Corr. 1B, H314 None known.	
SECTION 4: First aid measures		
4.1 Description of first aid measures General information After inhalation	Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.	
After skin contact	Seek immediate medical advice. Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact After swallowing	Rinse opened eye for several minutes under running water. Then consult doctor. Seek medical treatment.	
4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed	No further relevant information available. No further relevant information available.	
SECTION 5: Firefighting measures		
5.1 Extinguishing media Suitable extinguishing agents For safety reasons unsuitable extinguishing	In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.	
agents 5.2 Special hazards arising from the substance or mixture	Water.	
	If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Metal oxide	
5.3 Advice for firefighters Protective equipment:	Wear self-contained breathing apparatus. Wear full protective suit.	
SECTION 6: Accidental release measur	es	
6.1 Personal precautions, protective equipment and emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources	
6.2 Environmental precautions:	Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.	
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13.	
Prevention of secondary hazards: 6.4 Reference to other sections	Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.	
SECTION 7: Handling and storage		
7.1 Precautions for safe handling	Handle under dry protective gas. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care.	
Information about protection against explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously.	
7.2 Conditions for safe storage, including ar		
Storage Requirements to be met by storerooms and containers:	Refrigerate	
Information about storage in one common storage facility:	Store away from air. Protect from heat. Do not store together with acids.	
	Store away from oxidizing agents. Store away from acid chlorides.	
Further information about storage conditions:	Store under dry inert gas. This product is air sensitive. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Refrigerate	
7.3 Specific end use(s)	Check container pressure periodically to prevent explosive peroxides. No further relevant information available.	
SECTION 8: Exposure controls/person	al protection	
Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face very of at least 100 feet per minute.	-

(Contd. on page 3) DE/E

Revision: 26.07.2013

Page 3/5

Printing date 29.07.2013	Revision: 26.07.2013
Trade name sec-Butylzinc bromide, 0.5M	1 in THF
	(Contd. of page 2)
8.1 Control parameters	(Ound. of page 2)
Components with critical values that require	e monitoring at the workplace:
109-99-9 Tetrahydrofuran (88,6%)	
AGW (Germany) 150 mg/m³, 50 ppm 2(I);DFG, EU, H, Y	
PEL (USA) 590 mg/m ³ , 200 ppm	
REL (USA) Short-term value: 735 mg/m ² Long-term value: 590 mg/m ³	2, 250 ppm
TLV (USA) Short-term value: 295 mg/m ³	, 200 ppm 9 100 ppm
Long-term value: 147 mg/m ³	, 50 ppm
Skin	
Ingredients with biological limit values: 109-99-9 Tetrahydrofuran (88,6%)	
BGW (Germany) 2 mg/l	
Tetrahydrofuran	
BEI (USA) 2 mg/L urine	
end of shift	
Tetrahydrofuran Additional information:	No data
8.2 Exposure controls	No data
Personal protective equipment General protective and hygienic measures	
General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.
	Instantly remove any soiled and impregnated garments.
	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Do not inhale dust / smoke / mist.
Breathing equipment: Protection of hands:	Maintain an ergonomically appropriate working environment. Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and wares for manufacturer to manufacturer.
Protection of hands:	Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of guality
Material of alayon	
Material of gloves Penetration time of glove material	Impervious gloves Not determined
Eye protection:	Tightly sealed safety glasses. Full face protection
Body protection:	Protective work clothing.
SECTION 9: Physical and chemical pro	nortios
9.1 Information on basic physical and chem	
General Information	
Appearance: Form:	Liquid
Colour:	Yellow to brown to black
Smell: Odour threshold:	Not determined Not determined.
pH-value:	Not determined.
Change in condition	Net defension d
Melting point/Melting range: Boiling point/Boiling range:	Not determined Not determined
Sublimation temperature / start:	Not determined
Flash point: Inflammability (solid, gaseous)	-17 °C Not determined.
Ignition temperature:	230 °C
Decomposition temperature: Self-inflammability:	Not determined Product is not selfigniting.
Danger of explosion:	May form explosive peroxides.
•	Do not distill to dryness.
Critical values for explosion: Lower:	1,5 Vol %
Upper: Steam pressure at 20 °C:	12,0 Vol % 200 hPa
Density at 20 °C	0,968 g/cm ³
Relative density Vapour density	Not determined. Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Contact with water releases flammable gases
Partition coefficient (n-octanol/water):	Not determined.
Viscosity: dynamic:	Not determined.
kinematic:	Not determined.
Solvent content: Organic solvents:	88.6 %
Solids content:	11.4 %
9.2 Other information	No further relevant information available.
SECTION 10: Stability and reactivity	
10.1 Reactivity	In contact with water releases flammable gases which may ignite spontaneously. May form explosive peroxides.
10.2 Chemical stability Thermal decomposition / conditions to be	Stable under recommended storage conditions.
avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Reacts with strong oxidizing agents Contact with water releases flammable gases
40 E la comunatible motoriale.	Forms peroxides
10.5 Incompatible materials:	Acids (Contd. on page 4)
	DÉ/E

Page 4/5

	according to 1907/2006/EC, Article 31
Printing date 29.07.2013	Revision: 26.07.2013
Trade name sec-Butylzinc bromide, 0.5M	in THF
	(Contd. of page 3)
10.6 Hazardous decomposition products:	Air Oxidizing agents Acid chlorides Heat Water/moisture Carbon monoxide and carbon dioxide
	Hydrogen bromide Metal oxide
Additional information:	This product may form a precipitate.
SECTION 11: Toxicological information	
11.1 Information on toxicological effects	Quelles in a sill load to a strange countie offert on you the and then at and to the demand of a strange of
Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.
LD/LC50 values that are relevant for classific	ation:
109-99-9 Tetrahydrofuran Oral LD50 1650 mg/kg (rat)	
Inhalative LC50/2H 72000 mg/m3/2H (rat)	
Skin irritation or corrosion: Eye irritation or corrosion: Sensitization: Germ cell mutagenicity:	Causes severe skin burns. Causes serious eye damage. No sensitizing effect known. The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.
Carcinogenicity: Reproductive toxicity:	Suspected of causing cancer. EPA-S: Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/ or neoplastic data for this product.
	this product.
Specific target organ system toxicity - repeated exposure:	No effects known.
Specific target organ system toxicity - single	
exposure: Aspiration hazard:	May cause respiratory irritation. No effects known.
Experience with humans:	The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Corrosive Irritant
SECTION 12: Ecological information	
12.1 Toxicity	
Aquatic toxicity: 12.2 Persistence and degradability	No further relevant information available. No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil Additional ecological information:	No further relevant information available.
General notes:	Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment PBT:	Not applicable.
vPvB: 12.6 Other adverse effects	Not applicable. No further relevant information available.
SECTION 13: Disposal considerations 13.1 Waste treatment methods Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.
SECTION 14: Transport information	
UN-Number ADR, IMDG, IATA	UN3399
14.2 UN proper shipping name	
ADR IMDG, IATA	3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (sec-Butylzinc bromide, TETRAHYDROFURAN) ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (sec-Butylzinc bromide, TETRAHYDROFURAN)
14.3 Transport hazard class(es)	
ADR	
\checkmark \checkmark	
Class	4.3 (WF1) Substances which, in contact with water, emit flammable gases.
	(Contd. on page 5) DE/E

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.07.2013

nting date 29.07.2013	Revision: 26.07.2
de name sec-Butylzinc bromide, 0).5M in THF
	(Contd. of pa
Label IMDG, IATA	4.3+3
IMDG, IATA	
Class	4.3 Substances which, in contact with water, emit flammable gases.
Label	4.3 Substances which, in contact with water, emit naminable gases. 4.3+3
Packing group ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	No Warning: Substances which in contact with water, emit flommable genera
14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Substances which, in contact with water, emit flammable gases. 323 F-G,S-M
14.7 Transport in bulk according to Ann Code	nex II of MARPOL73/78 and the IBC Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ): Limited quantities (LQ)	E2 500 ml
Transport category	0 D/E
Tunnel restriction code UN "Model Regulation":	
	UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (sec-Butylzinc bromide, TETRAHYDROFURAN), 4.3 (3), II
SECTION 15: Regulatory information	
	egulations/legislation specific for the substance or mixture
Australian Inventory of Chemical Subst	ances
109-99-9 Tetrahydrofuran	
Standard for the Uniform Scheduling of	Drugs and Poisons
None of the ingredients is listed.	
National regulations Information about limitation of use:	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed.
Classification according to VbF:	A I
Technical instructions (air):	Class Share in %
	NK 88,6
Water hazard class: Other regulations, limitations and prohi	Water hazard class 1 (Self-assessment): slightly hazardous for water. bitive regulations
ELINCS (European List of Notified Cher	nical Substances)
None of the ingredients is listed.	
Substances of very high concern (SVH0 None of the ingredients are listed.) according to REACH, Article 57
REACH - Pre-registered substances	
109-99-9 Tetrahydrofuran	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information	y as a supplement to other information gathered by them, and should make independent judgement of suitability o protect the health and safety of employees. This information is furnished without warranty, and any use of the pro ty Data Sheet, or in combination with any other product or process, is the responsibility of the user.
this information to ensure proper use and i	protect the health and safety of employees. This information is furnished without warranty, and any use of the pro
not in conformance with this Material Safe	y Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Relevant phrases	 H225 Highly flammable liquid and vapour. H260 In contact with water releases flammable gases which may ignite spontaneously. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.
	H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H351 Suspected of causing cancer. R11 Highly flammable.
	R15 Contact with water liberates extremely flammable gases.
	R36/37 Irritating to eyes and respiratory system.
Department issuing SDS:	Health, Safety and Environmental Department.
Abbreviations and acronyms:	AUX: ACORD europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriag Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	R34 Causes burns. R36/37 Irritating to eyes and respiratory system. R40 Limited evidence of a carcinogenic effect. Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriag Dangerous Goods by Road) IMDG: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
	LD50: Lethal dose, 50 percent