



1 Identification	
Product identifier	
Product name: 2-Methoxy-5-(trifluoromethyl)pyridine	
Stock number: B20714 CAS Number:	
175277-45-9 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier: Alfa Aesar	
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street	
Ward Hill, MA 01835-8099 Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com	
www.alfa.com Information Department: Health. Safetv and Environmental Department	
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.	
2 Hazard(s) identification	╡
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation.	
Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms	
GHS07	
Signal word Warning	
Hazard statements H315 Causes skin irritation.	
H319 Causes serious eye irritation. H335 May cause respiratory irritation. Precautionary statements	
Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Weathing double for the statice of thing (our protoction/face protoction)	
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P405 Store locked up.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification D2B - Toxic material causing other toxic effects	
D2B - Toxic material causing other toxic effects	
\bigcirc	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 1 FIRE I Flammability = 1	
REACTIVITY Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	۲
Chemical characterization: Substances	
CAS# Description: 175277-45-9 2-Methoxy-5-(trifluoromethyl)pyridine	
4 First-aid measures	٦
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment. (Contd. on page	e 2)
	Ă

Product name: 2-Methoxy-5-(trifluoromethyl)pyridine

(Contd. of page 1)

Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.				
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information.				
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Store in the dark. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from exposure to light. Specific end use(s) No further relevant information available.				
 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical tume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all solied and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protective gloves Check protective gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work (clothing. 				
9 Physical and chemical properties Information on basic physical and ch General Information Appearance: Form: Odor:				
Odor threshold: pH-value: Change in condition	Not determined. Not determined. Not determined.			
Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:	Not determined Not determined Not determined Not determined			
ι ιαδιί μυπι.	Not determined			

Product name: 2-Methoxy-5-(trifluoromethyl)pyridine

Product name: 2-Methoxy-5-(trifluor	omethyl)pyridine			
		(Contd. of page 2)		
Flammability (solid, gaseous) Ignition temperature: Decomposition Auto instituton	Not determined Not determined Not determined			
Auto igniting: Danger of explosion: Explosion limits:	Not determined. Product does not present an explosion hazard.			
Lower: Upper: Vapor pressure:	Not determined Not determined Not determined			
Density: Relative density Vapor density	Not determined Not determined. Not determined			
Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water)	Not determined			
Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic:	Not determined. Not determined.			
Other information	No further relevant information available.			
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Light Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen fluoride Nitrogen oxides				
 11 Toxicological information Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 				
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to the environment. Results of PBT and vPvB assessment PBT: Not applicable. VPvB: Not applicable. Other adverse effects No further relevant information available.				
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.				
14 Transport information Not a hazardous material for transportati	on.			
UN-Number DOT, IMDG, IATA	None			
UN proper shipping name DOT, IMDG, IATA Transport hazard class(es)	None			
DOT, ADR, IMDG, IATA Class	None			
Packing group DOT, IMDG, IATA	None	(Contd on page 4)		
		(Contd. on page 4)		

Start provide and environmental regulations/legislation specific for the substance or mixture (HS) based elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Signal word Warning HS15 Ocuses serious eye initiation. HS15 Ocuses the eye protective gloves/protective clobing/eye protection/face protection. PS06 - PS67 HS15 Ocuses eyes eyes on to feesh air and keep control table for breaking. HS16 Ocuses of ocutents/container in accordance with local/regional/hatenational regulations. HS160 Dispose Ocidentia (container in accordance es not listed. HP0 e5 - Developmental toxicity Substance is not l	Product name: 2-Methoxy-5-(trifluoromethyl)pyridine			
Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL7378 and the IBC Code Not applicable. Transport in bulk according to Annex II of MARPOL7378 and the IBC Code Not applicable. Transport Additional information: Not dangerous according to the above specifications. DOT No Setty, health and environmental regulations/legislation specific for the substance or mixture Setty information Safety, health and environmental regulations/legislation specific for the substance or mixture Setty information Signal word Warning Hard Statements Her product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Marked plotograms Signal word Warning Hard Statements Her product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Marked statements Her product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Her product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Marked Statements Her product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Her product is classified and labeled in accordance with local frequencies. Proceutionary statements Her product is classified and labeled in accordance with local frequencies. Her product is classified and labeled in accordance with local frequencies. Proceutionary statements Her product is set in a d ke		(Contd. of page 3)		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Nat applicable. Transport/Additional information: Not dangerous according to the above specifications. DOT Maine Pollutant (DOT): No 5 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Haard pictorams Off General Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Haard pictorams Maine Vord Warning Haard pictorams Maine Vord Warning Historaments P351 Focuses skin initiation. Historaments P403 Mord Varining Historaments P404 P351 Mord Varining Historaments	Environmental hazards:	Not applicable.		
Transport/Additional information: Not dangerous according to the above specifications. DOT No Statements: No 5 Regulatory information Safety, health and onvironmental regulations/legislation specific for the substance or mixture Statements: The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) File State learnets: The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) File State learnets: The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) File State learnets: File State learnets:	Special precautions for user	Not applicable.		
DOT No 4Marine Pollutant (DOT): No 5 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS Babel elements Haard pictorgams Optimized and above the substance or mixture GHS Safety, health and environmental regulations/legislation specific for the substance or mixture GHS07 Signal word Warning Wittand Statements History intration. H335 May cause respiratory intration. History intration. P336 May cause respiratory intration. History intration. P304 H233 May cause respiratory intration. History intration. P304 H234 May and the stating dawning where for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 H234 May and development only. This protoch must be used for commercial purposes. Stating and the used for commercial purposes or in formulations for commercial purposes. SHA Sacching and development only. This protact must be used for commercial purposes	Transport in bulk according to Annex II of MARPOL73/78 and the I	BC Code Not applicable.		
Marine Pollutant (DOT): No 5 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS labele elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms •••••••••••••••••••••••••••••	Transport/Additional information:	Not dangerous according to the above specifications.		
Safety, health and environmental regulations/Registation specific for the substance or mixture GHS label elements. The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHSOT Signal word Warning Hazard statements H316 Causes skin inflation. H326 H326 causes respiratory inflation. H326 H326 causes respiratory inflation. H326 M326 causes respiratory inflation. H326 M326 causes respiratory inflation. Procautionary statements H316 Causes as the inflation. H326 M326 causes respiratory inflation. Procautionary statements H316 Pixel		No		
Department issuing SDS: Global Marketing Department	Transport/Additional information: Not dangerous according to the above specifications. DOT Marine Pollutant (DOT): No 15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms <i>Workson Statements Marine Pollutant (DOT): Marine Pollutant (DOT): No Workson Statements Marine Pollutant (DOT): Marine Pollutant (DOT): No Marine Polutan</i>			
IA 1A: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent VPUS: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	Department issuing SDS: Global Marketing Department			
OSHA: Occupational Softy and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent USD5: very Persistent and very Bioaccumulative VPVB: very Persistent and very Bioaccumulative			
	ACGIH: American Conterence of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)	USA		