



Page 1/5 Printing date 01/09/2018 Revision date 01/08/2018 Version 2

| | Version 2 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 1 Identification Product identifier Product name: <u>2-(2-Methoxyphenoxy)ethylamine</u> Stock number: H50251 CAS Number: 1836-62-0 EC number: 606-000-2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-342-4757 Email: tech@alfa.com www.alfa.com mww.alfa.com Information Department: Health, Safety and Environmental Department Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (86 | 6) 928-0789. |
| 2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS05 Corrosion Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known. | |
| Label elements Classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms GHS label elements GHS05 Signal word Danger Hazard statements Hazard statements H314 Causes severe skin burns and eye damage. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue no WHMIS classification D28 - Toxic material causing other toxic effects E - Corrosive material Comparison WHMIS ratings (scale 0-4) Health (acute effects) = 3 Haumability = 1 Health (acute effects) = 3 Present Brand vPVB assessment Physical Hazard = 1 Other hazards Results of PBT and vPVB assessment PBT: Not applicable. VPB: Not applicable. | insing. |
| 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 1836-62-0 2-(2-Methoxyphenoxy)ethylamine Concentration: ≤100% Identification number(s): EC number: 606-000-2 | |
| 4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. | (Contd. on page 2) |

Product name: 2-(2-Methoxyphenoxy)ethylamine

(Contd. of page 1) Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available 5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. Extinguishing media 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. **Prevention of secondary hazards:** No special measures required. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **Protective Action Criteria for Chemicals PAC-1:** Substance is not listed. **PAC-2:** Substance is not listed.

PAC-3: Substance is not listed

7 Handling and storage

Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from air. Store away from oxidizing agents.

Store away from Oxidizing agends. Further information about storage conditions: Store under dry inert gas. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Exposure controls

Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Avoid contact with the eyes and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervise cloves

Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Fightly sealed goggles Full face protection Full face protection Safety glasses with side shields / NIOSH (US) or EN 166(EU)

Product name: 2-(2-Methoxyphenoxy)ethylamine

| Body protection: Protective work cloth | ing. | ige 2) |
|------------------------------------------------------------------|-----------------------------------------------|--------|
| 9 Physical and chemical properties | S | |
| Information on basic physical and ch General Information | nemical properties | |
| Appearance: | | |
| Form: | | |
| Odor: Odor threshold: | Amine-like Not determined. | |
| | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | No.4 state survivors at | |
| Melting point/Melting range: | Not determined 98 °C (208 °F) (0.4mm) | |
| Boiling point/Boiling range: Sublimation temperature / start: | So C (200 F) (0.4/m) | |
| Flammability (solid, gaseous) | Not determined. | |
| Ignition temperature: | Not determined | |
| Decomposition temperature: | Not determined | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Not determined. | |
| Explosion limits: | No.4 defenses in a d | |
| Lower: Upper: | Not determined Not determined | |
| Vapor pressure: | Not determined | |
| Density at 20 °C (68 °F): | 1.11 g/cm ³ (9, 263 lbs/gal) | |
| Relative density | 1.11 g/cm³ (9.263 lbs/gal) Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix | |
| Partition coefficient (n-octanol/water) | | |
| Viscosity: | | |
| dynamic: | Not determined. | |
| kinematic: | Not determined. | |
| Other information | No further relevant information available. | |
| | | |
| 10 Stability and reactivity | | |
| Reactivity No information known. | | |
| Chemical stability Stable under recom | mended storage conditions. | |

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

11 Toxicological information

Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes servere skin burns. Eye irritation or corrosion: Causes servere skin burns. Eye irritation or corrosion: Causes servere skin burns. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Germ conconsistication data on carcinogenic properties of this material is available from the EPA_LAPC_NTR_OSHA or ACGIH. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information

 Ecological information

 Toxicity

 Aquatic toxicity: No further relevant information available.

 Persistence and degradability No further relevant information available.

 Bioaccumulative potential No further relevant information available.

 Mobility in soil No further relevant information available.

 Additional ecological information:

 General notes: Avoid transfer into the environment.

 Results of PBT and vPvB assessment

 PBT: Not applicable.

 VPVB: Not applicable.

 Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

Product name: 2-(2-Methoxyphenoxy)ethylamine

(Contd of page 2)

| Transport information UN-Number | |
|-------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DOT, IMDG, IATA | UN2735 |
| UN proper shipping name DOT ADR IMDG, IATA | Amines, liquid, corrosive, n.o.s. (2-(2-Methoxyphenoxy)ethylamine) 2735 Amines, liquid, corrosive, n.o.s. (2-(2-Methoxyphenoxy)ethylamine) AMINES, LIQUID, CORROSIVE, N.O.S. (2-(2-Methoxyphenoxy)ethylamine) |
| Transport hazard class(es) | |
| DOT | |
| Ŷ | |
| Class Label ADR | 8 Corrosive substances 8 |
| <u>1</u> 2. | |
| Class Label IMDG, IATA | 8 (C7) Corrosive substances 8 |
| | |
| Class Label | 8 Corrosive substances 8 |
| Packing group DOT, ADR, IMDG, IATA | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user EMS Number: Segregation groups | Warning: Corrosive substances F-A,S-B Alkalis |
| Stowage Category Segregation Code | A SG35 Stow "separated from" acids. |
| Transport in bulk according to Annex II of MARPOL73/78 a | |
| Transport/Additional information: | |
| DOT Quantity limitations | On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L |
| Marine Pollutant (DOT): | No |
| IMDG Limited quantities (LQ) Excepted quantities (ÉQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |

H314 Causes severe skin burns and eye damage. Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. National regulations.

 P280
 Wear protective gioves/protective cioning/eye protection.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 National regulations

 This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

 This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL).

 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

 Prop 65 - Chemicals known to cause cancer Substance is not listed.

 Prop 65 - Developmental toxicity, substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Information about limitation of use: For use only by technically qualified individuals.

 Other regulations, limitations and prohibitive regulations

 Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

 The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

(Contd. of page 4)

Product name: 2-(2-Methoxyphenoxy)ethylamine

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport das marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal concentration, 50 percent
ID50: Lethal concentration, 60 percent
ID50: Lethal concentration, 60 percent
ID50: Lethal dose, 50 percent
ID50: Lethal concentration, 60 percent
ID50: Lethal concentration, 60 percent
ID50: Lethal dose, 50 percent
ID50: Le