



Page 1/5 Printing date 05/25/2017 Revision date 05/24/2017 Version 1

1 Identification
Product identifier Product name: Styrene-d8
Stock number: 43667
CAS Number: 19361-62-7
EC number: 242-995-6
Details of the supplier of the safety data sheet
Manufacturer/Supplier: Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam. Liq. 3 H226 Flammable liquid and vapor.
Â
GHS07
Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation. Hazards not otherwise classified No information known.
Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS07
Signal word Warning Hazard statements H006 Elemmedula liquid and vanar
H226 Flammable liquid and vapor. H332 Harmful if inhaled. H315 Causes skin irritation.
H319 Causes shin inflation. H319 Causes serious eye irritation. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray P280 Wear protective gloves / eye protection / face protection. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
B2 - Flammable liquid D1A - Very toxic material causing immediate and serious toxic effects D2B - Toxic material causing other toxic effects
Classification system
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH 2 Health (acute effects) = 2 FIRE 3 Flammability = 3
REACTIVITY 1 Physical Hazard = 1
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 19361-62-7 Styrene-d8 Concentration: ≤100%
Concentration: ≤100% Identification number(s): EC number: 242-995-6
USA
(Conta. on page 2)

Page 2/5 Printing date 05/25/2017 Revision date 05/24/2017 Version 1

(Contd. of page 1)

	(Contd. of page 1)
4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly.	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes skin irritation.	
Causes serious eye irritation. Harmful if inhaled. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers. Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1: Substance is not listed. PAC-3: Substance is not listed. 	
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store away from air. Protect from heat. Store away from oxidizing agents. Further information about storage conditions: Storage. Further information about storage conditions: Store under dry inert gas. This product is air sensitive. Keep container tightly sealed. Refrigerate Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls	
Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed.	

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

(Contd. of page 2)

Product name: Styrene-d8

(Contd. of page Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. **Breathing equipment:** Use suitable respirator when high concentrations are present. **Recommended filter device for short term use:** Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards su CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

9 Physical and chemical properties	
Information on basic physical and che General Information Appearance: Form: Odor: Odor: Odor threshold:	e mical properties Liquid Not determined Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined 50-51 °C (122-124 °F) (25mm) Not determined
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	31 °C (88 °F) Not determined. Not determined Not determined Not determined.
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Product is not explosive. However, formation of explosive air/vapor mixtures is possible. Not determined Not determined 0.979 g/cm³ (8.17 lbs/gal) Not determined.

10 Stability and reactivity

Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available. Incompatible materials:

Oxidizing agents

Ăir Heat

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects Acute toxicity: Harmful if inhaled. LD/L C50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes. Eye irritation or corrosion: Irritating effect. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals. IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.
12 Ecological information

Toxicity Aquatic toxicity: No further relevant information available. **Persistence and degradability** No further relevant information available.

roduct name: Styrene-d8		
Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper Do not allow undiluted product or large quantities to reach ground wate Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	(Contd. c governmental permits. er, water course or sewage system.	∿f pag
13 Disposal considerations		
Waste treatment methods Recommendation Consult state, local or national regulations to ensure Uncleaned packagings: Recommendation: Disposal must be made according to official regula		
4 Transport information		
UN-Number DOT, IMDG, IATA	UN2055	
UN proper shipping name DOT ADR IMDG, IATA	Styrene monomer, stabilized 2055 Styrene monomer, stabilized STYRENE MONOMER, STABILIZED	
DOT Class Label ADR	3 Flammable liquids 3	
Class Label IMDG, IATA	3 (F1) Flammable liquids 3	
Class Label	3 Flammable liquids 3	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user EMS Number: Stowage Category	Warning: Flammable liquids F-E,S-D A	
Transport in bulk according to Annex II of MARPOL73/78 and the I		
Transport/Additional information:		
DOT Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L	
Marine Pollutant (DOT):	On cargo aircraft only: 220 L No	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
UN "Model Regulation":	UN 2055 STYRENE MONOMER, STABILIZED, 3, III	
UN "Model Regulation": 15 Regulatory information Safety, health and environmental regulations/legislation specific for GHS label elements The product is classified and labeled in accordan Hazard pictograms		



Signal word Warning
Hazard statementsH226 Flammable liquid and vapor.H332 Harmful if inhaled.H315 Causes skin irritation.H319 Causes serious eye irritation.Precautionary statementsP210Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 5) USA

Product name: Styrene-d8

(Contd. of page 4)

P241 Avoid breathing dustfume/gas/mist/apors/spray P240 Wear protective gloves / eye protection // face protection. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. Rinse skin with water/shower. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. P303+P361+P333 If in gxin (or half): Take off immediately all contaminated clothing. P303+P361+P333 If in gxin (or half): Substance is not listed. P305 P402+P301+P301 If in gxin (or guinate is not listed. P305 P5 Developmental toxicity, female Substance is not listed. P305 P5 Developmental toxicity, female Substance is not listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed. P305 P5 Developmental toxicity, allow gas: For use on listed.