

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 02/03/2009

1 Identification

Product identifier

Product name: n-Pentane-d12

Stock number: 42340

CAS Number: 2031-90-5

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness. Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger Hazard statements

Hazaf Highly flammable liquid and vapor. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405 Store locked up.
P501 Dispose of contents/container in accordance with the contents of the contents Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification B2 - Flammable liquid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1
Flammability = 3 Flammability = 3

ACTIVITY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 2031-90-5 n-Pentane-d12

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm.

(Contd. on page 2)

(Contd. of page 1)

Product name: n-Pentane-d12

Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Advice for firefighters

Protective equipment:Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Keep away from heat and direct sunlight.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:

Pentane (all isomers)

ACGIH TLV 600

ACGIH TLV Austria MAK
Belgium TWA
Denmark TWA
Finland TWA
France VME
Germany MAK
Hungary TWA
Japan OEL
Korea TLV 600; 750-STEL 500; 750-37EL 500; 625-STEL

5000 1000 500 mg.m3; 1500 mg/m3-STEL

300 600

Korea TLV 600
Netherlands MAC-TGG 600
Poland TWA 1800 mg/m3; 2300 mg/m3-STEL
Russia TWA 300; 300 mg/m3-STEL
Sweden NGV 600: 750-KTV
Switzerland MAK-W 600
United Kingdom 600-LTEL; 750-STEL
USA PEL 1000

Additional information: No data

Exposure controls Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

(Contd. of page 2)

Product name: n-Pentane-d12

Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Color: Liquid Colorless Not determined Odor:

Odor threshold: pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 130 °C (-202 °F) 36 °C (97 °F)

Not determined Flash point: 49 °C (-56 °F) riash politi. Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting: Not determined 260 °C (500 °F)

Not determined Not determined Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

.4 Vol %

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure at 20 °C (68 °F):
Density at 20 °C (68 °F):
Relative density

554 hPa (416 mm Hg) 0.631 g/cm³ (5.266 lbs/gal) Not determined.

Not determined Not determined

Not determined.

Not determined.

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not miscible or difficult to mix

Partition coefficient (n-octanol/water): Not determined Viscosity:

dynamic: kinematic:

Not determined. Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification:

LD50 >2000 mg/kg (rat) Oral Inhalative LC50/4H 364000 mg/m3/4H (rat)

LCLo/2H 325000 mg/m3/2H (mouse) Skin irritation or corrosion:

Repeated exposure may cause skin dryness or cracking.

Repeated exposure may cause skin dryness or cracking.

Eye irritation or corrosion: Irritating effect.

Sensitization: No sensitizing effects known.

Germ cell matagenicity: No effects known.

Carcingonicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known.

Reproductive foxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure:
May cause drowsiness or dizziness.
May cause respiratory irritation.
Aspiration hazard: May be fatal if swallowed and enters airways.
Subacute to chronic toxicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:
Behavioral - excitement.
Kidney, Ureter, Bladder - changes in kidney weight.
Nutritional and Gross Metabolic - weight loss or decreased weight gain.
Related to Chronic Data - death.
Brain and Coverings - other degenerative changes.
Vascular - BP lowering not characterized in autonomic section.
Peripheral Nerve and Sensation - recording from perpheral motor nerve.

(Contd. on page 4)

Product name: n-Pentane-d12

(Contd. of page 3)

Subacute to chronic toxicity:
Pentane isomers have a mild narcotic effect. Symptoms typically include drowsiness, and respiratory irritation. Heavy esposure may cause unconsciousness and, in extreme cases, death. Pentane isomers are irritating to the skin and eyes on contact. If ingested the liquid can be aspirated into the lungs where it will cause a rapid fall in oxygen and can cause asphyxia, brain damage and death. Chronic skin exposure is likely to cause dermatitis.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:

Remark: Toxic for aquatic organisms
Additional ecological information:

General notes:
Do not allow product to reach ground water, water course or sewage system.
Do not allow material to be released to the environment without proper governmental permits.
Toxic for aquatic organisms.

Descripted displays water if even small quantities leak into the ground.

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

	14	Trans	port	info	rmation
--	----	-------	------	------	---------

UN-N	lumber	
DOT	IMDG	$I\Lambda T\Lambda$

UN proper shipping name DOT

IMDG, IATA

Transport hazard class(es)

DOT



Class Label Class Label

ĪMDG, IATA

3 Flammable liquids.

UN1265

Pentanes

PENTANES

(F1) Flammable liquids



Label

3 Flammable liquids.

Packing group DOT, IMDG, IATA

Environmental hazards:

11 Environmentally hazardous substance, liquid

Special precautions for user

Warning: Flammable liquids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT): UN "Model Regulation":

UN1265, Pentanes, 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapor. H336 May cause drowsiness or dizziness. H304 May be fatal if swallowed and enters airways.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 5)

(Contd. of page 4)

Product name: n-Pentane-d12

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This substance is subject to a Significant New Use Rule (SNUR) promulgated under Section 5(a)(2) of the Toxic Substances Control Act (TSCA). See 40 CFR 721. This product is being sold for research and development use.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)