

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Zirconium(IV) oxide 2-ethylhexanoate, in mineral spirits

Stock number:

39543

1.2 Relevant identified uses of the substance

or mixture and uses advised against.

Identified use:

No further relevant information available.
SU24 Scientific research and development**1.3 Details of the supplier of the safety data sheet**

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R10: Flammable.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in classification

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

Precautionary statements

The product is classified and labelled according to the CLP regulation.

GHS02

Warning

H226 Flammable liquid and vapour.

P210

P241

P280

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P403+P235

P501

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Dangerous components:**

64475-85-0 Mineral spirits

R10

Flam. Liq. 3, H226

80,0%

Additional information

None known.

Non-Hazardous Ingredients

CAS: 22464-99-9

Zirconium(IV) oxide 2-ethylhexanoate

EINECS: 245-018-1

20,0%

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.**5.2 Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Metal oxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Trade name Zirconium(IV) oxide 2-ethylhexanoate, in mineral spirits

(Contd. of page 1)

6.2 Environmental precautions:	Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.
6.3 Methods and material for containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Keep away from ignition sources.
6.4 Reference to other sections	See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.
Information about protection against explosions and fires:	Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.
7.2 Conditions for safe storage, including any incompatibilities	
Storage	
Requirements to be met by storerooms and containers:	No special requirements.
Information about storage in one common storage facility:	Store away from oxidizing agents.
Further information about storage conditions:	Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
8.1 Control parameters	
Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information:	No data
8.2 Exposure controls	
Personal protective equipment	
General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Maintain an ergonomically appropriate working environment.
Breathing equipment:	Use breathing protection with high concentrations.
Protection of hands:	Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Material of gloves	Impervious gloves
Penetration time of glove material	Not determined
Eye protection:	Safety glasses Face protection
Body protection:	Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
General Information	
Appearance:	
Form:	Liquid
Smell:	Not determined
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	40 °C
Inflammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-inflammability:	Product is not selfigniting.
Critical values for explosion:	
Lower:	Not determined
Upper:	Not determined
Steam pressure:	Not determined
Density	Not determined
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.

Solvent content:	
Organic solvents:	0,0 %
Solids content:	20,0 %
9.2 Other information	No further relevant information available.

Safety data sheet
according to 1907/2006/EC, Article 31

Revision: 09.05.2013

Printing date 01.07.2013

Trade name **Zirconium(IV) oxide 2-ethylhexanoate, in mineral spirits**

(Contd. of page 2)

SECTION 10: Stability and reactivity

10.1 Reactivity	No information known.
10.2 Chemical stability	Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous reactions	Reacts with strong oxidizing agents
10.5 Incompatible materials:	Oxidizing agents
10.6 Hazardous decomposition products:	Carbon monoxide and carbon dioxide Metal oxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects	The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.
Acute toxicity:	
LD/LC50 values that are relevant for classification:	No data
Skin irritation or corrosion:	May cause irritation
Eye irritation or corrosion:	May cause irritation
Sensitization:	No sensitizing effect known.
Germ cell mutagenicity:	No effects known.
Carcinogenicity:	No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity:	No effects known.
Specific target organ system toxicity - repeated exposure:	No effects known.
Specific target organ system toxicity - single exposure:	No effects known.
Aspiration hazard:	No effects known.
Additional toxicological information:	To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information

12.1 Toxicity	No further relevant information available.
Aquatic toxicity:	No further relevant information available.
12.2 Persistence and degradability	No further relevant information available.
12.3 Bioaccumulative potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Additional ecological information:	Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment	
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Other adverse effects	No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	Hand over to disposers of hazardous waste.
Recommendation	Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings:	
Recommendation:	Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number	UN1268
ADR, IMDG, IATA	
14.2 UN proper shipping name	1268 PETROLEUM DISTILLATES, N.O.S.
ADR	PETROLEUM DISTILLATES, N.O.S.
IMDG, IATA	
14.3 Transport hazard class(es)	
ADR	
	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
	
Class	3 Flammable liquids.
Label	3
Packing group	III
ADR, IMDG, IATA	
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Kemler Number:	30
EMS Number:	F-E,S-E
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC	
Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L
Transport category	3

(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 01.07.2013

Revision: 09.05.2013

Trade name **Zirconium(IV) oxide 2-ethylhexanoate, in mineral spirits**

(Contd. of page 3)

Tunnel restriction code	D/E
UN "Model Regulation":	UN1268, PETROLEUM DISTILLATES, N.O.S., 3, III

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical Substances**

22464-99-9 | Zirconium(IV) oxide 2-ethylhexanoate

Standard for the Uniform Scheduling of Drugs and Poisons

None of the ingredients is listed.

National regulations

Information about limitation of use: For use only by technically qualified individuals.
Classification according to VbF: A II

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations**ELINCS (European List of Notified Chemical Substances)**

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

REACH - Pre-registered substances

All ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases H226 Flammable liquid and vapour.

Department issuing data specification sheet: R10 Flammable.
Health, Safety and Environmental Department.

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

DE/E