

Page 1/5 Printing date 01/19/2018 Revision date 01/18/2018 Version 1

1 Identification

Product identifier

Product name: Pyridinium chlorochromate

Stock number: A11752, L08283 CAS Number: 26299-14-9 EC number: 247-595-5 Index number:

024-017-00-8
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier. Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidizer.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS03 GHS07 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H272 May intensify fire; oxidizer.
H317 May cause an allergic skin reaction.
H350 May cause cancer.
Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat. - No smoking.
P201 Obtain special instructions before use.
P220 Keep/Store away from clothing/combustible materials.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification
C - Oxidizing materials

C - Oxidizing materials D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 2
Physical Hazard = 2

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 26299-14-9 Pyridinium chlorochromate

(Contd. on page 2)

Product name: Pyridinium chlorochromate

Concentration: ≤100% Identification number(s): EC number: 247-595-5 Index number: 024-017-00-8 (Contd. of page 1)

4 First-aid measures

Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed May cause an allergic skin reaction.

May cause cancer

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
For safety reasons unsuitable extinguishing agents Halocarbon extinguisher
Special hazards arising from the substance or mixture
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOX)
Chromium oxides

Nitiogen oxides
Chromium oxides
Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards:
Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed. PAC-2: Substance is not listed. PAC-3: Substance is not listed.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Store away from water/moisture.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert ass.

Store under dry inert gas. This product is moisture sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

Product name: Pyridinium chlorochromate

(Contd. of page 2)

Control parameters

Components with limit values that require monitoring at the workplace:

26299-14-9 Pyridinium chlorochromate (100.0%)

PEL (USA) Long-term value: 0.005* mg/m³
Ceiling limit value: 0.1** mg/m³
*as Cr(VI) **as CrO3; see 29 CFR 1910.1026
REL (USA) Long-term value: 0.0002 mg/m³
as Cr; See Pocket Guide Apps. A and C

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Protection of hands:
Impervious gloves

Impervious gloves
Check protection of manus.
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Description time of these states are the properties of th

Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm

Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Odor: Odor threshold:

Crystalline powder Not determined Not determined

pH-value:

Not applicable

ca 206 °C (ca 403 °F) (dec) Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto ignition:

Not determined

Contact with combustible material may cause fire

Not determined Not determined

Auto igniting:

Not determined

Danger of explosion: Explosion limits:

Not determined.

Lower: Upper:

Not determined Not determined Not applicable. Not determined

Vapor pressure: Density: Relative density Vapor density

Not determined. Not applicable.

Evaporation rate Solubility in / Miscibility with

Not applicable.

Partition coefficient (n-octanol/water): Not determined.

Soluble

Viscosity: dynamic: kinematic:

Not applicable.

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity May intensify fire; oxidizer.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts with strong oxidizing agents
Reacts with reducing agents
Reacts with flammable substances
Conditions to avoid No further relevant information available.
Incompatible materials:
Flammable substances
Reducing agents
Oxidizing agents
Oxidizing agents
Oxidizing agents
Organic materials
Metal powders
Water/moisture
Hazardous decomposition products:

Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Nitrogen oxides
Chromium oxides

(Contd. on page 4)

Product name: Pyridinium chlorochromate

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data

Edit Convaides that are relevant for classification Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: May cause an allergic skin reaction. Germ cell mutagenicity: No effects known.

Germ cell mutagenicity: No enects known.

Carcinogenicity:
May cause cancer.

EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer.

IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity.

ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans.

NTP-K: Known to be carcinogenic: sufficient evidence from human studies.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Remark: Very toxic for aquatic organisms Additional ecological information:

Adultorial ecological mormation.

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the partition point.

Avoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN1479
UN proper shipping name DOT ADR IMDG, IATA	Oxidizing solid, n.o.s. (Pyridinium chlorochromate) 1479 Oxidizing solid, n.o.s. (Pyridinium chlorochromate) OXIDIZING SOLID, N.O.S. (Pyridinium chlorochromate)
Transport hazard class(es)	
DOT	
Ò	
Class Label ADR	5.1 Oxidizing substances 5.1
A	



5.1 (O2) Oxidizing substances



5.1 Oxidizing substances 5.1 Class

Packing group DOT, ADR, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user EMS Number: Warning: Oxidizing substances F-A,S-Q

(Contd. on page 5)

Product name: Pyridinium chlorochromate (Contd. of page 4) Stowage Category Segregation Code SG38 Stow "separated from" ammonium compounds. SG49 Stow "separated from" cyanides SG60 Stow "separated from" peroxides SG61 Stow "separated from" powdered metals Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT On passenger aircraft/rail: 5 kg Quantity limitations On cargo aircraft only: 25 kg Marine Pollutant (DOT): Limited quantities (LQ) Excepted quantities (EQ) 1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g UN "Model Regulation": UN 1479 OXIDIZING SOLID, N.O.S. (PYRIDINIUM CHLOROCHROMATE), 5.1, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS03 GHS07 GHS08

Signal word Danger

Hazard statements
H272 May intensify fire; oxidizer.
H317 May cause an allergic skin reaction.
H350 May cause cancer.

H350 May cause cancer.

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P210 Keep away from heat. - No smoking.
P210 Obtain special instructions before use.
P220 Keep/Store away from clothing/combustible materials.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

26299-14-9 Pyridinium chlorochromate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

26299-14-9 Pyridinium chlorochromate

Prop 65 - Developmental toxicity

26299-14-9 Pyridinium chlorochromate Prop 65 - Developmental toxicity, female

26299-14-9 Pyridinium chlorochromate

Prop 65 - Developmental toxicity, male

26299-14-9 Pyridinium chlorochromate

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation
DOT: US Department of Transportation
IATA: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal dose, 50 percent
LD50: Dethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
SAI: S. Oxidizing solids — Category 3
Skin Sens. 1: Skin sensitisation — Category 1
Carc. 1B: Carcinogenicity — Category 1B

LISA