Page 1/5 Printing date 11/30/2016 Revision date 11/29/2016

1 Identification

Product identifier

Product name: Hydroxylamine-O-sulfonic acid

Stock number: A12560, L00188

CAS Number: 2950-43-8 **EC number:** 220-971-6

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

H341 Suspected of causing genetic defects. Muta. 2



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction. **Hazards not otherwise classified** No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS07 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
Precautionary statements
Danath brooks duet from (no

Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not breathe dust/fume/gas/mist/vapours/spray.

Obtain special instructions before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D2B - Toxic material causing other toxic effects E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Product name: Hydroxylamine-O-sulfonic acid

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description:

2950-43-8 Hydroxylamine-O-sulfonic acid Identification number(s): EC number: 220-971-6

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage. May cause an allergic skin reaction. **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Sulfur oxides (SOX)
Nitrogen oxides (NOX)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up: Use neutralizing agent. Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 15.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility:

Protect from heat.

Store away from water/moisture.
Store away from strong bases.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas.
This product is hygroscopic.
Keep container tightly sealed.
Protect from humidity and water.

Refrigerate

Specific end use(s) No further relevant information available

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters
Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

(Contd. of page 2)

Product name: Hydroxylamine-O-sulfonic acid

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480
Glove thickness 0.11 mm
Eye protection:
Tightly sealed goggles
Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Odor:

Odor threshold:

Not determined Not determined.

Powder

pH-value:

Not applicable.

Not determined Not determined Not applicable. Not determined Not determined.

Not applicable. Not applicable.

Not determined

208-211 °C (406-412 °F) Not determined Not determined Not determined Not determined Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting:

Auto igniting:

Not determined. Not determined.

Danger of explosion: Explosion limits:

Lower: Upper: Vapor pressure:

Density: Relative density

Vapor density Evaporation rate Solubility in / Miscibility with

Water:

Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic kinematic:

Not applicable.

Not applicable. No further relevant information available. Other information

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials: Water/moisture

Bases

Oxidizing agents Heat

Hazardous decomposition products:

Sulfur oxides (SOx) Nitrogen oxides

11 Toxicological information

Information on toxicological effects
Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: May cause an allergic skin reaction.

Sensitization: May cause an allergic skin reaction.

Germ cell mutagenicity:
Suspected of causing genetic defects.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

USA (Contd. on page 4)

Product name: Hydroxylamine-O-sulfonic acid

(Contd. of page 3)

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility is soil No further relevant information available.
Additional coelegical information:

Additional ecological information:

General notes:
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport Information	
UN-Number DOT, IMDG, IATA	UN3260
UN proper shipping name DOT IMDG, IATA	Corrosive solid, acidic, inorganic, n.o.s. (Hydroxylamine-O-sulfonic acid) CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Hydroxylamine-O-sulfonic acid)

Transport hazard class(es)

DOT



Corrosive substances. Label Class (C2) Corrosive substances Label



Class 8 Corrosive substances. Label

Packing group DOT, IMDG, IATA 111

Environmental hazards: Not applicable.

Special precautions for user Warning: Corrosive substances EMS Number: F-A.S-B

Acids Segregation groups

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

UN "Model Regulation": UN3260, Corrosive solid, acidic, inorganic, n.o.s. (Hydroxylamine-O-sulfonic acid),

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS07 GHS08

Signal word Danger

Hazard statements
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
Precautionary statements

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P281 Use personal protective equipment as required.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 5)

(Contd. of page 4)

Product name: Hydroxylamine-O-sulfonic acid

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/30/2016 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods DOT: US Department of Transportation
IMTA: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal concentration, 50 percent
LD50: Lethal doncentration of Department of System (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
NTP: National Toxicology Program (USA)
Skin Corr. 18: Skin corrosion/irritation, Hazard Category 1
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Skin Sens. 1: Sensitisation - Skin, Hazard Category 2

USA