

Safety Data Sheet per OSHA HazCom 2012

| Reviewed on | 03/19/2014 |
|--|---------------|
| 1 Identification | |
| Product identifier | |
| Product name: <u>3-(Methylthio)propionaldehyde</u> <u>Stock number:</u> A14774, L08187 | |
| CAS Number: | |
| 3268-49-3 EC number: | |
| 221-882-5 Relevant identified uses of the substance or mixture and uses advised against. | |
| Identified use: SU24 Scientific research and development Details of the supplier of the safety data sheet | |
| Manufacturer/Supplier: Alfa Aesar | |
| Thermo Fisher Scientific Chemicals. Inc. | |
| 30 Bond Street Ward Hill, MA 01835-8099 | |
| Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com | |
| www.alfa.com | |
| Information Department: Health, Safety and Environmental Department Emergency telephone number: | |
| During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789. | |
| 2 Hazard(s) identification | |
| Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) | |
| GHS07 | |
| Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H312 Harmful in contact with skin. | |
| Acute Tox. 4 H332 Harmful if inhaled. | |
| Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. | |
| Skin Sens. 1 H317 May cause an allergic skin reaction. | |
| STOT SE 3 H335 May cause respiratory irritation. | |
| H227 Combustible liquid. Hazards not otherwise classified No information known. | |
| Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms | |
| \wedge | |
| | |
| GHS07 | |
| Signal word Warning Hazard statements | |
| H227 Combustible liquid. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. | |
| H319 Causes serious eye irritation. | |
| H317 May cause an allérgic skin reaction. H335 May cause respiratory irritation. | |
| Precautionary statements P280 Wear protective gloves / protective clothing. | |
| P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/ | |
| WHMIS classification | |
| B3 - Combustible liquid D1B - Toxic material causing immediate and serious toxic effects | |
| D2B - Toxic material causing other toxic effects | |
| | |
| Classification system | |
| HMIS ratings (scale 0-4) (Hazardous Materials Identification System) | |
| HEALTH 2 Health (acute effects) = 2 FIRE 2 Flammability = 2 | |
| REACTIVITY 1 Physical Házard = 1 | |
| Other hazards Results of PBT and vPvB assessment | |
| PBT: Not applicable. vPvB: Not applicable. | |
| 3 Composition/information on ingredients | |
| Chemical characterization: Substances | |
| CAS# Description: 3268-49-3 3-(Methylthio)propionaldehyde | d on page 21 |
| Cont | d. on page 2) |

(Contd. on page 2)

Product name: 3-(Methylthio)propionaldehyde

Identification number(s): EC number: 221-882-5

4 First-aid measures

Description of first aid measures

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. For safety reasons unsuitable extinguishing agents Water with full jet. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Suffur oxides (SOX)

Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation Envire adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Environ edocurbe ventilation Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Storage Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store away from oxidizing agents. Store away from strong bases. Store away from air. Protect from heat. Further information about storage conditions: Store under dry inert gas. This product is air sensitive. Store under inert gas. Keep container tightly sealed. Refrigerate Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: Not required. Additional information: No data Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition

Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

(Contd. of page 1)

Product name: 3-(Methylthio)propionaldehyde

Eye protection: Safety glasses Body protection: Protective work clothin (Contd. of page 2)

| Eye protection: Safety glasses Body protection: Protective work clothi | ing. | | | |
|--|---|--------------------|--|--|
| 9 Physical and chemical properties | | | | |
| Information on basic physical and ch General Information A <u>p</u> pearance: | | | | |
| Form: Color: | Liquid Colorless to pale yellow | | | |
| Odor: Odor threshold: | Strong Not determined. | | | |
| pH-value: Change in condition | Not determined. | | | |
| Malting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: | -58 °C (-72 °F) 165-166 °C (329-331 °F) Not determined | | | |
| Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: | 64 °C (147 °F) Not determined Not determined Not determined | | | |
| Auto igniting: | Not determined. | | | |
| Danger of explosion: Explosion limits: Lower: Upper: | Product does not present an explosion hazard. 1.3 Vol % 26.1 Vol % | | | |
| Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density | 0.53 hPa 1.052 g/cm³ (8.779 lbs/gal) Not determined. Not determined. | | | |
| Evaporation rate Solubility in / Miscibility with | Not determined. | | | |
| Water: Partition coefficient (n-octanol/water) Viscosity: | Slightly soluble : Not determined. | | | |
| dynamic at 10 °C (50 °F): kinematic: Other information | 1.7 mPas Not determined. No further relevant information available. | | | |
| Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Bases Air Heat Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx) | | | | |
| 11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if inhaled. Harmful in contact with skin. Harmful is wallowed. Danger through skin absorption. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes skin irritation. Germ cell mutagenicity: No effects known. Garcinogenicity: No effects known. Carcinogenicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - repeated exposure: May cause respiratory irritation. Appiration hazard: No effects known. Subacute to chronic toxicity: Subacute to chronic toxicity: Thiols/mercaptans may be skin, eye and respiratory irritants. Inhalation can cause central nervous system effects. Strong penetrating odor acts to minimize inhalation exposure. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. | | | | |
| 12 Ecological information | | | | |
| Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. | | | | |
| Do not allow undiluted product or large of Avoid transfer into the environment. | quantities to reach ground water, water course or sewage system. | (Contd. on page 4) | | |
| | | 00A | | |

| Product name: 3-(Methylthio)propionaldehyde | | |
|--|---|--|
| Results of PBT and vPvB assessment | (Contd. of page 3) | |
| PBT: Not applicable. | | |
| vPvB: Not applicable. Other adverse effects No further relevant information available. | | |
| | | |
| 13 Disposal considerations | | |
| Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. | | |
| Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. | | |
| | | |
| 14 Transport information | | |
| UN-Number DOT, IMDG, IATA UN2785 | | |
| UN proper shipping name | | |
| DOT 4-Thiapentan IMDG, IATA 4-THIAPENT | a/ ANAL | |
| Transport hazard class(es) | | |
| DOT | | |
| × | | |
| | | |
| Class 6.1 Toxic sub | stances. | |
| Label 6.1 Class 6.1 (T1) Toxic | | |
| Label 6.1 | Substances | |
| IMDG, IATA | | |
| | | |
| | | |
| Class 6.1 Toxic sub Label 6.1 | stances. | |
| Packing group | | |
| | | |
| Environmental hazards: Not applicable | | |
| Special precautions for user Warning: Tox Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable | | |
| Transport/Additional information: | | |
| DOT | | |
| Marine Pollutant (DOT): No UN "Model Regulation": UN2785, 4-TH | iapentanal. 6.1. III | |
| UN Model Regulation . UN2765, 4-11 | | |
| 15 Regulatory information | | |
| Safety, health and environmental regulations/legislation specific for the substance or mi GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (C | xture | |
| Hazard pictograms | SHA HUS) | |
| \wedge | | |
| | | |
| GHS07 | | |
| Signal word Warning | | |
| Hazard statements H227 Combustible liquid. | | |
| H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation. | | |
| H319 Causes serious eve irritation. | | |
| H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. | | |
| Precautionary statements P280 Wear protective gloves / protective clothing | | |
| P280 Wear protective gloves / protective clothing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conta | ct lenses, if present and easy to do. Continue rinsing. | |
| P309 IF exposed or if you feel unwell: P310 Immediately call a POISON CENTER/doctor/ | | |
| National regulations | bstances Control Act Chemical substance Inventory | |
| All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). | | |
| SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65 | | |
| Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. | | |
| Prop 65 - Developmental toxicity, female Substance is not listed. | | |
| Prop 65 - Developmental toxicitý, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. | | |
| Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. | 1907/2006. Substance is not listed | |
| The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the | | |
| | | |
| market and use must be observed. Substance is not listed. | | |
| market and use must be observed. Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not li Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | sted. | |

Product name: 3-(Methylthio)propionaldehyde

Page 5/5 Printing date 11/23/2015 Reviewed on 03/19/2014

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 /
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (IATA)
ICAO: Thermational Civil Aviation Organization
ICAO: Thermational Maritime Code for Dangerous Goods
Dangerous Goods
Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
IATA: International Astructs Service (division of the Americ

USA