SECTION 1: Identification of the substa	nce/mixture and of the company/undertaking	
1.1 Product identifier Trade name	3-Methoxyphenylmagnesium bromide, 1.0 M in 2-MeTHF	
Stock number:	H54780	
1.2 Relevant identified uses of the substance Identified use:		
1.3 Details of the supplier of the safety data Manufacturer/Supplier:	sheet Alfa Aesar GmbH & Co.KG	
	A Johnson Matthey Company Zeppelinstr 7b	
	76185 Karlsruhe / Germany	
	Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com	
Informing donortmont	www.alta.com	
Informing department: 1.4 Emergency telephone number:	Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz	
	www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240	
SECTION 2: Hazards identification		
2.1 Classification of the substance or mixtur		
Classification according to Regulation (EC)	NO 1272/2006	
$\bigtriangledown$		
Flam. Liq. 2 H225 Highly flammable liquid ar	nd vapour.	
GHS05 corrosion		
Skin Corr. 1B_H314_Causes severe skin burns Classification according to Directive 67/548/	2 2 2	
C; Corrosive		
R34: Causes burns.		
F; Highly flammable		
R14-19: Reacts violently with water. May forr Information concerning particular hazards for human and environment:	The product has to be labelled due to the calculation procedure of the "General Classification guideline fr	or
Other hazards that do not result in	The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.	01
classification	No information known.	
2.2 Label elements Labelling according to Regulation (EC) No		
1272/2008 Hazard pictograms	The product is classified and labelled according to the CLP regulation. GHS02, GHS05	
Signal word Hazard-determining components of	Danger	
labelling: Hazard statements	3-Methoxyphenylmagnesium bromide	
	H314 Causes severe skin burns and eye damage. P310 Kauses severe skin burns and eye damage.	
Precautionary statements	3-Methoxyphenylmagnesium bromide H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage. P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P303+P361+P353 IF ON SKIN (or bair): Remove/Take off immediately all contaminated clothing. Rinse s	مارزیم
	with water/shower.	
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.	, IT
	P405         Store locked up.           P501         Dispose of contents/container in accordance with local/regional/national/international	
Additional information:	regulations. EUH014 Reacts violently with water.	
2.3 Other hazards	EÜH019 May form explósive peroxides.	
Results of PBT and vPvB assessment PBT:	Not applicable. Not applicable.	
vPvB:	Not applicable.	
SECTION 3: Composition/information of	on ingredients	
3.2 Mixtures Dangerous components:		
CAS: 96-47-9 EINECS: 202-507-4	■ F R11 R19	76,0%
	Image: Second	24,0%
CAS: 36282-40-3 3-Methoxyphenylmagnesi	R14-19	24,0%
Additional information	line known. In the second s	
SECTION 4: First aid measures		
4.1 Description of first aid measures		
General information After inhalation	Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms	
	persist. Seek immediate medical advice.	
After skin contact	Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.	
After eye contact After swallowing	Rinse opened eye for several minutes under running water. Then consult doctor. Seek medical treatment.	
4.2 Most important symptoms and effects, both acute and delayed	No further relevant information available.	
•	(Contd. on	page 2)

## Safety data sheet according to 1907/2006/EC, Article 31 Printing date 02.07.2013 Revision: 24.04.2012 Trade name 3-Methoxyphenylmagnesium bromide, 1.0 M in 2-MeTHF (Contd. of page 1) 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents For safety reasons unsuitable extinguishing In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water. Water. agents 5.2 Special hazards arising from the substance or mixture Reacts violently with water If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen bromide (HBr) Metal oxide 5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus. Wear full protective suit. SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil. 6.2 Environmental precautions: 6.3 Methods and material for containment Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to item 13. and cleaning up: Dispose of contaminated material as waste according to item 13 Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Keep away from ignition sources. See Section 7 for information on safe handling See section 8 for information on personal protection equipment. See Section 13 for information on disposal. Prevention of secondary hazards: 6.4 Reference to other sections SECTION 7: Handling and storage Handle under dry protective gas. Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. Open and handle container with care. 7.1 Precautions for safe handling Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Do not distill to dryness. Explosive peroxides may form, handle container cautiously. .2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and Store in cool location. containers: Information about storage in one common Store away from air. Store away from water. Do not store together with acids. Store away from oxidizing agents. Store away from acid chlorides. storage facility: Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Protect from humidity and keep away from water. Store in cool, dry conditions in well sealed containers. Avoid contact with air / oxygen (formation of peroxide). Store in a locked cabinet or with access restricted to technical experts or their assistants. Check container pressure periodically to prevent explosive peroxides. No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

SECTION 6. Exposure controls/personal protection		
Additional information about design of technical systems:	Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
8.1 Control parameters Components with critical values that require monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.	
Additional information:	No data	
8.2 Exposure controls Personal protective equipment General protective and hygienic measures	The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment.	
Breathing equipment: Protection of hands:	Use breathing protection with high concentrations. Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.	
Material of gloves Penetration time of glove material	Impervious gloves Not determined	

(Contd. on page 3)

Revision: 24.04.2012

	irade name 3-Methoxyphenylmagnesium bromide, 1.0 M in 2-MeTHF		
Eye protection:	Tightly sealed safety glasses. (Contd. of page 2		
Body protection:	Full fáce protection ´´ Protective work clothing.		
SECTION 9: Physical and chemical pro	perties		
9.1 Information on basic physical and chemi			
General Information Appearance:			
Form: Colour:	Liquid Yellow to gray		
Smell: Odour threshold:	Not determined Not determined.		
pH-value:	Not determined.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined Not determined		
Flash point: Inflammability (solid, gaseous) Ignition temperature: Decomposition temperature:	-11 °C Not determined. Not determined Not determined		
Self-inflammability: Danger of explosion:	Product is not selfigniting. May form explosive peroxides.		
Critical values for explosion:	Do not distill to dryness.		
Lower: Upper:	Not determined Not determined		
Steam pressure:	Not determined		
Density Relative density Veneus density	Not determined Not determined		
Vapour density Evaporation rate	Not determined. Not determined.		
Solubility in / Miscibility with Water:	Reacts violently		
Partition coefficient (n-octanol/water): Viscosity:	Not determined.		
dynamic: kinematic:	Not determined. Not determined.		
Solvent content: Organic solvents:	0.0 %		
Solids content:	24,0 %		
9.2 Other information	No further relevant information available.		
SECTION 10: Stability and reactivity			
10.1 Reactivity	Reacts violently with water. May form explosive peroxides.		
10.2 Chemical stability Thermal decomposition / conditions to be	Stable under recommended storage conditions.		
avoided: 10.3 Possibility of hazardous reactions	No decomposition if used and stored according to specifications. Reacts with strong oxidizing agents Reacts violently with water		
	Reacts violently with water Forms peroxides		
10.5 Incompatible materials:	Acids Air		
	Ovidizing agents Acid chlorides		
	Water/moisture		
10.6 Hazardous decomposition products:	Carbon monoxide and carbon dioxide Hydrogen bromide		
	Metal ŏxide		
SECTION 11: Toxicological information			
11.1 Information on toxicological effects Acute toxicity:	Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in		
LD/LC50 values that are relevant for classified	this product.		
96-47-9 2-Methyltetrahydrofuran			
Dermal LD50 4500 mg/kg (rabbit) Inhalative LC50/4H 6000 ppm/4H (rat)			
Skin irritation or corrosion:	Causes severe skin burns.		
Eye irritation or corrosion: Sensitization:	Causes serious eye damage. No sensitizing effect known.		
Germ cell mutagenicity: Carcinogenicity:	No effects known. No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA		
Reproductive toxicity:	or ACGIH. No effects known.		
Specific target organ system toxicity - repeated exposure:	No effects known.		
Specific target organ system toxicity - single exposure:			
Aspiration hazard: Additional toxicological information:	No effects known. To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version: Corrosive		
SECTION 12: Ecological information			

## y 12.1 Toxicity Aquatic toxicity:

No further relevant information available.

Revision: 24.04.2012

ade name <b>3-Methoxyphenylmagnesiu</b> l	m bromide, 1.0 M in 2-MeTHF
12.2 Persistence and degradability	No further relevant information quailable (Contd. of page
12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil Additional coolection information.	No further relevant information available. No further relevant information available. No further relevant information available.
Additional ecological information: General notes:	Do not allow material to be released to the environment without proper governmental permits.
	Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system Avoid transfer into the environment.
12.5 Results of PBT and vPvB assessment PBT:	Not applicable.
vPvB: 12.6 Other adverse effects	Not applicable. No further relevant information available.
SECTION 13: Disposal considerations	
13.1 Waste treatment methods	
Recommendation	Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations. Consult state, local or national regulations for proper disposal.
Uncleaned packagings: Recommendation:	Disposal must be made according to official regulations.
SECTION 14: Transport information	
UN-Number ADR, IMDG, IATA	UN2924
14.2 UN proper shipping name	
	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3- Methoxyphenylmagnesium bromide, METHYLTETRAHYDROFURAN) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3-Methoxyphenylmagnesium bromide, METHYLTETRAHYDROFURAN)
IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3-Methoxyphenylmagnesium bromide, METHYLTETRAHYDROFURAN)
14.3 Transport hazard class(es)	
ADR	
Class	3 (FC) Flammable liquids.
Label IMDG, IATA	3+8
* =	
$\checkmark$ $\checkmark$	
Class Label	3 Flammable liquids. 3+8
Packing group ADR, IMDG, IATA	ll
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number:	Warning: Flammable liquids. 338
EMS Number:	338 F-E,S-C
14.7 Transport in bulk according to Annex I Code	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ): Limited quantities (LQ)	E2
Transport category	1L 2 D/E
Tunnel restriction code UN "Model Regulation":	D/E UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3-
	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (3- Methoxyphenylmagnesium bromide, METHYLTETRAHYDROFURAN), 3 (8),
SECTION 15: Regulatory information	
15.1 Safety, health and environmental regul	ations/legislation specific for the substance or mixture
Australian Inventory of Chemical Substance 96-47-9 2-Methyltetrahydrofuran	;>
Standard for the Uniform Scheduling of Dru	igs and Poisons
None of the ingredients is listed. National regulations	
Information about limitation of use:	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed.
Classification according to VbF: Water hazard class:	A I Water hazard class 1 (Self-assessment): slightly hazardous for water.
Other regulations, limitations and prohibitiv	ve regulations
ELINCS (European List of Notified Chemica None of the ingredients is listed.	i Substances)
Substances of very high concern (SVHC) ac	cording to REACH, Article 57
None of the ingredients are listed. REACH - Pre-registered substances	
96-47-9 2-Methyltetrahydrofuran	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other information	a supplement to other information gathered by them, and should make independent judgement of suitability of
this information to ensure proper use and prote	a supplement to other information gathered by them, and should make independent judgement of suitability of ect the health and safety of employees. This information is furnished without warranty, and any use of the produ ata Sheet, or in combination with any other product or process, is the responsibility of the user.
not in comormance with this Material Safety Da	(Contd. on page

(Contd. on page 5) DE/E

Revision: 24.04.2012

ade name 3-MethoxyphenyImagnesium bromide, 1.0 M in 2-MeTHF	
	(Contd. of page 4
Relevant phrases	H224 Extremely flammable liquid and vapour. H225 Highly flammable liquid and vapour. H314 Causes severe skin burns and eye damage.
Department issuing data specification sheet: Abbreviations and acronyms:	R11 Highly flammable. R14 Reacts violently with water. R19 May form explosive peroxides. R34 Causes burns. Health, Safety and Environmental Department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent