

# Safety Data Sheet per OSHA HazCom 2012

Reviewed on 08/05/2010
1 Identification
Product identifier Product name: Bis(cyclopentadienyl)zirconium hydrochloride
Stock number: 89640
CAS Number: 37342-97-5
<b>EC number:</b> 253-479-5
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com www.alfa.com
Information Department: Health, Safety and Environmental Department Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Water-react. 2 H261 In contact with water releases flammable gas.
$\sim$
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. <b>Hazards not otherwise classified</b> No information known.
Hazards not otherwise classified No ínformation known. Label elements
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS02 GHS05
Signal word Danger Hazard statements
H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eve damage
Proceutionary statements
P231+P232 Handle under inert gas. Protect from moisture. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. <b>WHMIS classification</b> B6 - Reactive flammable material
D2B - Toxic material causing other toxic effects E - Corrosive material
Classification system HMIS ratings (scale 0-4)
(Hazardouš Materials Identification System)
HEALTH 2 Health (acute effects) = 2 FIRE 2 Flammability = 2 REACTIVITY 3 Physical Hazard = 3
Other hazards Results of PBT and vPvB assessment
PBT: Not applicable. vPvB: Not applicable.
3 Composition/information on ingredients
Chemical characterization: Substances
CAS# Description: 37342-97-5 Bis(cyclopentadienyl)zirconium hydrochloride Identification number(s):
Identification number(s): EC number: 253-479-5 Additional information: Zirconium is routinely found with a low level of hafnium since separation of the two elements is difficult.
USA – USA – (Contd. on page 2)

## Product name: Bis(cyclopentadienyl)zirconium hydrochloride

	(Contd. of page 1)
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product.	
After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact	
Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor	
Most important symptoms and effects, both acute and delayed Causes severe skin burns.	
Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media	
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture Reacts violently with water	
If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl) Metal oxide fume	
Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	
<b>Environmental precautions:</b> Do not allow material to be released to the environment without proper governmental permits. <b>Methods and material for containment and cleaning up:</b> Use neutralizing agent.	
Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents <b>Prevention of secondary hazards:</b> No special measures required. <b>Reference to other sections</b>	
Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed.	
Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace	
Informătion about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities	
Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents.	
Store in the dark. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas.	
This product is moisture sensitive. Protect from humidity and water. Keep container tightly sealed.	
Store in cool, dry conditions in well sealed containers. Protect from exposure to light. <b>Specific end use(s)</b> No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems:	
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters	
Components with limit values that require monitoring at the workplace: Zirconium and compounds, as Zr	
ACGIH TLV 5; 10-STEL Austria MAK 5	
Denmark TWA 5 Finland TWA 5	
Hungary 5-STEL Korea TLV 5 Poland TWA 5: 10-STEL	
Russia 5-STEL OSHA PEL 5	(Contd. on page 3)

# Safety Data Sheet per OSHA HazCom 2012

Due due transmission	Dia/avalanantadian	u) zive e niver budye e ble vide	
Product name: E	Bis(cyclopentadien)	/l)zirconium hydrochloride	
			(Contd. of page 2)
		onium hydrochloride (100.0%)	
PEL (USA)	Long-term value: 5 mg/m as Zr	3	
REL (USA)	Short-term value: 10 mg// Long-term value: 5 mg/m as Zr	$m_{3}^{3}$	
TLV (USA)	Short-term value: 10 mg/ Long-term value: 5 mg/m as Zr	m³ 3	
EL (Canada)	Short-term value: 10 mg/ Long-term value: 5 mg/m as Zr	m <sup>3</sup> 3	
Additional in	formation: No data		
General prot The usual prot Keep away fr Remove all so Wash hands Avoid contact Maintain an e Breathing eq Protection Or pervious gl Check protec The selection Penetration i Eye protecti Tightly sealed Full face prot	Ditective equipment tective and hygienic mea- tective and hygienic mea- tecautionary measures for 1 om foodstuffs, beverages oiled and contaminated cl before breaks and at the e twith the eyes and at the twith the eyes and skin. regonomically appropriate guipment: Use suitable re f hands: loves tive gloves prior to each u of suitable gloves not onl time of glove material (ir on: d gogales	handling chemicals should be followed. and feed. othing immediately. and of work. working environment. spirator when high concentrations are present. se for their proper condition. y depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. <b>n minutes)</b> Not determined	
	nd chemical propertie		
Information General Info Appearance:		nemical properties	
Form:		Powder	
Color:		White	
Odor: Odor thresh	old:	Not determined Not determined.	
pH-value:	010.	Not applicable.	
Change in co	ondition int/Melting range:	>300 °C (>572 °F)	

pH-value:	Not applicable.
Change in condition	>300 °C (>572 °F)
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flammability (solid, gaseous)	Not determined
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto igniting:	Not determined
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	Not determined
Lower:	Not applicable.
Upper:	Not determined.
Vapor pressure:	Not determined.
Density:	Not applicable.
Relative density	Reacts violently
Vapor density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	Not applicable.
Water:	Not applicable.
Partition coefficient (n-octanol/water):	Not applicable.
Viscosity:	Not applicable.
dynamic:	Not applicable.
kinematic:	Not applicable.
Other information	Not applicable.

## 10 Stability and reactivity

Reactivity Reacts violently with water. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions Reacts violently with water Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Water/moisture Liaht

Valentinoistine Light Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl) Metal oxide fume

11 Toxicological information

Information on toxicological effects Acute toxicity: Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes severe skin burns.

(Contd. on page 4)

Safety	/ Data	Sheet
per OSF	IA HazC	om 2012

Eye irritation or corrosion: Causes serious eye damage. Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity:	(Contd. of page
Specific target organ system toxicity - repeated exposure No	lata on which to classify the agent in terms of its carcinogenicity in humans and/or animals. o effects known. fects known.
Specific target organ system toxicity - single exposure: No ef Aspiration hazard: No effects known. Subacute to chronic toxicity: Inhalation of zirconium compound	
Subacute to chronic toxicity: No effects known.	dge the acute and chronic toxicity of this substance is not fully known.
2 Ecological information	
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information availa Bioaccumulative potential No further relevant information availa Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without pr Do not allow undiluted product or large quantities to reach ground Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable.	roper governmental permits.
<b>VPVB</b> : Not applicable. <b>Other adverse effects</b> No further relevant information available.	
13 Disposal considerations	
Waste treatment methods Recommendation Consult state, local or national regulations to e Uncleaned packagings: Recommendation: Disposal must be made according to official re	
4 Transport information	
UN-Number DOT, IMDG, IATA	UN3131
UN proper shipping name DOT IMDG, IATA	Water-reactive solid, corrosive, n.o.s. (Bis(cyclopentadienyl)zirconium hydrochloride) WATER-REACTIVE SOLID, CORROSIVE, N.O.S. (Bis(cyclopentadienyl)zirconiu hydrochloride)
Transport hazard class(es) DOT	
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3+8
Label Class Label	4.3+8 4.3 (WC2) Substances which, in contact with water, emit flammable gases 4.3+8
Label Class Label IMDG, IATA Class Label	4.3+8
Label Class Label IMDG, IATA Class	<ul> <li>4.3+8</li> <li>4.3 (WC2) Substances which, in contact with water, emit flammable gases</li> <li>4.3+8</li> <li>4.3 Substances which, in contact with water, emit flammable gases.</li> </ul>
Label Class Label IMDG, IATA Class Label	<ul> <li>4.3+8</li> <li>4.3 (WC2) Substances which, in contact with water, emit flammable gases</li> <li>4.3+8</li> <li>4.3 Substances which, in contact with water, emit flammable gases.</li> </ul>
Label Class Label IMDG, IATA Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user	<ul> <li>4.3+8</li> <li>4.3 (WC2) Substances which, in contact with water, emit flammable gases</li> <li>4.3+8</li> <li>4.3 Substances which, in contact with water, emit flammable gases.</li> <li>4.3+8</li> <li><i>II</i></li> <li><i>Not applicable.</i></li> <li><i>Warning: Substances which, in contact with water, emit flammable gases</i></li> </ul>
Label Class Label IMDG, IATA Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and	<ul> <li>4.3+8</li> <li>4.3 (WC2) Substances which, in contact with water, emit flammable gases</li> <li>4.3+8</li> <li>4.3 Substances which, in contact with water, emit flammable gases.</li> <li>4.3+8</li> <li><i>II</i></li> <li><i>Not applicable.</i></li> <li><i>Warning: Substances which, in contact with water, emit flammable gases</i></li> </ul>
Label Class Label IMDG, IATA Class Label Packing group DOT, IMDG, IATA Environmental hazards: Special precautions for user	<ul> <li>4.3+8</li> <li>4.3 (WC2) Substances which, in contact with water, emit flammable gases</li> <li>4.3+8</li> <li>4.3 Substances which, in contact with water, emit flammable gases.</li> <li>4.3+8</li> <li><i>II</i></li> <li><i>Not applicable.</i></li> <li><i>Warning: Substances which, in contact with water, emit flammable gases</i></li> </ul>

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



*Signal word* Danger *Hazard statements* H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eye damage.

(Contd. on page 5)

### Product name: Bis(cyclopentadienyl)zirconium hydrochloride

(Contd. of page 4)

USA

### Precautionary statements

 Precautionary statements

 P231+P232
 Handle under inert gas. Protect from moisture.

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 P403
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

 Mational regulations
 This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

 SARA Section 313 (specific toxic chemical listings) Substance is not listed.

 Prop 65 - Chemicals known to cause cancer Substance is not listed.

 Prop 65 - Developmental toxicity, female Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Prop 65 - Developmental toxicity, male Substance is not listed.

 Information about limitation of use: For use only by technically qualified individuals.

 Other regulations, ilmitations and prohibitive regulations

 Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

 The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

 Substance is

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / 
Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAC: International Civil Aviation Organization
ICAC-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Agency for greent
LD50: Lethal concentration,