



Ke	eviewed on 05/12/2014
1 Identification	
Product identifier Product name: 4-Chloro-6-(trifluoromethyl)pyrimidine	
Stock number: H64179	
CAS Number: 37552-81-1	
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.	
30 Bond Street Ward Hill, MA 01835-8099	
Tel: 800-343-0660	
Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	
Information Department: Health, Safety and Environmental Department Emergency telephone number:	
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 9)28-0789.
2 Hazard(s) identification	
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)	
GHS07	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation. Hazards not otherwise classified No information known.	
Label elements	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms	
GHS07	
Signal word Warning	
Hazard statements H315 Causes skin irritation.	
H319 Causes serious eve irritation.	
H335 May cause respirátory irritation. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rir P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	nsina
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P405 Store locked up.	isirig.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification	
D2B - Toxic material causing other toxic effects	
(\mathbf{T})	
Classification system	
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)	
HEALTH I Health (acute effects) = 1	
FIRE I REACTIVITY Physical Hazard = 1	
Other hazards Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Substances	
CAS# Description: 37552-81-1 4-Chloro-6-(trifluoromethyl)pyrimidine	
4 First-aid measures	
Description of first aid measures After inhalation	
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.	
After skin contact Immediately wash with water and soap and rinse thoroughly.	
Seek intrediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing Seek medical treatment.	(Contd. on page 2)
	USA

Product name: 4-Chloro-6-(trifluoromethyl)pyrimidine

(Contd. of page 1)

Information for doctor
Most important sympton

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

	Fire-fighting measures		
	Extinguishing media Suitable extinguishing agents Carbon of Special hazards arising from the subst If this product is involved in a fire, the follo Carbon monoxide and carbon dioxide Hydrogen fluoride (HF) Nitrogen oxides (NOx) Hydrogen chloride (HCI) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. tance or mixture lowing can be released:	
6	Accidental release measures		
	Methods and material for containment	iected persons away. ow product to reach sewage system or any water course. t and cleaning up: I, diatomite, acid binders, universal binders, sawdust). special measures required. ndling	
	' Handling and storage		
	, ,	explosions and fires: No information known.	
	Conditions for safe storage, including a Storage		
	Requirements to be met by storerooms		
8	Exposure controls/personal protect	ection	
	Additional information about design of		1
	Properly operating chemical fume hood de	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. In the monitoring at the workplace: In the monitored at the workplace with critical values that have to be monitored at the workplace.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hau Keep away from foodstuffs, beverages an	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. nd feed.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measu The usual precautionary measures for han Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the enc	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. hing immediately.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for have Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eves and skin.	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. thing immediately. ad of work.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hai Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. thing immediately. Ind of work.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measu The usual precautionary measures for han Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyees and skin. Maintain an ergonomically appropriate wor Breathing equipment: Use suitable resp Protection of hands: Impervious gloves	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. Whing immediately. Ind of work. Porking environment. pirator when high concentrations are present.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hai. Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only of	designed for fiazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. thing immediately. and of work. Porking environment. pirator when high concentrations are present. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hai Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only of Penetration time of glove material (in n Eye protection: Safety glasses	designed for fiazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. thing immediately. Ind of work. Porking environment. Dirator when high concentrations are present. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) Not determined	
	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measu The usual precautionary measures for hak Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only of Penetration time of glove material (in n	designed for fiazardous chemicals and having an average face velocity of at least 100 feet per minute. uire monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. ures andling chemicals should be followed. Ind feed. thing immediately. Ind of work. Porking environment. Dirator when high concentrations are present. e for their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) Not determined	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hai Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection is suitable gloves not only of Penetration time of glove material (in n Eye protection: Protective work clothin Physical and chemical properties	designed for fiazardous chemicals and having an average face velocity of at least 100 feet per minute. In the monitoring at the workplace: In the materials with critical values that have to be monitored at the workplace. In the materials should be followed. Ind feed. Ind feed. In thing immediately. Ind of work. In the monitorial state of the material of the material of the manufacture of the manufacture of the material. In the material, but also on quality. Quality will vary from manufacturer to manufacturer. In the minutes. In the material, but also on quality. In the material of the ma	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measu The usual precautionary measures for har Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyees and skin. Maintain an ergonomically appropriate wor Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection: Safety glasses Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chem General Information	designed for fiazardous chemicals and having an average face velocity of at least 100 feet per minute. In the monitoring at the workplace: In the materials with critical values that have to be monitored at the workplace. In the materials should be followed. Ind feed. Ind feed. In thing immediately. Ind of work. In the monitorial state of the material of the material of the manufacture of the manufacture of the material. In the material, but also on quality. Quality will vary from manufacturer to manufacturer. In the minutes. In the material, but also on quality. In the material of the ma	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for han Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wo Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only of Penetration time of glove material (in n Eye protection: Safety glasses Body protection: Protective work clothin Physical and chemical properties Information on basic physical and chem General Information Appearance:	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. In transition of materials with critical values that have to be monitored at the workplace. In the quantities of materials with critical values that have to be monitored at the workplace. In the quantities of materials should be followed. Ind feed. In thing immediately. Ind of work. In this immediately. In this immediately. In this immediately. In this immediately. In the material, but also on quality. Quality will vary from manufacturer to manufacturer. In the material, but also on quality. Quality will vary from manufacturer to manufacturer. In the material is the material of the material is the table of tab	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective equipment General protective and hygienic measu The usual precautionary measures for har Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wor Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection: Safety glasses Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Color:	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. In true monitoring at the workplace: In quantities of materials with critical values that have to be monitored at the workplace. In trues and ling chemicals should be followed. Ind feed. Ind f	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevand Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for hank Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate work Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection: Safety glasses Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor threshold:	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. In transities of materials with critical values that have to be monitored at the workplace. In transities of materials should be followed. Ind feed. Ind feed. Ind feed. Ind for the more that the concentrations are present. In the material, but also on quality. Quality will vary from manufacturer to manufacturer. Indicate properties Indicate properties I Liquid	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for har Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wor Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection: Safety glasses Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Interemonitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. Interesting immediately. Ind feed. Inting immediately. Ind of work. Interesting environment. Interesting environment. Interesting concentrations are present. Interesting on the material, but also on quality. Interesting on the material, but also on the material,	
9	Properly operating chemical fume hood de Control parameters Components with limit values that requ The product does not contain any relevan Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measu The usual precautionary measures for har Keep away from foodstuffs, beverages an Remove all soiled and contaminated cloth Wash hands before breaks and at the end Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate work Breathing equipment: Use suitable resp Protection of hands: Impervious gloves Check protective gloves prior to each use The selection: Safety glasses Body protection: Protective work clothing Physical and chemical properties Information on basic physical and chem General Information Appearance: Form: Color: Odor: Ddor threshold: pH-value:	designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Intree monitoring at the workplace: Int quantities of materials with critical values that have to be monitored at the workplace. Int quantities of materials should be followed. Ind feed. Ind of work. Ind peends on the material, but also on quality. Ind of users Induces Induced Induce	

Product name: 4-Chloro-6-(trifluoromethyl)pyrimidine

Page 3/4 Printing date 11/24/2015 Reviewed on 05/12/2014

	Reviewed on	
Product name: 4-Chloro-6-(trifluor	romethyl)pyrimidine	
	(Cor	ntd. of page 2,
Flammability (solid, gaseous)	Not determined.	<u>u. o, puge _</u>
lanition temperature:	Not determined	
Decomposition temperature: Auto igniting:	Not determined Not determined.	
Danger of explosion: Explosion limits:	Not determined.	
Lower:	Not determined	
Upper: Vapor pressure:	Not determined	
Vapor pressure: Density:	Not determined Not determined	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate Solubility in / Miscibility with	Not determined.	
Water:	Not determined	
Partition coefficient (n-octanol/wate		
Viscosity: dynamic:	Not determined.	
kinematic:	Not determined.	
Other information	No further relevant information available.	
0 Stability and reactivity		
Reactivity No information known.	al a d'arte an anna an a <u>Rtha an</u>	
Chemical stability Stable under reco Thermal decomposition / condition	commended storage conditions. ns to be avoided: Decomposition will not occur if used and stored according to specifications.	
Possibility of hazardous reactions l	Reacts with strong oxidizing agents	
Conditions to avoid No further releva	vant information available.	
Incompatible materials: Oxidizing age Hazardous decomposition products	agents	
Carbon monoxide and carbon dioxide	<i>.S:</i> م	
Hydrogen fluoride	,	
Nitrogen oxides Hydrogen chloride (HCl)		
Hydrogen chionae (110)		
1 Toxicological information		
Information on toxicological effects	10	
Acute toxicity: No effects known.		
LD/LC50 values that are relevant for	or classification: No data	
Skin irritation or corrosion: Causes	s skin irritation.	
Eye irritation or corrosion: Causes Sensitization: No sensitizing effects	serious eye irritation.	
Germ cell mutagenicity: No effects /	s known. known. lata on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	
Carcinogenicity: No classification da	ata on carcinogenic properties of this material is available from the EPA, IARC, NTP, USHA or AUGIH.	
Reproductive toxicity: No effects known Specific target organ system toxicity	nown. z ity - repeated exposure: No effects known.	
Specific target organ system toxicit	city - single exposure: May cause respiratory irritation.	
Aspiration hazard: No effects known	ín.	
Subacute to chronic toxicity: No eff Additional toxicological information	ffects known. on: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
Additional toxicological		
12 Ecological information		
Toxicity		
Aquatic toxicity: No further relevant	t information available.	
Persistence and degradability No fu	further relevant information available.	
Bioaccumulative potential No furthe Mobility in soil No further relevant in	er relevant information available.	
Additional ecological information:		
General notes:		
Do not allow undiluted product or large Avoid transfer into the environment.	ge quantities to reach ground water, water course or sewage system.	
Results of PBT and vPvB assessme	ient	
PBT: Not applicable.		
vPvB: Not applicable. Other adverse effects No further rele	levant information available.	
3 Disposal considerations		
Waste treatment methods		
Recommendation Consult state, loca	cal or national regulations to ensure proper disposal.	
Uncleaned packagings: Recommendation: Disposal must be	e made according to official regulations.	
· · ·		
4 Transport information		
UN-Number		
DOT, ADN, IMDG, IATA	Not applicable	
UN proper shipping name	• / · · · · · · · · · · · · · · · · · ·	-
DOT, ADN, IMDG, IATA	Not applicable	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA	···· (P · F)	
Class	Not applicable	
Packing group DOT, IMDG, IATA	Natanaliashla	
	Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable. (Cont	

(Contd. on page 4)

Product name: 4-Chloro-6-(trifluoromethyl)pyrimidine
(Contd. of page 3
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
Transport/Additional information:
Marine Pollutant (DOT): No UN "Model Regulation": -
15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS07
Signal word Warning Hazard statements H315 Causes skin irritation. H315 Causes serious eve irritation. H316 Causes serious eve irritation. H317 Causes serious eve irritation. Precautionary statements Precautionary statements Problem Store locked up. Protonary Store locked up. Protonary store locked up. Protonary statements Product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or direcity under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances ILSU (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. Prop 65 - Obevelopmental toxicity, Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Develop
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) DOT: US Department of Transportation CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Vorkplace Hazardous Materials Information System (Canada) LCSC: Lethal doncentration, 50 percent LDSC: Lethal donce Hazardous Materials Information System (Canada) LCSC: Lethal donce of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)