

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 05/22/2009

#### 1 Identification

Product identifier

Product name: 1-Hexyl isothiocyanate

Stock number: L02551 **CAS Number:** 4404-45-9

EC number: 224-549-2

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

H227 Combustible liquid.

Hazards not otherwise classified Lachrymator

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger

Hazard statements
H227 Combustible liquid.
H302+H312 Harmful if swallowed or in contact with skin.
H331 Toxic if inhaled.
H314 Causes severe skin burns and eye damage.

H314 Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMMS classification

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects

Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2 Flammability = 2

WIY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

USA

## Product name: 1-Hexyl isothiocyanate

(Contd. of page 1)

#### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 4404-45-9 1-Hexyl isothiocyanate Identification number(s): EC number: 224-549-2

# 4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product.

After inhalation

Arter Illiaation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Hydrogen cyanide (HCN)
Sulfur oxides (SOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: No special requirements.
Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from water/moisture.

Store away from water/moisture.

Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.

Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

(Contd. on page 3)

(Contd. of page 2)

## Product name: 1-Hexyl isothiocyanate

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Ever protection:

Eye protection:
Tightly sealed goggles
Full face protection\_

**Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Liquid Colorless Pungent Not determined Color: Odor:

Odor threshold: pH-value:

Not determined.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Not determined 216 °C (421 °F) Not determined

Flash point: Flammability (solid, gaseous) 90 °C (194 °F) Not determined Ignition temperature: Decomposition temperature: Not determined Not determined Auto igniting: Not determined.

Product does not present an explosion hazard.

Danger of explosion: Explosion limits: Lower: Upper:

Not determined Not determined

Not determined 0.933 g/cm³ (7.786 lbs/gal)

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not determined. Not determined.

Evaporation rate Solubility in / Miscibility with

Water: Hydrolyzes Partition coefficient (n-octanol/water): Not determined. Not determined.

dynamic: kinematic: Other information

Not determined. No further relevant information available.

#### 10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.

Incompatible materials:
Oxidizing agents
Alcohols

Viscosity:

Amines Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Sulfur oxides (SOx) Hydrogen cyanide

# 11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful in contact with skin.

Harmful if swallowed.

Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion:

Causes serious eye damage.
This product is a lachrymator.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity, reposted exposure: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. on page 4)

USA

# Product name: 1-Hexyl isothiocyanate

(Contd. of page 3)

#### 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility is soil No further relevant information available.
Additional coelegical information:

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

The property of the property of

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

4 4	T	information
14	ıransnorı	intormation

UN-Number DOT, IMDG, IATA UN2922

UN proper shipping name DOT

Corrosive liquids, toxic, n.o.s. (1-Hexyl isothiocyanate) CORROSIVE LIQUID, TOXIC, N.O.S. (1-Hexyl isothiocyanate) IMDG, IATA

# Transport hazard class(es)

#### DOT



Label Class

Label IMDG, IATA

8 Corrosive substances. 8+6.1 8 (CT1) Corrosive substances



Class Label 8 Corrosive substances.

8+6.1

No

Packing group DOT, IMDG, IATA Ш

Environmental hazards: Not applicable.

Special precautions for user EMS Number: Warning: Corrosive substances

F-A,S-Ĕ

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

Marine Pollutant (DOT):

UN "Model Regulation":

UN2922, Corrosive liquids, toxic, n.o.s. (1-Hexyl isothiocyanate), 8 (6.1), III

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







Signal word Danger Hazard statements

nazard statements H227 Combustible liquid. H302+H312 Harmful if swallowed or in contact with skin.

Toxic if inhaled. Causes severe skin burns and eye damage.

Precautionary statements
P210 Keep awa
P260 Do not br

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

P501 Dispose of contents/contained in accordance with issuances control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

(Contd. on page 5)

(Contd. of page 4)

## Product name: 1-Hexyl isothiocyanate

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International IAI Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: The control of International Evil Aviation Organization
ICAO: International Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal dose, 50 percent
LD50: Lethal Administration (USA)
MTP: National Toxicology Program (USA)
MAP: National Toxicology Program (USA)
MAP: Accupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
MAP: Accupational Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA