Safety Data Sheet



Revision date 08/08/2016
1 Identification
Product identifier Product name: Benzoyl isocyanate
Stock number: A11583 CAS Number:
4461-33-0 EC number:
224-717-5 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals. Inc.
30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS) GHS06 Skull and crossbones
Acute Tox. 3 H331 Toxic if inhaled.
Acute Tox. 4 H302 Harmful if swallowed.
Acute Tox. 4 H312 Harmful in contact with skin. Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.
H227 Combustible liquid.
Hazards not otherwise classified No information known.
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
GHS06
Signal word Danger Hazard statements
H227 Combustible liquid. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled.
H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation.
H335 May cause respirátory irritation. Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, it present and easy to do. Continue rinsing. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up.
P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification B3 - Combustible liquid D1B - Toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects
Classification system HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)
HEALTH Image: Provide and the state of t
Other hazards Results of PBT and vPvB assessment PDT: Net environte

Results of PBT and vPvB assessment PBT: Not applicable. Product name: Benzoyl isocyanate

(Contd. of page 1)

vPvB: Not applicable. 3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: 4461-33-0 Benzoyl isocyanate Identification number(s): EC number: 224-717-5 4 First-aid measures Description of first aid measures After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. Seek immediate medical advice. **After skin contact** Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing** Seek medical treatment. **Information for doctor Most important symptoms and effects, both acute and delayed** Causes skin irritation. Harmful if swallowed. Causes serious eve irritation Causes serious eye irritation. Harmful in contact with skin. Toxic if inhaled. May cause respiratory irritation. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures Extinguishing media Extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Possibly Hydrogen cyanide (HCN) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Keep container tightly sealed. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in freezer (-20 °C). Information about storage in one common storage facility: Protect from heat. Store away from water/moisture. Store away from oxidizing agents. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. Keep container tightly sealed. Protect from humidity and water. Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data

Product name: Benzoyi isocyanate		
Use a respirator with multi-purpose com determine if air-purifying respirators are CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each us	andling chemicals should be followed. and feed. thing immediately. nd of work. vorking environment. spirator when high concentrations are present. term use: bination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be appropriate. Only use equipment tested and approved under appropriate government standards such as e for their proper condition. 'depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. minutes) Not determined	(Contd. of page 2) performed to NIOSH (USA) or
9 Physical and chemical properties		
Information on basic physical and ch General Information Appearance: Form: Odor:	emical properties Liquid Pungent	
Odor threshold:	Not determined.	
pH-value: Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined 48-49 °C (118-120 °F) (0.9mm) Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	72 °C (162 °F) Not determined. Not determined Not determined Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with	Not determined. Not determined Not determined 1.171 g/cm ³ (9.772 lbs/gal) Not determined. Not determined. Not determined.	
Water: Partition coefficient (n-octanol/water) Viscosity: dynamic: kinematic:	Not determined. Not determined.	
Other information	No further relevant information available.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recom Thermal decomposition / conditions to Possibility of hazardous reactions Re Conditions to avoid No further relevant Incompatible materials: Water/moisture Oxidizing agents Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Possibly Hydrogen cyanide (HCN)	mended storage conditions. to be avoided: Decomposition will not occur if used and stored according to specifications. eacts with strong oxidizing agents t information available.	
Reproductive toxicity: No effects know Specific target organ system toxicity	(in irritation. rious eye irritation. own. on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.	(Contd. on page 4)

	Revisio	on date 08/08/2016
Product name: Benzoyl isocyanate		
Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acu Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substance is no		(Contd. of page 3)
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper gover Do not allow undiluted product or large quantities to reach ground water, wate Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	nmental permits. er course or sewage system.	
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure prop Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.	er disposal.	
14 Transport information		
UN-Number DOT, IMDG, IATA	UN2206	
UN proper shipping name DOT IMDG, IATA	Isocyanates, toxic, n.o.s. (Benzoyl isocyanate) ISOCYANATES, TOXIC, N.O.S. (Benzoyl isocyanate)	
Transport hazard class(es) DOT		
Class Label Class Label IMDG, IATA	6.1 Toxic substances. 6.1 6.1 (T1) Toxic substances 6.1	
Class	6.1 Toxic substances.	
Label Packing group DOT, IMDG, IATA	6.1	
DOT, IMDG, IATA Environmental hazards:	III Not applicable.	
Special precautions for user	Warning: Toxic substances	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Co		
Transport/Additional information:		
DOT Marine Pollutant (DOT):	No	
UN "Model Regulation":	UN2206, Isocyanates, toxic, n.o.s. (Benzoyl isocyanate), 6.1, Ill	
15 Regulatory information Safety, health and environmental regulations/legislation specific for the GHS label elements The product is classified and labeled in accordance with Hazard pictograms GHS06	substance or mixture h 29 CFR 1910 (OSHA HCS)	
Signal word Danger Hazard statements H227 Combustible liquid. H302+H312 Harmful if swallowed or in contact with skin. H331 Toxic if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. P210 Keep away from heat/sparks/open flames/hot surfaces I P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/ P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minut P304+P340 IF INHALED: Remove victim to fresh air and keep at rest	No smoking. face protection. es. Remove contact lenses, if present and easy to do. Continue rinsin in a position comfortable for breathing.	g. (Contd. on page 5)

(Contd. on page 5)

Page 5/5 Printing date 08/09/2016 Revision date 08/08/2016

New Sol	1 uale 00/00/2010
Product name: Benzoyl isocyanate	
P362 Take off contaminated clothing and wash before reuse. P363 Wash contaminated clothing before reuse. P405 Store locked up.	(Contd. of page 4)
P405 Store locked up. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. National regulations	
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this pro to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by product must not be used for commercial purposes or in formulations for commercial purposes. This product is not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) Substance is not listed. California Proposition 65	oduct is restricted TSCA. This
Prop 65 - Chemicals known to cause cancer Substance is not listed. Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity female Substance is not listed.	
Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing market and use must be observed.	, placing on the
Substance is not listed. Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	
16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of sui information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	itability of this product not in
Department issuing SDS: Global Marketing Department	
Abbreviations and acronyms: RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Avigtinon Organization	
AUX: Accore europeen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ENIECS: European Inventeur de Evicting Commercial Chaminal Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent	
Date: Display target (Vision Concentration Concentration Concentration Concentration Concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAD: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport dessociation EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hardo Katardous Materials Information System (USA) WHMIS: Workplass LC50: Lethal concentration, 50 percent LD50: Lethal concolorentation VPVB: very Persistent and very Bioaccumulative ACGH: ACGI: Accurational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Apency for Research on Cancer EPA: Environmental Protection Agency (USA) : Flammablicinguis, Hazard Category 4	
IARC: International Agency for Kesearch on Cancer EPA: Environmental Profection Agency (USA) : Flammable liquids, Hazard Category 4 Acute Tox, 3: Acute toxicity, Hazard Category 4 Acute Tox, 3: Acute toxicity, Hazard Category 3	
Skin Irrit. 2: Skin corrosion/irritation, Hazărd Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3	USA