

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

1 Identification of substance:

Product details:

Product name: Lead (II) acetate, basic

Stock number: 36393

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
Johnson Matthey Catalog Company, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Emergency Phone: (978) 521-6300
CHEMTREC: (800) 424-9300
Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Hazards identification

Hazard description:



T Toxic
N Dangerous for the environment

Information pertaining to particular dangers for man and environment

R 61 May cause harm to the unborn child
R 62 Possible risk of impaired fertility
R 33 Danger of cumulative effects.
R 48/22 Also harmful: danger of serious damage to health by prolonged exposure if swallowed.
R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	2
FIRE	1
REACTIVITY	1

Health (acute effects) = 2
Flammability = 1
Reactivity = 1

GHS label elements



Danger

3.7/1A - May damage fertility or the unborn child.
3.9/2 - May cause damage to organs through prolonged or repeated exposure.



Warning

4.1/1 - Very toxic to aquatic life.
4.1/1 - Very toxic to aquatic life with long lasting effects.

Prevention:

Do not breathe dust/fume/gas/mist/vapours/spray.
Avoid release to the environment.
Use personal protective equipment as required.

Response:

IF exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

Lead (II) acetate, basic (CAS# 51404-69-4)

(Contd. on page 2)

-USA-

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

Product name: Lead (II) acetate, basic

Identification number(s):
EINECS Number: 257-175-3
Index number: 082-005-00-8

(Contd. of page 1)

4 First aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
 Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
 Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Lead oxide fume

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Dispose contaminated material as waste according to item 13.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling

Information for safe handling:

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

Information about protection against explosions and fires: Keep ignition sources away.

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Additional information: No data

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

-USA-

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

Product name: Lead (II) acetate, basic

(Contd. of page 2)

Keep away from foodstuffs, beverages and feed.
 Remove all soiled and contaminated clothing immediately.
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.

Breathing equipment:

Use suitable respirator when high concentrations are present.
 Refer to 29CFR1910.1025 for regulations on respiratory protection required during exposure to lead and lead compounds.

Protection of hands:

Impervious gloves
 Check protective gloves prior to each use for their proper condition.

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality.
 Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses**Body protection:** Protective work clothing.

9 Physical and chemical properties:

General Information	
Form:	Powder
Color:	White
Odor:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
Flash point:	Not applicable
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Vapor pressure:	Not determined
Density:	Not determined
Solubility in / Miscibility with	
Water:	Soluble

10 Stability and reactivity

Thermal decomposition / conditions to be avoided:

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Oxidizing agents**Dangerous reactions** No dangerous reactions known**Dangerous products of decomposition:**

Carbon monoxide and carbon dioxide

Lead oxide fume

11 Toxicological information

Acute toxicity:**Primary irritant effect:****on the skin:** Irritant to skin and mucous membranes.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Subacute to chronic toxicity:**

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness. Red blood cells may be damaged resulting in anemia. Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur.

Additional toxicological information:

May cause harm to the unborn child.

Possible risk of impaired fertility.

(Contd. on page 4)

-USA-

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

Product name: Lead (II) acetate, basic

(Contd. of page 3)

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

12 Ecological information:

Ecotoxical effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

Very toxic for aquatic organisms

13 Disposal considerations

Product:

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

DOT regulations:



Hazard class: 6.1
Identification number: UN1616
Packing group: III
Proper shipping name (technical name): LEAD ACETATE
Label: 6.1

Land transport ADR/RID (cross-border)



ADR/RID class: 6.1 (T5) Toxic substances
Danger code (Kemler): 60
UN-Number: 1616
Packaging group: III
Special marking: Symbol (fish and tree)
Description of goods: 1616 LEAD ACETATE

Maritime transport IMDG:



IMDG Class: 6.1
UN Number: 1616

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

Product name: Lead (II) acetate, basic

(Contd. of page 4)

Label	6.1
Packaging group:	III
Marine pollutant:	No
Segregation groups	Heavy metals and their salts (including their organometallic compounds), lead and its compounds
Proper shipping name:	LEAD ACETATE

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class:	6.1
UN/ID Number:	1616
Label	6.1
Packaging group:	III
Proper shipping name:	LEAD ACETATE

UN "Model Regulation": UN1616, LEAD ACETATE, 6.1, III

Environmental hazards: Environmentally hazardous substance, solid; Marine Pollutant

15 Regulations

Product related hazard informations:

Hazard symbols:

T Toxic

N Dangerous for the environment

Risk phrases:

61 May cause harm to the unborn child

62 Possible risk of impaired fertility

33 Danger of cumulative effects.

48/22 Also harmful: danger of serious damage to health by prolonged exposure if swallowed.

50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

53 Avoid exposure - obtain special instructions before use.

45 In case of accident or if you feel unwell, seek medical advice immediately.

60 This material and its container must be disposed of as hazardous waste.

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

This product contains a chemical known to the state of California to cause cancer or reproductive toxicity.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains lead and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 6)

USA

Material Safety Data Sheet
acc. to OSHA and ANSI

Printing date 09/20/2010

Reviewed on 09/08/2010

Product name: Lead (II) acetate, basic

(Contd. of page 5)

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)

-USA-