



Revision date 08/03/2010
1 Identification
Product identifier
Product name: <u>3-Chloro-2-methylpropene</u>
Stock number: B22674 CAS Number: 563-47-3
EC number: 209-251-2
Index number: 602-032-00-6
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development
Details of the supplier of the safety data sheet Manufacturer/Supplier:
Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757 Email: tech@alfa.com
www.alfa.com Information Department: Health, Safety and Environmental Department
Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.
2 Hazard(s) identification
Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)
GHS02 Flame
Flam, Liq. 2 H225 Highly flammable liquid and vapor.
GHS05 Corrosion
Skin Corr. 1B H314 Causes severe skin burns and eye damage.
GHS07
Acute Tox. 4 H302 Harmful if swallowed. Acute Tox. 4 H332 Harmful if inhaled.
Skin Sens. 1 H317 May cause an allergic skin reaction. Hazards not otherwise classified No information known.
Label elements GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms
\wedge \wedge \wedge
GHS02 GHS05 GHS07
Signal word Danger
Hazard statements H225 Highly flammable liquid and vapor.
H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P201 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P400 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
F405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification
B2 - Flammable liquid D2A Very toxic material causing other toxic effects
Classification system HMIS ratings (scale 0-4)
HMIS ratings (scale 0-4) (Hazardous Materials Identification System)
HEALTH B Health (acute effects) = 3 FIRE B Flammability = 3
REACTVITY Physical Hazard = 1 (Contd. on page 2)
IGUNU. UN DAUE Z

Product name: 3-Chloro-2-methylpropene

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 563-47-3 3-Chloro-2-methylpropene Identification number(s): EC number: 209-251-2 Index number: 602-032-00-6

4 First-aid measures

Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Mact important our process and officiate water and doloued Most important symptoms and effects, both acute and delayed Causes severe skin burns. Harmful if swallowed. Harmful if inhaled. May cause an allergic skin reaction. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit. 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Prevention of secondary hazards: Keep away from ignition sources. **Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage Handling Precautions for safe handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep initian sources away Keep ignition sources away.

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Store away from strong bases. Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

(Contd. of page 1)

Product name: 3-Chloro-2-methylpropene

(Contd. of page 2)

		(Conta: of page 2)
Control parameters Components with limit values that req The product does not contain any relevan Additional information: No data	uire monitoring at the workplace: It quantities of materials with critical values that have to be monitored at the workplace.	
Exposure controls Personal protective equipment General protective and hygienic meas The usual precautionary measures for he Keep away from foodstuffs, beverages a Remove all soiled and contaminated clot Wash hands before breaks and at the en Avoid contact with the eyes and skin. Maintain an ergonomically appropriate wy Breathing equipment: Use suitable resy Recommended filter device for short of Use a respirator with multi-purpose comb determine if air-purifying respirators are a CEN (EU). Protection of hands: Impervious gloves Check protective gloves prior to each use The selection of suitable gloves not only Material of gloves Fluorocarbon rubber Penetration time of glove material (in	orking environment. orking environment. oirator when high concentrations are present. erm use: oination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be i oppropriate. Only use equipment tested and approved under appropriate government standards such as h of or their proper condition. depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	performed to NOSH (USA) or
Glove thickness 0.7 mm Eve protection: Tightly sealed goggles Full face protection Body protection: Protective work clothin		
9 Physical and chemical properties		
Information on basic physical and che General Information Appearance: Form:	mical properties	
Odor:	Pungent	
Odor threshold: pH-value:	Not determined. Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:	-80 °C (-112 °F) 71-72 °C (160-162 °F) Not determined	
Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	-12 °C (10 °F) Not applicable. 540 °C (1004 °F) Not determined Not determined.	
Danger of explosion: Explosion limits: Lower: Upper: Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water at 20 °C (68 °F): Partition coefficient (n-octanol/water): Viscosity:		
dynamic: kinematic: Other information	Not determined. Not determined. No further relevant information available.	
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions Rea Conditions to avoid No further relevant Incompatible materials: Oxidizing agents Bases Hazardous decomposition products: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl)	b be avoided: Decomposition will not occur if used and stored according to specifications. Acts with strong oxidizing agents	
11 Toxicological information Information on toxicological effects Acute toxicity: Harmful if inhaled. Harmful if swallowed. Swallowing will lead to a strong corrosive The Registry of Toxic Effects of Chemica LD/LC50 values that are relevant for c	effect on mouth and throat and to the danger of perforation of esophagus and stomach. I Substances (RTECS) contains acute toxicity data for this substance. Iassification:	
Oral LD50 848 mg/kg (rat)		
Skin irritation or corrosion: Causes se	vere skin burns.	(Contd. on page 4) USA

Product name: 3-Chloro-2-methylpropene (Cond. of page Sinshitation or corresolar: Causes service up of damage. Service cell mutagemetric: the Pagistry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance. (MTP: 6, Pages) MTP: 6, Pages as to correspond by the humans. MTP: 6, Pages as the human by the humans of the correspond by the humans. Meeting in the correspond by the human by the humans of the humans		Revision date 08/03/2016
Eve inflation or corrosion: Causes astrones and damage. Germ call mutigenricity: The Registry of York: Exects of Chemical Substances (RTECS) contains mutation data for this substance. Reproductive to be a carcinogene limited vidence from studies in humans or sufficient evidence from studies in experimental animals. Reproductive to korker, No effects known. Substances (RTECS) contains tumorigenic and/or carcinogenic and/or mecplastic data for this substance. Reproductive to korker, No effects known. Substance is not fully known. Substance is not fully known. Carcinogenic categories Occupied information: To he bast of our knowledge the acute and chronic toxicity of this substance is not fully known. Substance is not fully known. Substance is not fully known. Substance is not fully k	Product name: 3-Chloro-2-methylpropene	
	Sensitization: May cause an allergic skin reaction. Germ cell mutagenicity: The Registry of Toxic Effects of Chemical S Carcinogenicity: NTP-R: Reasonably anticipated to be a carcinogen: limited evidence IARC-3: Not classifiable as to carcinogenicity to humans. The Registry of Toxic Effects of Chemical Substances (RTECS) cont Reproductive toxicity: No effects known. Specific target organ system toxicity - single exposure: No effect Aspiration hazard: No effects known. Subacute to chronic toxicity: The Registry of Toxic Effects of Chem Additional toxicological information: To the best of our knowledge	from studies in humans or sufficient evidence from studies in experimental animals. tains tumorigenic and/or carcinogenic and/or neoplastic data for this substance. fects known. ts known. mical Substances (RTECS) contains multiple dose toxicity data for this substance.
Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment without proper governmental permits. Do not allow material to be released to the environment. Wave causes long lasting harmful effects to aquatic life. May causes long lasting harmful effects to aquatic life. May cause long lasting harmful effects to aquatic life. Class lastin	Carcinogenic categories OSHA-Ca (Occupational Safety & Health Administration) Substar	nce is not listed.
Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, JATA UN2554 UN proper shipping name DOT, iMDG, IATA UN2554 Transport hazard class(es) Methyl allyl chloride METHYLALL YL CHLORIDE Transport hazard class(es) DOT Class Label Class 3 Flammable liquids. 3 (F1) Flammable liquids MIDG, IATA 3 Flammable liquids.	Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Toxic for aquatic organisms Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage Do not allow material to be released to the environment without prope Toxic for aquatic organisms Danger to drinking water if even small quantities leak into the ground Also poisonous for fish and plankton in water bodies. Toxic to aquatic life. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. Other adverse effects No further relevant information available. 13 Disposal considerations	e. er governmental permits.
UN-Number DOT, IMDG, IATA UN2554 UN proper shipping name DOT Methyl allyl chloride METHYLALLYL CHLORIDE Transport hazard class(es) METHYLALLYL CHLORIDE DOT Image: Class in the second se	Recommendation Consult state, local or national regulations to ensu Uncleaned packagings: Recommendation: Disposal must be made according to official regu	
DOT, IMDG, IATA UN2554 UN proper shipping name DOT Methyl allyl chloride METHYLALLYL CHLORIDE Transport hazard class(es) METHYLALLYL CHLORIDE DOT Image: Class	-	
IMDG, IATA METHYLÅLLYL CHLORIDE Transport hazard class(es) DOT DOT Impose the second s	DOT, IMDG, IATA	UN2554
DOT V Class Label Class Label IMDG, IATA V Class Label IMDG, IATA Class S S S S S S S S S S S S S	IMDG, IATA	Methyl allyl chloride METHYLALLYL CHLORIDE
	DOT Class Label Class Label	3
		3 Flammable liquids.
Packing group DOT, IMDG, IATA II		
Environmental hazards: Environmentally hazardous substance, liquid		
Special precautions for user Warning: Flammable liquids EMS Number: F-E,S-D Segregation groups Liquid halogenated hydrocarbons Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	EMS Number:	Warning: Flammable liquids F-E,S-D Liquid halogenated hydrocarbons
Transport/Additional information:		PIBC Code Not applicable.
DOT Marine Pollutant (DOT): No	Transport in bulk according to Annex II of MARPOL73/78 and the Transport/Additional information:	e IBC Code Not applicable.
UN "Model Regulation": UN 2554, Methyl allyl chloride, 3, II	Transport in bulk according to Annex II of MARPOL73/78 and the Transport/Additional information: DOT	

15 Regulatory information Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

(Contd. of page 4) Hazard pictograms GHS02 GHS05 GHS07 Signal word Danger

 Signal word Danger

 Hazard statements

 H225
 Highly flammable liquid and vapor.

 H302+H332 Harmful if swallowed or if inhaled.

 H314
 Causes severe skin burns and eye damage.

 H314
 Causes ne ellerrie skin reaction.

 H314 Causes severe skin burns and eye of H317 May cause an allergic skin reaction. Precautionary statements

 Precautionary statements

 P210
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

 P260
 Do not breathe dust/fume/gas/mist/vapours/spray.

 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

 P280
 Wear protective gloves/protective clothing/eye protection/face protection.

 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

 P304+P340
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

 Store locked up

 P405 P501 Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Mational regulations All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL). SARA Section 313 (specific toxic chemical listings) 563-47-3 3-Chloro-2-methylpropene California Proposition 65 Prop 65 - Chemicals known to cause cancer 563-47-3 3-Chloro-2-methylpropene Prop 65 - Developmental toxicity Substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed. The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Substance is not listed Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.
Department issuing SDS: Global Marketing Department
Date of preparation / last revision 08/04/2016 / Abbrevitions and acronyms:
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAC: International Auritation Corganization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IDGC: International Auritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPWE very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
IMP: National Toxicology Program (USA)
IAR: International Agency for Research on Cancer
EPA: Environmental Frozection and Environg USA)
IAR: Conternational Agency for Research on Cancer
EPA: Environmental Frozection and Environg USA)
EFA: Environmental Frozection and Environg USA)
IAR: Conternational Agency for Research on Cancer
EPA: Environmental Frozection and Environg USA)
EFA: Environmental Frozection and Environg USA)
EFA: Environmental Frozection Agency 18
Skin Corr. 18: Skin corrosion/irritation, Hazard Category 18
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 USA