

Safety Data Sheet per OSHA HazCom 2012



Safety Data Sheet per OSHA HazCom 2012	
per OSĤA HazCom 2012	

	Reviewed on 06/04/2013
Product name: Ebselen	
In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.	(Contd. of page 1)
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Selenium dioxide (SeO2) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	foam.
 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 	
7 Handling Handling Precautions for safe handling Keep container tightly sealed. Ensure good venitlation at the workplace. Open and handle container with care. Information about protection against explosions and fires: No information known. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in freezer (-20 °C). Information about storage in one common storage facility: Store away from oxidizing agents. Protect from heat. Further information about storage conditions: Keep container tightly sealed. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minu Control parameters Components with limit values that require monitoring at the workplace: 60940-34-3 2-Phenyl-1, 2-benzisoselenazol-3(2H)-one (100.0%) PEL (USA) Long-term value: 0.2 mg/m ³	te.
as Se TLV (USA) Long-term value: 0.2 mg/m³ as Se Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Store protective clothing separately. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined	
Eye protection: Safety glasses Body protection: Protective work clothing.	USA USA (Contd. on page 3)

(Contd. on page 3)

Product name: Ebselen

(Contd. of page 2)

	(Contd. of page .
9 Physical and chemical properties	
Information on basic physical and che General Information Appearance:	
Form:	Powder
Color: Odor:	White to off-white Not determined
Odor threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:	180-181 °C (356-358 °F) Not determined Not determined Not determined Not determined Not determined Not determined
Danger of explosion:	Not determined.
Explosion limits: Lower: Upper: Vapor pressure: Density: Relative density Vapor density Evaporation rate Solubility in / Miscibility with Water: Partition coefficient (n-octanol/water): Viscosity: dynamic: kinematic: Other information	Not determined Not applicable. Not determined Not determined Not determined. Not applicable. Not determined Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
10 Stability and reactivity	
Reactivity No information known. Chemical stability Stable under recomm Thermal decomposition / conditions to Possibility of hazardous reactions No Conditions to avoid No further relevant Incompatible materials: Oxidizing agents Heat Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Selenium dioxide (SeO2)	o be avoided: Decomposition will not occur if used and stored according to specifications. dangerous reactions known
	al Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for c	lassification:
IARC-3: Not classifiable as to carcinoger Reproductive toxicity: The Registry of Specific target organ system toxicity - May cause damage to the kidneys, the li Specific target organ system toxicity - Aspiration hazard: No effects known. Subacute to chronic toxicity: The Reg	irritation own. cinogenicity: inadequate human and animal evidence of carcinogenicity or no data are available. nicity to humans. Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance. - repeated exposure: wer, the blood and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral.
12 Ecological information Toxicity	
Aquatic toxicity: No further relevant info Persistence and degradability No furth Bioaccumulative potential No further re Mobility in soil No further relevant inforn Ecotoxical effects: Remark: Very toxic for aquatic organism Additional ecological information: General notes: Do not allow material to be released to th	ner relevant information available. elevant information available. mation available. 15 he environment without proper governmental permits. ater, water course or sewage system, even in small quantities. ely small quantities leak into the ground. vater bodies.
	(Contd. on page

Durchast manual Ebecler	
Product name: Ebselen	
Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.	(Contd. of page 3
13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure Uncleaned packagings: Recommendation: Disposal must be made according to official regulat	
14 Transport information	
UN-Number DOT, IMDG, IATA	UN3283
UN proper shipping name DOT	Selenium compound, solid, n.o.s. (2-Phenyl-1, 2-benzisoselenazol-3(2H)-one) SELENIUM COMPOUND, SOLID, N.O.S. (2-Phenyl-1, 2-benzisoselenazol-3(2H)-
IMDG, IATA	SELENIUM COMPOUND, SOLID, N.O.S. (2-Phényi-1, 2-benzisoselenazoi-3(2H)- one)
Transport hazard class(es) DOT	
Class Label	6.1 Toxic substances. 6.1
Class Label IMDG, IATA	6.1 (T5) Toxic substances 6.1
Class Label	6.1 Toxic substances. 6.1
Packing group DOT, IMDG, IATA	<i>III</i>
Environmental hazards:	Environmentally hazardous substance, solid
Special precautions for user EMS Number:	Warning: Toxic substances F-A.S-A
Transport in bulk according to Annex II of MARPOL73/78 and the I	
Transport/Additional information: DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3283, Selenium compound, solid, n.o.s. (2-Phenyl-1, 2-benzisoselenazol-3(2H)- one), 6.1, III
15 Regulatory information Safety, health and environmental regulations/legislation specific for GHS label elements The product is classified and labeled in accordance Hazard pictograms	or the substance or mixture se with 29 CFR 1910 (OSHA HCS)
GHS06 GHS08	
Signal word Danger Hazard statements H331 Toxic if inhaled. H373 May cause damage to the kidneys, the liver, the blood and the en Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfort P311 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regi National regulations This product is not listed in the U.S. Environmental Protection Agency T to research and development only. This product must be used by or dire product must not be used for commercial purposes or in formulations for	ional/national/international regulations.
Signal word Danger Hazard statements H331 Toxic if inhaled. H373 May cause damage to the kidneys, the liver, the blood and the en Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfort P311 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regi National regulations This product is not listed in the U.S. Environmental Protection Agency T to research and development only. This product must be used by or dire product must not be used for commercial purposes or in formulations fo SARA Section 313 (specific toxic chemical listings) 60940-34-3 2-Phenyl-1, 2-benzisoselenazol-3(2H)-one	able for breathing. ional/national/international regulations. Toxic Substances Control Act Chemical Substance Inventory - Use of this product is restricted
Signal word Danger Hazard statements H331 Toxic if inhaled. H373 May cause damage to the kidneys, the liver, the blood and the en Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P304+P340 IF INHALED: Remove person to fresh air and keep comfort P311 Call a POISON CENTER/doctor/ P405 Store locked up. P501 Dispose of contents/container in accordance with local/regi National regulations This product is not listed in the U.S. Environmental Protection Agency T to research and development only. This product must be used by or dire product must not be used for commercial purposes or in formulations fo SARA Section 313 (specific toxic chemical listings) 60940-34-3 2-Phenyl-1, 2-benzisoselenazol-3(2H)-one California Proposition 65 Prop 65 - Developmental toxicity, substance is not listed. Prop 65 - Developmental toxicity, female Substance is not listed. Prop 65 - Developmental toxicity, male Substance is not listed. Prop 65 - Developmental toxicity male Substance is not listed. Prop 65 - Developmental toxicity cause only by technically qualifi Other regulations, limi	table for breathing. ional/national/international regulations. Foxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted actly under the supervision of a technically qualified individual as defined by TSCA. This r commercial purposes.

(Contd. of page 4)

Product name: Ebselen

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Information to ensure proper used and process in a combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / -Abbreviations and acronyms: RID: Rejement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport des marchandises dougereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport also ITA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Harradous Materials Information System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent UPVB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) MTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA