

# Safety Data Sheet per OSHA HazCom 2012

**4lfa 4esar** 

1 Identification

Product identifier

Product name: 2-Buten-1-ol

Stock number: L03705

**CAS Number:** 6117-91-5 EC number:

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

Thermo Fisher Scientific S. 30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech @alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Warning

Hazard statements H226 Flamma

H226 Flammable liquid and vapour. H302+H312 Harmful if swallowed or in contact with skin.

P280 Wear pro Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235 Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

WHMIS classification B2 - Flammable liquid



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1
Flammability = 3 Flammability = 3

Flactivity Physical Hazard = 1

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 6117-91-5 2-Buten-1-ol Identification number(s): EC number: 228-086-7

# 4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.

(Contd. on page 2)

(Contd. of page 1)

## Product name: 2-Buten-1-ol

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide Advice for firefighters

Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate vertiliation: Keep away from ignition sources **Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.

Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections on safe handling.

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# 7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions: Keep container tightly sealed.

in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skip.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

## 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Liauid

Odor: Not determined Odor threshold: Not determined

pH-value: Not determined.

(Contd. on page 3)

Product name: 2-Buten-1-ol

(Contd. of page 2)

Not determined

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 121-122 °C (250-252 °F) Not determined

Flash point: 34 °C (93 °F) Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Not determined Not determined Not determined Auto igniting: Not determined

Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Danger of explosion: Explosion limits:

Lower: Not determined Not determined Upper: Vapor pressure: Not determined Density: Relative density Not determined Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not determined

Partition coefficient (n-octanol/water): Not determined. Viscosity. dynamic: Not determined.

Not determined. Other information No further relevant information available.

### 10 Stability and reactivity

kinematic:

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents
Hazardous decomposition products: Carbon monoxide and carbon dioxide

#### 11 Toxicological information

#### Information on toxicological effects

Acute toxicity:
Harmful in contact with skin.
Harmful if swallowed.
Danger through skin absorption.

# LD/LC50 values that are relevant for classification:

LD50 930 mg/kg (rat)

Dermal LD50 1270 mg/kg (rabbit)

Skin irritation or corrosion: Irritant to skin and mucous membranes.
Eye irritation or corrosion: Irritating effect.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.

Carcinogenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Other information (about experimental toxicology): Mutagenic effects have been observed on tests with bacteria.
Subacute to chronic toxicity:

Subacute to chronic toxicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) reports the following effects in laboratory animals:

Skin and Appendages - primary irritation (after topical exposuré).

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additiónal ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

UN-Number DOT, IMDG, IATA

UN1987

Page 4/4 Printing date 11/23/2015 Reviewed on 01/29/2007

# Product name: 2-Buten-1-ol (Contd. of page 3) UN proper shipping name DOT Alcohols, n.o.s. (2-Buten-1-ol) ALCOHOLS, N.O.S. (2-Buten-1-ol) IMDG, IATA Transport hazard class(es) DOT Class 3 Flammable liquids. Label (F1) Flammable liquids Label ĪMDG, IATA Class 3 Flammable liquids. Packing group DOT, IMDG, IATA Environmental hazards: Not applicable. Special precautions for user Warning: Flammable liquids Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT): No

UN1987, Alcohols, n.o.s. (2-Buten-1-ol), 3, III

#### 15 Regulatory information

UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS02 GHS07

Signal word Warning Hăzard statements

H226 Flammable liquid and vapour. H302+H312 Harmful if swallowed or in contact with skin.

Precautionary statements
P210 Keep awa
P280 Wear pro
P240 Ground/b Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P240 Ground/bond container and receiving equipment.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P403+P235 Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity, Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DOT: US Department of Transportation IATA: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Information System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
vPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)