

1 Identification

Product identifier

Product name: Misch metal

Stock number: 36211

CAS Number:

62379-61-7

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02

Signal word

Danger

Hazard statements

H228 Flammable solid.

H260 In contact with water releases flammable gases which may ignite spontaneously.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.

P402+P404 Store in a dry place. Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B4 - Flammable solid

B6 - Reactive flammable material



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 1 Health (acute effects) = 1

FIRE 3 Flammability = 3

REACTIVITY 2 Physical Hazard = 2

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

62379-61-7 Misch metal

4 First-aid measures

Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Product name: Misch metal							
Indication of any immediate medical attention and special treatment needed No further relevant information available.							
(Contd. of page 1)							
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Special powder for metal fires. Do not use water. For safety reasons unsuitable extinguishing agents Water Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.							
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.							
7 Handling and storage Handling Precautions for safe handling Handle under dry protective gas. Handle under dry argon. Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Information about protection against explosions and fires: Protect against electrostatic charges. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Store away from air. Store away from water/moisture. Further information about storage conditions: Store under dry inert gas. This product is moisture sensitive. This product is air sensitive. Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Protect from humidity and water. Specific end use(s) No further relevant information available.							
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: No data Exposure controls Personal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Full face protection Body protection: Protective work clothing.							
9 Physical and chemical properties Information on basic physical and chemical properties General Information Appearance: <table><tr><td>Form:</td><td>Solid in various forms</td></tr><tr><td>Color:</td><td>Silver grey</td></tr><tr><td>Odor:</td><td>Odorless</td></tr></table>		Form:	Solid in various forms	Color:	Silver grey	Odor:	Odorless
Form:	Solid in various forms						
Color:	Silver grey						
Odor:	Odorless						
(Contd. on page 3)							
USA							

Product name: Misch metal

(Contd. of page 2)

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: ≈648 °C (≈1198 °F)

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flammability (solid, gaseous) Highly flammable.

Contact with water liberates extremely flammable gases.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: Not determined.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not applicable.

Density at 20 °C (68 °F): 6.67 g/cm³ (55.661 lbs/gal)

Relative density Not determined.

Vapor density Not applicable.

Evaporation rate Not applicable.

Solubility in / Miscibility with

Water: Contact with water releases flammable gases

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not applicable.

kinematic: Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity In contact with water releases flammable gases which may ignite spontaneously.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Contact with water releases flammable gases

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids

Air

Oxidizing agents

Water/moisture

Hazardous decomposition products: Metal oxide fume

11 Toxicological information

Information on toxicological effects

Acute toxicity: No effects known.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: May cause irritation

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA

UN3178

UN proper shipping name

DOT



IMDG, IATA


Flammable solid, inorganic, n.o.s. (Misch metal)

FLAMMABLE SOLID, INORGANIC, N.O.S. (Misch metal)

(Contd. on page 4)

USA

Product name: Misch metal	
(Contd. of page 3)	
Transport hazard class(es) DOT 	
Class Label Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1 4.1 (F3) Flammable solids, self-reactive substances and solid desensitised explosives 4.1
Label IMDG, IATA 	
Class Label	4.1 Flammable solids, self-reactive substances and solid desensitised explosives. 4.1
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable solids, self-reactive substances and solid desensitised explosives
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3178, Flammable solid, inorganic, n.o.s. (Misch metal), 4.1, II

15 Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixture	
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)	
Hazard pictograms 	
GHS02	
Signal word Danger	
Hazard statements	
H228 Flammable solid.	
H260 In contact with water releases flammable gases which may ignite spontaneously.	
Precautionary statements	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P231+P232 Handle under inert gas. Protect from moisture.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P370+P378 In case of fire: Use for extinction: CO2, sand, extinguishing powder.	
P402+P404 Store in a dry place. Store in a closed container.	
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.	
National regulations	
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.	
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).	
SARA Section 313 (specific toxic chemical listings) Substance is not listed.	
California Proposition 65	
Prop 65 - Chemicals known to cause cancer Substance is not listed.	
Prop 65 - Developmental toxicity Substance is not listed.	
Prop 65 - Developmental toxicity, female Substance is not listed.	
Prop 65 - Developmental toxicity, male Substance is not listed.	
Information about limitation of use: For use only by technically qualified individuals.	
Other regulations, limitations and prohibitive regulations	
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.	
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.	
Substance is not listed.	
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information	
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.	
Department issuing SDS: Global Marketing Department	
Date of preparation / last revision 11/24/2015 / -	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organization	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
HMIS: Hazardous Materials Identification System (USA)	
WHMIS: Workplace Hazardous Materials Information System (Canada)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
vPvB: very Persistent and very Bioaccumulative	
ACGIH: American Conference of Governmental Industrial Hygienists (USA)	
OSHA: Occupational Safety and Health Administration (USA)	
NTP: National Toxicology Program (USA)	
IARC: International Agency for Research on Cancer	
EPA: Environmental Protection Agency (USA)	